



Circular - I

Dear Customers,

With reference to the PALLAV Price List 2017-18, we hereby notify the Amendment Circular I dated 20th November, 2017 as mentioned below. We request you to integrate the given changes while placing your valuable orders.

PRICE AMENDMENTS, NEW INTRODUCTIONS & CORRECTION IN PRODUCT NAME AND PACKING :-						
Sr.No	Products	Cas No.	Product Code	Packing		Revised Prices
1	Ammonium Thiocyanate	1762-95-4	00250 00500	500 gm	410	410.00
			00250 05000	5 Kg	Cancelled	
2	Ammonium Thiocyanate AR	1762-95-4	00251 00500	500 gm	530	530.00
			00251 05000	5 Kg	Cancelled	
3	Arachis Oil Extra Pure	8002-03-7	00298A 00500	500 ml	Not Update in Price list Products & Price	700.00
4	Benzidine Reagent Solution	-	Cancelled			
5	Buffer Capsules pH 4.0	-	00539 10Cap	10Cap	135	170.00
6	Buffer Capsules pH 6.0	-	00540 10Cap	10Cap	135	170.00
7	Buffer Capsules pH 7.0	-	00541 10Cap	10Cap	140	170.00
8	Buffer Capsules pH 9.2	-	00541 10Cap	10Cap	160	170.00
9	Buffer Solution pH 11.0	-	00538 00500	500 ml	695	175.00
10	Caffeine (Anhydrous)	58-08-2	00613 00100	100 gm	Cancelled	
			00613 00500	500 gm	Cancelled	
11	Caffeine (Anhydrous)	58-08-2	00614 00100	100 gm	Cancelled	
			00614 00500	500 gm	Cancelled	
12	Carmine (M.S)	1390-65-4	00693 00005	5 gm	565	565.00
			00693 00025	25 gm	2595	2,595.00
			00693 00100	100 gm	Cancelled	
13	Ceric Sulphate (tetrahydrate)	10294-42-5	00719 00100	100 gm	Rate Not Update in Price List	2,195.00
			00719 00500	500 gm		8,515.00
14	Ceto Stearyl Alcohol	8005-44-5	New Cas No. 67762-27-0			
15	Chromium Chloride AR (Hexahydrate)	10060-12-5	00800 00500	500 gm	1795	1,795.00
16	Cyclohexene	110-82-7	New Cas No. 110-83-8			
17	Ferrous Sulphide Powder	1317-37-9	01226 00500	500 gm	Not Update in Price list Products & Price	245.00
18	Hexance 65 - 70oC (AR) (Fraction from Petroleum)	110-54-3	01347A 00500	500 ml	Rate Not Update in Price List	260.00
			01347A 02500	2.5 Lt		1,125.00
19	Iron (Metal) Powder (Electrolytic grade, 250-300 mesh)	7439-89-6	01471 00500	500 gm	335	750.00
			01471 05000	5 kg	2775	3,450.00
19	a-ketoglutaric Acid	328-50-7	01488 00025	25 gm	435	435.00
			01488 00100	100 gm	1590	1,590.00
			01488 00500	500 gm	Cancelled	
20	Lead Acetate (trihydrate crystal)	6080-56-4	01514 00500	500 gm	415	415.00
			01514 05000	5 kg	Cancelled	
21	Lead Acetate (trihydrate crystal) (AR)	6080-56-4	01515 00500	500 gm	465	465.00
			01515 05000	5 kg	Cancelled	

22	Lead Nitrate	10099-74-8	01529 00500	500 gm	425	425.00
			01529 02500	5 kg	Cancelled	
23	Lead Nitrate (AR)	10099-74-8	01530 00500	500 gm	545	545.00
			01530 02500	5 kg	Cancelled	
24	Liver Extract Powder (for Bacteriology)	-	01567 00500	Cancelled		
25	Mercuric Chloride	7487-94-7	01662 00025	25 gm	740	740.00
			01662 00100	100 gm	2550	2,550.00
			01662 00250	250 gm	5430	5,430.00
			01662 00500	500 gm	Cancelled	
26	Mercuric Sulphate Extra Pure	7783-35-9	01675 00025	25 gm	Rate Not Update in Price List	920.00
			01675 00100	100 gm		2,930.00
			01675 00250	250 gm		6,880.00
27	Methyl Acetate (for synthesis)	79-20-9	01701 00500	500 ml	490	490.00
			01701 02500	2.5 Lt	3130	2,135.00
			01701 05000	5 Lt	2980	3,980.00
28	1-Nitroso - 2 - Naphthol	131-91-9	01870 00100	100 gm	895	895.00
			01870 00250	250 gm	packing change	3,140.00
29	Phenyl Hydrazine	100-63-0	01993 00250	250 ml	760	1,550.00
			01993 00500	500 ml	1340	2,550.00
30	Phenyl Hydrazine (AR)	100-63-0	01994 00100	100 ml	1085	1,250.00
			01994 00500	500 ml	4770	4,770.00
31	Potassium Iodate	7758-05-6	02128 00100	100 gm	1150	1,150.00
			02128 00500	500 gm	packing change	5,105.00
			02128 05000	5 kg		49,405.00
32	3-(2-Pyridyl)-5, 6-Diphenyl 1,2,4-Triazine AR (PDT)	1046-56-6	02227 00001	1 gm	packing change	1,925.00
			02227 00005	5 gm	7880	7,880.00
33	Rubeanic Acid	79-40-3	02262 00005	5 gm	2895	3,150.00
			02262 00010	10 gm	5010	6,075.00
34	Starch Iodide Paper 200IVS (10 books of 20 leaves in book)	-	02925 PKT01	pkt	60	135.00
			02925 PKT24	24 pkt	Cancelled	
35	Stontium Sulphite	7757-83-7	Cancelled			
36	Vitamin E - Acetate	7695- 91-2	02835 00050	50 ml	packing change	685.00
			02835 01000	1 Lt		11,695.00
37	Aniline Blue (Water Soluble)	28631-66-5	00267 00025	25 gm	305	775.00
			00267 00100	100gm	1075	1,610.00
			00267 00500	500 gm	Cancelled	
38	Iron (Metal) Filling (Small pieces)	7439-89-6	01470 00500	500 gm	240	135.00
			01470 05000	5 kg	Cancelled	
39	Diacetyl Monoxime AR	57-71-6	00946 00025	25 gm	280	340.00
			00946 00100	100 gm	900	1,110.00
			00946 00250	250 gm	4145	2,670.00
40	Ammonium Ferric Sulphate	7783-83-7	00206 00500	500 gm	240	240.00
			00206 05000	5 kg	Cancelled	



Pallav Chemicals & Solvents Pvt. Ltd.
Manufacturers of Lab Fine Chemicals

Head Office: 253, Shiv Shakti Industrail Estate, Opp Mittal Estate, Andheri Kurla Road, Andheri East, Mumbai - 400 059. Tel No: +91 22 4928 4000 (100 Lines)
Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar - 401506. • Email: sales@pallavchemicals.com

Circular - II

Dear Customers,

With reference to the PALLAV Price List 2017-18, we thereby notify the Amendment Circular I dated 20th November, 2017 as mentioned below. We request you to integrate the given changes while placing your valuable orders.

PRICE AMENDMENTS, NEW INTRODUCTIONS & CORRECTION IN PRODUCT NAME AND PACKING :-						
Sr.No	Products	Cas No.	Product Code	Packing		Revised Prices
1	Bromo Cresol Green Indicator (Water Solube)	62625-32-5	00496 00005	5 gm	 	Cancelled
			00496 00005	25 gm	 	Cancelled
2	Litmus Blue Indicator paper	-	01564 200LV	100LV	200 LVS	195.00
3	Litmus Red Indicator paper	-	01565 200LV	100LV	200 LVS	195.00
4	Sodium Bromide Extra Pure	7647-15-6	02374 00500	500 gm	540	540.00
			02374 05000	5 Kg	4380	Cancelled
5	Rose Bengal AR (C.I. 45440)	632-69-9	02261 00025	25 gm	860	1,225.00
			02261 00100	100 gm	2888	3,900.00
6	o-Nitrophenol	88-75-5	01863 00500	500 gm	950	1,160.00
7	Buffer Capsules pH 6.0					Cancelled
8	Aluminon AR	569-58-4	00136 00025	25 gm	475	475.00
			00136 00100	100 gm	1455	Cancelled
10	Glass Bead Drilled	-	01279 00500	500 gm	365	Cancelled
11	Benzyl Alcohol	100-51-6	00393 00500	500 ml	475	475.00
			00393 02500	2.5 Lt	1885	Cancelled
12	Naphthalene Flakes	91-20-3	01776 00500	500 gm	360	360.00
			01776 05000	5 kg	2990	Cancelled
13	Hydroxylamine Hydrochloride (for synthesis)	5470-11-1	01414 00100	100 gm	260	275.00
			01414 00500	500 gm	1150	1,425.00
			01414 05000	5 kg	8700	Cancelled
14	Hydroxylamine Hydrochloride AR	5470-11-1	01415 00100	100 gm	380	380.00
			01415 00500	500 gm	1390	1,525.00



Pallav Chemicals & Solvents Pvt. Ltd.

Manufacturers of Lab Fine Chemicals

Head Office: 253, Shiv Shakti Industrial Estate, Opp Mittal Estate, Andheri Kurla Road, Andheri East, Mumbai - 400 059. Tel No: +91 22 4928 4000 (100 Lines)
 Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar - 401506. • Email: sales@pallavchemicals.com

Date : 23 rd March, 2018

Circular - III


Dear Customers,

With reference to the PALLAV Price List 2017 - 18, we hereby notify the amendment Circular - III dated 23rd March, 2018 as mentioned below. We request you to integrate the given changes while placing your valuable orders.

Sr No.	Product Name	Cas No	Product Code	Packaging	Old Prices	Revised Prices
1	Molybdc Acid	7782-91-4	01764 02500	2.5 kg	Cancelled	
2	Ammonium Bromide	12124-97-9	00188 00500	500 gm	525	640
			00188 05000	5 kg	Cancelled	
3	Ammonium Bromide AR	12124-97-9	00189 05000	5 kg	Cancelled	
4	Hydrogen Peroxide (20 Vol.) solution (6% w/v H2O2)	7722-84-1	01395 00500	500 ml	105	175
			01395 05000	5 Ltr	870	1350
5	Hydrogen Peroxide (100 Vol.) solution (30% w/v H2O2)	7722-84-1	01396 00500	500 ml	265	365
6	Hydrogen Peroxide 50% W/W Solution	7722-84-1	01396A 00500	500 ml	375	505
7	Hydrogen Peroxide (100 Vol.) AR	7722-84-1	01397 00500	500 ml	380	540
8	Barium Sulphate	7727-43-7	00350 05000	5 kg	Cancelled	
9	Carnuba Wax	8015-86-9	00695A 00100	100 gm	490	625
			00695A 00500	500 gm	Cancelled	
10	p-Nitro Aniline	100-01-6	01848 00250	250 gm	460	590
			01848 00500	500 gm	770	1070
11	p-Nitro Aniline AR	100-01-6	01849 00025	25 gm	Cancelled	
			01849 00100	100 gm		
			01849 00500	500 gm		
12	Phosphoric Acid (meta) Assay : Min. 40%	37267-86-0	02010 00100	100 gm	640	950
			02010 00500	500 gm	1790	2350
13	Phosphoric Acid (meta) AR	37267-86-0	02011 00100	100 gm	3145	2990
14	Toluidine Blue	92-31-9	02734 00025	25 gm	358	550
15	Mercury (metal) Extra Pure	7439-97-6	01655 00100	100 gm	Available only in 100 gms	
16	Mercury (metal) AR		01656 00100	100 gm		

Best Regards,
 Team PALLAV

(Pallav)



Fine Laboratory Chemicals
Analytical Reagents
Precious Metal Salts
Research Chemicals
Bio-Chemicals
Microscopical Stains & Indicator

(Pallav)

Pallav Chemicals & Solvents Pvt Ltd.
Manufacturers of Laboratory Fine Chemicals

Welcome to Pallav,

Dear Valued Customer,

Warm Greeting for the new financial year. We at Pallav take great pride in presenting our new Price List 2017-18 this year. This Price list has been the outcome from the vast sum of endeavor from the Pallav Team to understand the requirements of our users.

At Pallav, we have been anticipating and gearing up for this year, with a fresh outlook and enthusiasm towards are new and existing customers.

Our production facilities have the ability to deliver high quality chemicals for all your testing requirements. This year, we are proud to announce the introduction of a new range of chemicals that will find usage in Pharmacy, Biotech, Microbiology and various other sectors.

For any comments or feedback on how we could serve you better, please feel free to contact us on sales@pallavchemicals.com.

We take this opportunity to wish all of you the very best for the year ahead.

Best Regards,

(Pallav)



www.pallavchemicals.com



About Us

(Pallav) Pallav Chemicals & Solvents Pvt Ltd.

Pallav Chemicals and Solvents and Pvt Ltd. was founded in the year 2001 as a trading company for bulk solvents and chemicals, since 2009 Pallav has branched into manufacturing of laboratory specialty chemicals.

We have set up our manufacturing unit that is strategically located in the chemical hub of Maharashtra in Boisar, yet centrally located to supply goods to other part of the country.

In a short span of time since its diversification, Pallav has acquired a strong foothold in the market to become one of the major manufacturers and suppliers of Laboratory Specialty Chemicals.

We cater to a wide range of industries like Pharmaceuticals, Textiles, Foods, Bio-Tech, Automation, Packaging, Dyes, Paints, Electronics, Educational Institutions, Research and Development Institutions and ICMR, ICAR, IIHR

Laboratories with supposed use for organic fusion, analytical testing, manufacturing and separation through our wide range of high purity chemicals viz. HPLC, Gradient HPLC, Dry Solvents, ACS, AR, Extra pure & other application based chemicals

Our growth has been driven by our conscious endeavor to create value for our customers by providing them products with highest level of purity at competitive prices, thereby creating profitable business chemistry.

We focus on providing better quality products to our customers with prompt service and strive to maintain our delivery time to a minimum.



Pallav particularly deals with Analytical Reagents , HPLC & Spectroscopy Grade Solvents, Stains, Indicators, ACS Reagents, Diagnostic Reagents, Drying Agents, HPLC Gradient Grade Solvents and specialty laboratory chemicals & solvents.

Consequently, through company operated stock points & a team of reliable distributors, backed with technical & sales support provided by a motivated team of professionals we focus on better quality product which defines the core of our business proficiency.



Superior Customer services – best in the industry

Excellent all India Distribution and Marketing Network

Stock Point strategic locations in India



Implementation and Staging

Pallav range of reagents are manufactured at a state-of-art production location which is ISO 9001:2008 certified. The major activities carried out include purification, processing, chemical treatment of solvents and acids. The processes employed for organic and inorganic solids are dissolution, crystallization, concentration, chilling and drying.



The reagents are manufactured and bottled under nitrogen blanket and sealed with PTFE plug to prevent product contamination and degradation.

At Pallav, the brand is strengthened with focused Research and Development (R & D) activities at a dedicated state-of-the-art facility, equipped with world class analytical instruments like UV-Visible, Spectrophotometer, Polarimeter, Gas Chromatography.

With the UV visible Spectrophotometer being installed for routine use in analytical chemistry for the




quantitative determination of different analytes, such as transition metal ions, highly conjugated organic compounds, and biological macromolecules. Spectroscopic analysis is commonly carried out in solutions but solids and gases may also be studied.



State of the art facility equipped with acid room for inert and safe packing of acids. There are other various equipments like Muffle Furnace, often used for determining what proportion of a sample is non-combustible and non-volatile (i.e., ash).



For the purpose of Sterilization hot air ovens are commonly used in our laboratory, these are digitally controlled to maintain the temperature. Their double walled insulation keeps the heat in and conserves energy, the inner layer being a poor conductor and outer layer being metallic



Many chemicals exhibit a specific rotation as a unique property (like refractive index in many cases) which can be used to distinguish it. Polarimeters can identify unknown samples based on this if other variables such as concentration and length of sample cell length are controlled or at least known.



Titration is commonly used for determination of the concentration of an acid or base by exactly neutralizing the acid or base with an acid or base of known concentration. This allows for quantitative analysis of the concentration of an unknown acid or base solution. Alkalimetry is the specialized analytic use of acid-base titration to determine the concentration of a basic substance. Acidimetry, sometimes spelled acidometry, is the same concept of specialized analytic acid-base titration, but for an acidic.



Karl Fischer titration is a classic titration method in analytical chemistry that uses coulometric or volumetric titration to determine trace amounts of water in a sample. It was invented in 1935 by the German chemist Karl Fischer.

A refractometer is a laboratory or field device for the measurement of an index of refraction (refractometry). The index of refraction is calculated from Snell's law and can be calculated from the composition of the material using the Gladstone Dale relation.



Quality Control



Pallav assumes the responsibility in the prevention of risks at work , environmental protection and quality assurance . An integrated Quality Management System is implemented throughout all activities in the company. As a result of this policy, ISO Certification 9001:2008 Certification issues by BM TRADA supports the Quality Management System for the production and processing of analytical reagents and fine chemicals.

All environmental regulations about waste water and gaseous emissions from production processes are accomplished due to a modern waste treatment plant

The quality of Pallav Products is assured by a strict analytical control. The management and staff at Pallav are committed to developing, manufacturing, testing and delivering high quality product in optimal condition. To optimize, formalize and underpin our quality systems, Pallav have implemented the following systems:

ISO 9001:2008

The Quality Management Systems in Pallav is structures around the ISO 9001:2008 and involves all personnel in all areas of the company. The system ensures a structured and systematic method of working in order to meet with, and here possible exceed customer expectations





012



CERTIFICATE OF REGISTRATION

This is to certify that

Pallav Chemicals & Solvents Pvt. Ltd.

253, Shiv Shakti Industrial Estate
Opp Mittal Estate
Near Marol Naka, Andheri Kurla Road
Mumbai - 400 059
Maharashtra
India

has been audited and found to meet the requirements of standard
ISO 9001:2008 Quality Management System

Scope of certification

Manufacture and Supply of Laboratory Reagents and Chemicals

Certificate number: 9632

Issue number: 2017-01

Certificate start date: 8 July 2016

Certificate expiry date: 21 September 2018

Date of initial certification: 4 July 2016

Karen Prendergast
Sector Director - Certification
Exova BM TRADA

Exova SRI Ltd, (TIA) Exova BM TRADA, Chiltern House, Chiltern Lane, High Wycombe, Buckinghamshire, HP14 4BT, UK
Registered Office: Exova UK Ltd, Luffield Industrial Estate, Herbridge, Industrial Estate, Luffield, Kings Lynn, Norfolk, NG25 0JN, UK

This certificate remains the property of Exova (UK) Ltd. This certificate and all copies or reproductions of the certificate shall be returned to Exova (UK) Ltd or destroyed if requested. Further clarifications regarding the scope of this certificate and verification of the certificate is available through Exova BM TRADA or at the above address or at www.exovabmtrada.com


The use of the UKAS accreditation mark indicates accreditation in respect of those activities covered by the accreditation certificate 012

Auditee Client:- The scope of certification shown above includes the participating client shown in Appendix A

PACKAGING



(Pallav)



300mg
400mg

N_2O
 CH_3COOH




$CH + \cancel{CH}$
 $CH + CH$





CH₃


300mg
400mg
900mg



N₂O
HOOC
CH



CH



CH₂

(Pallav)

Services

Browsing our products has never been so easy. Get all the information you need according to the product code number, application, CAS Number or keyword

COA:

We have also made sure that you can avail the facility of downloading the COA (Certificate of Analysis) of the products just by typing the corresponding batch number of a Pallav product.

Specification sheet:

To obtain the product specification for your reference log in to our website and download a copy.

Material Safety Data Sheet(MSDS):

To ensure proper handling and storage of the

product, MSDS is also available for each Pallav product.

Shelf Life Declaration Certificate:

Pallav provides a certificate indicating product shelf life and this can be issued upon request.

Certificate of Origin:

The certificate of origin can be shared for all enlisted products with customers upon request.



Customer Questionnaire:

Pallav receives regular requests from customers to complete their supplier questionnaire and vendor registrations as per ISO requirements. A customer may contact the sales team or send the requests directly

Visit Our
website to avail online services
www.pallavchemicals.com



Label Explanation



A Batch No. of Product	F Primary Name of Product	K Molecular weight of Product
B Net Weight of Product	G Secondary Name of Product	L Hazard Symbol
C M.R.P of Product	H Grade of Product	M Specifications of Product
D Important Note of Product	I CAS No. of Product	N Date of Mfg of Product
E Company's Product Code of Product	J Molecular Formula of Product	O Date of Retest



Terms and Conditions of Sale



Prices :

Price quoted in this list are basis on ex-factory MIDC Ind.Area, Tarapur, Boisar, Dist -Thane (M.s). All Prices quoted in the list are applicable at the time of printing and are subject to fluctuation without notice. We reserve the right to change the prices prevalent on the date of dispatch.



Taxes & Duties:

Vat, CST, Octroi or Terminal Tax, Entry Tax or such state levies, if any will be to BUYERS account and will be charged in the Invoice. Customer seeking any exemptions for these levies must submit the required valid declaration with every order. Prices quoted in our price list are inclusive of Excise Duty (wherever applicable).



Payment:

The payment of invoice shall be made by the customer within the time period and in accordance with the manner as agreed during placement of order. Pallav reserves the right to discontinue/recall delivery and do all such actions against the customer as are permitted to it under the laws of India for recovery of fully or partly unpaid invoices.



Insurance:

Goods can be insured at customer's request at 1.5% of the invoice value. Charges for such insurance will be added in invoice value.



Delivery:

All supplies are made from our factory at Boisar. Every effort is made to effect delivery or arrange dispatches in time. However under unavoidable circumstances, no responsibility and/or liability will be accepted for delay or non delivery of goods. Goods offered ex-stock are subject to the goods being available on the date of receipt of the order.

(For mineral Acids, the quantity ordered of the 500ml, pack should be in multiples of 8 and that of the 2.5ltrs.pack in multiples of 4.

As per the narcotic department's guidelines, all orders for acetic anhydride & other such controlled substances must accompany a declaration giving details of the usage and quantity used in the process.)



Freight/ Packing:

For all supplies made within 500kms from the point of service, with an order invoice value of above Rs.15000 shall be

supplied on FOR destination basis. For all supplies above 500kms from the point of service, with an invoice value above Rs.25000 shall be supplied on FOR destination basis. All other supplies shall be made on freight "TO PAY" basis. Packing in respect of each item will be maintained according to our standards; in case any alternate packing is required by the buyer it will be at their cost and subject to availability.

Wherever road transport facility is not available goods will be dispatched by goods train, post parcel, courier at the customer's request etc. 50% of the freight will have to be borne by the customer (F.O.R. facility is not applicable for acids & Hazards which require separate transportation). Where it is not possible to know the exact freight in advance, the goods will be sent on "freight to pay" basis.



Shortage Breakages / Damages:

Our Products are packed with utmost care and forwarded at the customer's risk. No claim for breakage, delay or damage will be entertained after the goods have left our warehouse. Goods once sold will not be accepted for credit or exchange. Any complaint of quality of our products should be intimated to us within 15 days from receipt of goods beyond which we shall not attend complaints.



Amendments/cancellation:

Once the order is placed and confirmed, amendments and /or cancellations will not be accepted.



Bulk Enquiries:

Special price will be offered for enquiries in bulk packaging for all items listed here in.



Jurisdiction:

All disputes will be subject to arbitration Act, 1940 or any modification thereof with MUMBAI jurisdiction only.



Terms:

Terms subject to Force Majeure clause.



Rejection of Goods :

In the event of any rejection, the same must be brought to our notice within a month's time from the date of dispatch and must be accompanied by an official letter, failing which the complaint will not be entertained. In any case, no material will be taken back at our factory after the lapse of three months from the date of supply.



Grade Information

AR, For Synthesis, Purified and extra pure, HPLC and Spectroscopy, Gradient Grade, Bio chemistry, Dry solvents, PRA solvents, ACS Reagents, Microbiology, Electronic Grade, GCHS, Ion Pair Chromatography

AR: These chemicals are useful in sophisticated analytical instruments and research work, where high purity is essential. Our strength quality control guarantees, minimum assays and maximum limit of trace impurities.

For Synthesis: General purpose reagents used in many potential applications in chemical laboratories. Careful control ensures that a consistently high defined quality is maintained throughout.

Extra Pure/LR/Purified: These consist of wide range of organic reagent in preparative chemistry and other diverse fields. Its range covers all the chemicals required on day-to-day basis of all type of chemicals laboratories, we offer guaranteed quality at an affordable prices.

HPLC & Spectroscopy: The selective State of art manufacturing and packaging facility delivers highest purity of HPLC & Spectroscopy" grade solvents. These solvents offer lowest background and reproducible UV absorbance profile, and the UV curves consistently conform to theoretical limits. Freedom from impurity peaks ensures the highest purity of the solvents. Extremely low levels non-volatile matter, water and other generic and secondary impurities in the HPLC & Spectroscopy grade solvents assure longer life and optimum performance to the expensive columns and supportive system components. These solvents are most suitable for UV, Visible, IR, NMR & HPLC techniques.

Gradient Grade: Gradient grade solvents are specified with a gradient elution test at short wavelengths to illustrate the interference-free baselines. Both, UV transmission & fluorescence signals are monitored. Gradient Grade solvents are lot tested and precisely controlled to meet the high quality requirements of Gradient Applications.

Bio Chemistry: Highly purified reagents for use in bio chemical research and analysis. They are free from inhibitors such as traces of heavy metals and tested with a view of bio chemical work. Our range includes alkaloids,

amino acids, buffers, carbohydrates, enzymes, enzyme substrates, nucleotides and derivatives

Dry Solvents: These solvents are processed and distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

PRA Solvents: The range of high purity solvents Pesticide Residue Trace Analysis have been specifically designed for the analysis of pesticide residues in the food industry and in the environment control, for example in drinking water.

ACS Reagents: The de facto standard for chemicals used in many high purity applications-ACS Grade reagents have been introduced. All products offered under the ACS grade bear specifications in line with the monographs as per the 10th edition of Reagent Chemicals published by the American Chemical Society.

Micro Biology: A broad range of culture media bases, additives, stains and indicators, for use in detection, growth and identification of micro-organisms.

Electronic Grade: Electronic grade chemicals are specially meant for the electronic industry that requires high levels of purity and trace impurities. These products contain metallic and ionic impurities that are reduced up to ppb levels.

GC-HS: Analysis of residue solvents using GC Headspace techniques, has become a major control procedure in pharmaceuticals and food related industries. The newly Introduced GC-HS grade solvents are most suitable for such applications and they bear purity and specifications that meet the requirement of the latest Ph.Eur, USP & ICH Guidelines.

Ion Pair Chromatography: Highly pure additives for ion pair chromatography are suitable for detection in the low UV range. Reagents of this special quality inspected by means of a filter test.

PC Klean

Pallav introduces its own line of special cleaning solutions. PC Klean solutions are adequate and reliable alternatives to hazardous solvents and dangerous chromic acid cleaners for cleaning bench tops plastic, glassware, bench tops, tables. It is a Micro emulsion based solution designed for removing silicon and hydrocarbon grease, paraffin oil dirt.

Product Features:

- Optimum for cleaning tables, tiles and floor in laboratory, glass instruments and much more...
- Available in 3 ranges Alkaline, Neutral & Phosphate free.
- All Grades are Available in 500 ml & 5 lit pack.



Product	Contents	Cleaning Application	Advantage
PC klean Alkaline pH :11.6-12	It is a blend of premium non-ionic and ionic surfactant in phosphate medium. The broad Spectrum of composition is : 1. Phosphate < 5% 2. Non-ionic Surfactant<30% 3. Sulphonate <30%	Universal cleaning agent for heavy contamination. For hard water even up to 40d,For cleaning tables, tiles and floor in laboratory. Tested for radioactive decontamination, suitable for ultrasonic cleaning, Biodegradable.	Optimally alkaline detergent working on Micro emulsion technique. It penetrates and emulsifies the stubborn grease, oil and dirt marks away from the polymer and metal surface.
PC Klean – Neutral: pH : 6.0-8.0	Is a high quality detergent based anionic surfactant with total solid content over 17%	Special cleaner for precious instrument of glass (Neutral) quartz and sensitive metals. Suitable for ultrasonic cleaning, Biodegradable.	General application detergent which can be used for regular cleaning of stains from all forms of surfaces. Neutral pH, making it absolutely safe for hands and surfaces.
PC Klean – Phosphate free pH :11.6-12.0	Is an alkaline detergent made up of premium anionic and non-ionic surfactants with total solid content over 10 %	Universal cleaning agent for heavy contamination. With(Phosphate-free)very hard water add demineralized water.	·Useful in all types of cleaning biotechnological laboratories where phosphate free cleaning is required.

Karl fischer Reagent

Pallav offers KARL FISCHER reagent to address high precision in moisture estimation, which is available in pack 250ml and 500ml pack.

Karl Fischer is the finest for moisture determination.

Product Highlights:

- Pyridine free
- Sharp and stable end point
- No crystallization
- Min. factor: 5.0%
- Accurate & Reproducible Results
- High titration speed
- Appropriate Viscosity for use in automatic/manual titration
- Ready to use single solution
- Suitable for all commercially available instruments
- Available in 250 ml & 500ml pack size



(Pallav)

Acetic Anhydride

Pallav offers a range of high purity grades of Acetic Anhydride to meet the requirements of our customers. Acetic anhydride is a colorless liquid commonly used for acetylations.

It finds applications in Drugs & Pharmaceuticals, Agrochemicals, Perfumes Industry, Dyestuff & Intermediates, Textiles Acetic Anhydride is a colorless liquid commonly used for acetylations.

Acetic Anhydride LR Specification

[CAS NO:108-24-7]

Assay(GC).....	max 98%
Colour(APHA).....	max 10
Boiling point.....	136-142 C
Chloride (cl).....	max 0.001%
Sulphate (SO4).....	max 0.001%

Acetic Anhydride AR Specification

[CAS NO:108-24-7]

Assay(GC).....	max 98%
Colour(APHA).....	max 10
Boiling point.....	136-142 C
Chloride (cl).....	max 0.001%
Sulphate (SO4).....	max 0.001%
Cadmium (Cd).....	max.0.00005%
Permanganate (O).....	Passes Test

Pack Size:

- 8 X 250ml (Thermocol Packing)
- 8 X 500ml (Thermocol Packing)
- 4 X 2.5Ltr (Thermocol Packing)

Description :

M.F.: -C₄H₆O₃ | M.W.: -102.09

Appearance:

clear, colourless liquid



(Pallav)

pH Indicators & papers

Salient features:

- Instant pH reading
 - User friendly pack
 - Accurate results
 - Economical for routine pH testing
 - Distinct colour for each pH value
 - Congo red Indicator Papers
 - Litmus pH indicator
 - Litmus paper BLUE
 - Litmus paper RED
 - pH indicator paper pH 2.0-4.5
 - pH indicator paper pH 3.5-6.0
 - pH indicator paper pH 5.0-7.5
 - pH indicator paper pH 6.5-9.0
 - pH indicator paper pH 8.0-10.5
 - pH indicator paper wide range pH 2.0-10.5
 - Starch iodide paper
 - Universal Indicator Paper pH 1-10
- And more....





pH Indicators Solids and solutions

Pallav's range of pH indicators that meets various customer applications with their standard and specification. They are typically organic compounds that change colour in proportion to the concentration of Hydrogen ions in the solutions.

Product features:

- High colour contrast for each pH value
- Useful in various titrations Accurate results

Product Name

- Alizarin AR
- Alizarine Red S
- Alizarine Red S AR
- Amaranth Indicator solution
- Brilliant Green Indicator
- Bromo Cresol BLUE indicator
- Bromo Cresol Green Indicator AR
- Bromo Cresol Green Indicator (0.04%)
- Bromo Cresol Purple Indicator AR
- Bromo Cresol Purple indicator solution (0.04%)
- Bromo Phenol Blue Indicator AR
- Bromo Phenol Red
- Bromothymol Blue Indicator AR (Molecular Biology)
- Calcine Indicator AR
- Chloro Red Phenol indicator AR
- Congo Red Indicator
- O-Cresol Phthalein (ph indicator)
- M-Cresol Purple Indicator
- Cresol Red Indicator AR
- Diazo Reagent
- 2,6 DichloroPhenol IndoPhenol Sodium Salt AR
- Dimethyl Yellow
- 2,4 Dinitrophenol (indicator) AR
- N,N Diphenyl Benzidine AR
- Eriochrome Black T indicator solution
- Fast Green indicator solution
- Litmus Indicator Extra Pure
- Metanil yellow AR
- Methyl Orange Indicator
- Methyl Red Indicator AR
- Neutral red Indicator AR
- p-Nitrophenol Indicator AR
- Phenolphthalein Indicator AR
- Phenol Red AR
- Thymolphthalein Indicator AR
- Titan Yellow AR



Dyes & Stains

Pallav offers an extensive range of dyes and stains for applications in histopathology, cytopathology, bacteriology, protein staining & DNA staining.

Product features:

- High contrast & excellent staining power
- Longer duration colour retention
- No prefiltration required Longer shelf life

Product Name

Acriflavin	staining solution
Amido black 10B	Gentian violet for microscopy
Azur A	Giemsa stain
Azur B	Gram's iodine
Azur I	Haematoxylin stain certified
Azur II	Indigo carmine AR
Borax carmine Powder	Janus green B
Brilliant Cresyl blue indicator	Jenner's stain
Brilliant green indicator	Leishman's stain
Carmine	May & Grunwalds stain
Congo Red	Methyl blue
Crystal Violet AR	Methylene blue AR
Eosin blue	Methyl green
Eosin spirit soluble	Methyl violet
Eosin Yellow(water soluble)	Nigrosine alcohol Soluble
Erioglaucine A	Nigrosine water Soluble
Evan's blue	Orange G
Fast Green (Malachite Green)	Rhodamine B
Fields Stain A	Rhodamine 6G
Fields Stain B	Rose Bengal AR
Fluorescein	Safranine
Fuchsin acid	Sudan III
Fuchsin basic	Sudan IV
Gentian violet (alcoholic)	Sudan Black B
	Wright's Stain

(Pallav)



Reagents for Biochemistry

Pallav offers an extensive range of chemicals for biochemical studies in its endeavor to meet the standards and specifications of various customer applications.

- These products are subjected to a strict quality control in order to guarantee the maximum content of the main component and the minimum concentrations of possible impurities, especially referring to the heavy metal salts.
- For the main part of these reagents the UV absorbance values are determined at the most significant wavelength values

Product Name

Acriflavine for Biochemistry	L-Methionine for biochemistry
Adenine 99% for biochemistry	Nicotinamide for biochemistry
Adenosine for biochemistry	Palmitic Acid AR for biochemistry
DL-Alanine for biochemistry	DL- Phenylalanine 99+% for biochemistry
L-Arginine 99% for biochemistry	L- Phenylalanine 99+% for biochemistry
L-Asparagine monohydrochloride for biochemistry	RHODAMINE B AR for biochemistry
L-Aspartic Acid for biochemistry	DL-Serine 99+% for biochemistry
6-Benzyl adenine 99% for biochemistry	L-Serine 99+% for biochemistry
Cholesterol AR	Sodium Pyruvate 99% for biochemistry
L-Cysteine Hydrochloride Monohydrate	DL- Threonine 99+% for biochemistry
D-Galactose for biochemistry	L- Threonine 99+% for biochemistry
L-Glutamic Acid 99+% for biochemistry	Urea for biochemistry
L-Histidine 99+% for biochemistry	DL- Valine 99+% for biochemistry
Indole-3-acetic acid 99% for biochemistry	L- Valine 99+% for biochemistry
Indole-3-butyric acid 99% for biochemistry.	D-Xylose for biochemistry
Inositol for biochemistry.	
Kinetin puriss CHR 99.5%	
Maltose Monohydrate for biochemistry	



Clinical & Diagnostic Reagents

Pallav offers a diverse range of clinical and diagnostic reagents to cater the ever increasing demand of hospitals, pathological laboratories, diagnostic centers for the diagnosis of various parameters in blood, urine etc.

Since these reagents have such an significant use, they need to be very Accurate.

Product Name

Albert stain A solution	Gram's iodine stain solution
Albert stain B solution	Haematoxlin Monohydrate
Alkaline copper solution	Haematoxlin (Delafield's) solution
Benedict's Reagent(Qualitative)	Immersion oil
Benedict's Reagent(Quantitative)	Jenner's stain
Biuret Reagent	Leishman's stain
Biuret Reagent solution	Leishman's stain solution
Brilliant cresyl blue solution	Lugol's iodine
Crystal Violet	Mayr's Solution
Crystal violet stain solution	Methylene blue (aqueous) solution
Diazo Reagent A	Million's Reagent
Diazo Reagent B	Nessler's Reagent
Ehrlich's Reagent	Nigrosin water solution
Ehrlich's Reagent solution	Pandy's reagent solution
Eosin stain solution (2% W/V)	Paraffin wax congealing point 58-60 C
Esbach's Reagent	Paraffin wax congealing point 60-62 C
EDTA disodium salt	Paraffin wax with ceresin, congealing point abt. 60 C
Fehling's Solution No.1	Phosphomolybdate acid solution
Fehling's Solution No.2	Picric Acid (Saturated Aqueous)
Field stain A	Safranin stain solution
Field stain B	Schiff's Reagent
Folin & Ciocateu's phenol Reagent	Sodium Tungstate 10%w/v
Fouchet's Reagent	Sulphosalicylic acid 20% w/v solution
Fuchsin Basic	Topfer's Reagent
Gentian violet for microscopy	Trichloroacetic acid AR 20 % w/v
Gentian Violet (alcoholic) solution	W.B.C.Diluting Fluid
Giemsa's stain	Wright's stain
Giemsa's solution	
Gower's Reagent soution	

.....And more





Price List 2017-18

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Abcsic Acid (Cas No. 21293-29-8)	00001 00025M	GB	25 mg	1195
(ABA, Domin, Abscissin II) (Abscission - accelerationg plant hormone)	00001 00100M	GB	100 mg	3340
Assay : Min 98% C ₁₅ H ₂₀ O ₄ M.W. 264.32	00001 01000M	GB	1 gm	32335
Acacia (Confirming to IP) (Cas No. 9000-01-5)	00002 00500	PB	500 gm	425
(gum acacia Powder)	00002 05000	PB	5 kg	3750
Acacia AR (Enzyme free) (Cas No. 9000-01-5) d. 1.39 - 1.49	00003 00500	PB	500 gm	925
Acenaphthene (For synthesis) (Cas No. 83-32-9)	00004 00100	GB	100 gm	395
Assay : Min 97% C ₁₂ H ₁₀ M.W. 154.21	00004 00500	GB	500 gm	1380
ACES Buffer (For Molecular Biology) (Cas No. 7365-82 4)	00005 00005	GB	5 gm	435
[N-(2-Acetamido)-2-aminoethane sulphonic acid]	00005 00025	GB	25 gm	1660
Assay : Min 99% C ₄ H ₁₀ N ₂ O ₄ S M.W.182.20				
Acetaldehyde Solution (Cas No. 75-07-0) (Ethanal)	00006 00500	GB	500 ml	370
Assay : Min 20-30% C ₂ H ₄ O M.W. 44.05, Liquid, d. 0.785				
Acetamide (For Synthesis) (Cas No. 60-35 -5) (Aminde C2)	00007 00500	PB	500 gm	565
Assay : Min 98% C ₂ H ₅ NO M.W. 59.07				
Acetamide AR (Cas No. 60-35-5) (Aminde C2)	00008 00500	PB	500 gm	630
Assay : Min 98% C ₂ H ₅ NO M.W. 59.07				
Acetamide (For Molecular Biology) (Cas No. 60-35-5) (Amide C2)	00009 00100	PB	100 gm	2495
N-(2-Acetamido)-2-aminoethano Sulphonic acid 99% See ACES Buffer Page No. 1				
Acetanilide (For Synthesis) (Cas No. 103-84-4) (N-Phenylacetamide)	00011 00500	PB	500 gm	645
Assay : Min 98.5% C ₈ H ₉ N _o M.W. 135.16	00011 05000	PB	5 kg	5495
Acetanilide AR (Cas No. 103-84-4) (N-Phenylacetamide)	00012 00500	PB	500 gm	705
Assay : Min 99% C ₈ H ₉ NO M.W. 135.16				
Acetate Buffer Solution pH 4.6 Liquid. d. 1.000	00013 00500	PB	500 ml	180
Acetic Acid Glacial (For Synthesis) (Cas No. 64-19-7)	00014 00500	GB	500 ml	190
Assay : Min 99.5% CH ₃ CO ₂ H M.W. 60.50	00014 02500	GB	2.5 Lt	760
Liquid, d.1.05	00014 05000	PC	5 Lt	1390
Acetic Acid Glacial AR (For Synthesis) (Cas No. 64-19-7)	00015 00500	GB	500 ml	235
Assay : Min 99.7% CH ₃ CO ₂ H M.W. 60.50 Liquid, d. 1.05	00015 02500	GB	2.5 Lt	915
Acetic Acid Glacial AR (Aldehyde Free) (For Cholestrol Estimation)	00016 00500	GB	500 ml	265
(Cas No. 64-19-7)	00016 02500	GB	2.5 Lt	1105
Assay : Min 99.7% CH ₃ CO ₂ H M.W. 60.50 Liquid, d. 1.05				
Acetic Acid Glacial For HPLC And Spectroscopy (Cas No. 64-19-7)	00017 00500	GB	1 lt	935
Assay : Min 99.8% CH ₃ CO ₂ H M.W. 60.50 Liquid, d. 1.05	00017 02500	GB	2.5 Lt	2865
Acetic Anhydride (Cas No. 108-24-7) (Order of 8 Bottle Only) (Net Price)	00018 00250	GB	250 ml	590
Assay : Min 98% (C ₄ H ₆ O ₃) M.W. 102.099 (Thermocol Packing)	00018 00500	GB	500 ml	870
Liquid, d. 1.08	00018 02500	GB	2.5 Lt	4010
Acetic Anhydride AR (Cas No. 108-24-7) (Order of 8 Bottle Only)	00019 00250	GB	250 ml	665
(Net Price) Assay : Min 98% (C ₄ H ₆ O ₃) M.W. 102.099	00019 00500	GB	500 ml	940
(Thermocol Packing) Liquid, d. 1.08	00019 02500	GB	2.5 Lt	4425

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Acetic Acid 0.1M (0.1N) Standardized Solution	00020 00500	PB	500 ml	305
Acetic Acid 0.1Mol/L (1N) Standardized Solution	00021 00500	PB	500 ml	185
Acetic Acid 2M (2N) Standardized Solution	00022 00500	PB	500 ml	300
Acetoacetanilide (For Synthesis) (Cas No. 102-01-2) Assay : Min 98% $C_{10}H_{11}NO_2$ M. W. 177.20	00023 00500	PB	500 gm	715
Acetoacetic Ester Ethyl See Ethyl Aceto acetate Page No. 67				
Acetoacetic Ester Methyl See Methyl Acetoacetate Page No. 103				
Aceto Carmine Solution (for microscopical staining) (Carmine Aceto Solution) Liquid, d. 0.88	00024 00100 00024 00250	GB GB	100 ml 250 ml	725 1680
Aceto Carmine Solution AR (Carmine Aceto Solution) Liquid, d. 0.88	00025 00100	GB	100 ml	805
1- Acetonaphthone (Cas No. 941-98-0) (1-Acetylnaphthalene) (Methyl-1-naphthyl ketone) Assay: Min. 95% $C_{12}H_{10}O$ M.W.170.21 Liquid, d. 1.12	00026 00050 00026 00250	PB PB	50 gm 250 gm	790 3775
Acetone (for Synthesis) (Cas No. 67-64-1) Assay: Min. 98% $(CH_3)_2CO$ M.W. 58.08 Liquid, d. 0.79	00027 00500 00027 00500 00027 00500	GB GB GB	500 ml 2.5 Lt 5 Lt	245 985 1775
Acetone AR (Cas No. 67-64-1) Assay: Min. 99.5% $(CH_3)_2CO$ M.W. 58.08 Liquid, d. 0.79	00028 00500 00028 00500	GB GB	500 ml 2.5 Lt	320 1110
Acetone for HPLC and Spectroscopy (Cas No. 67-64-1) Assay: Min. 99.8% $(CH_3)_2CO$ M.W. 58.08 Liquid, d. 0.79	00029 00500 00029 00500	GB GB	1 Lt 2.5 Lt	790 1500
Acetone Alcohol (Decolourizer 50% Solution) (Cas No. 116-09-6) Liquid, d. 1.082	02912 00500	GB	500 ml	325
Acetone Cyanohydrin (for Synthesis) (Cas No. 75-86-5) Assay : Min 98.5% C_4H_7NO M.W. 85.10 Liquid, d. 0.932	00030 02500	GB	250 ml	12505
Acetonitrile (for synthesis) (Cas No. 75-05-8) Assay : Min 99% CH_3CN M.W. 41.05 Liquid, d. 0.786	00031 00500 00031 02500	GB GB	500 ml 2.5 Lt	385 1355
Acetonitrile AR (Cas No. 75-05-8) Assay : Min 99.5% CH_3CN M.W. 41.05 Liquid, d. 0.786	00032 00500 00032 02500	GB GB	500 ml 2.5 Lt	465 1625
Acetonitrile for HPLC Spectroscopy (Cas No. 75-05-8) Assay : Min. 99.9% CH_3CN M.W. 41.05, Liquid, d. 0786	00033 00500 00033 02500	GB GB	500 ml 2.5 Lt	495 1705
Acetonitrile HPLC Gradient (Cas No. 75-05-8) Assay : Min. 99.9% CH_3CN M.W. 41.05, Liquid, d. 0.786	00034 01000 00034 02500	GB GB	1 Lt 2.5 Lt	865 1940
Acetonitrile for DNA Synthesis (Cas No. 75-05-8) Assay : Min. 99.5% CH_3CN M.W. 41.05 Liquid, d. 0.786	00035 01000 00035 02500	GB GB	1 Lt 2.5 Lt	1600 3705
Aceto Orcein Solution (Orcein aceto Solution) (Connective Tissue Stain) Liquid, d.1.03	00036 00100	GB	100 ml	290
Acetophenone (for Synthesis) (Cas No. 98-86-2) Assay : Min. 99% C_8H_8O M.W. 120.15 Liquid, d. 1.03	00037 0100 00037 02500	GB GB	500 ml 2.5 Lt	585 2385

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Acetophenone AR (Cas No. 98-86-2) Assay : Min. 99% C ₈ H ₈ O M.W. 120.15 Liquid, d. 1.03	00038 00100	GB	500 ml	670
Acetyl Acetone (for Synthesis) (Cas no. 123-54-6) Assay : Min. 98% C ₅ H ₈ O ₂ M.W. 100.12 Liquid, d. 0.970	00039 00250 00039 00500	GB GB	250 ml 500 ml	675 1140
Acetyl Acetone AR (Cas no. 123-54-6) Assay : Min. 99.5% C ₅ H ₈ O ₂ M.W. 100.12, Liquid, d. 0.970	00040 00250 00040 00500	GB GB	250 ml 500 ml	760 1445
Acetyl Bromide (for Synthesis) (Cas No. 506-96-7) Assay : Min. 98% CH ₃ COBr M.W. 122.95 Liquid, d. 1.65	00041 00250 00041 00500	GB GB	250 ml 500 ml	2955 5645
Acetyl Bromide AR (Cas No. 506-96-7) Assay : Min. 98% CH ₃ COBr M.W. 122.95, Liquid, d. 1.65	00042 00250 00042 00500	GB GB	250 ml 500 ml	3980 7575
Acetyl Chloride (for Synthesis) (Cas No. 75-36-5) Assay : Min. 98-102% CH ₃ COCl M.W. 78.50 Liquid, d. 1.10	00043 00500 00043 02500	GB GB	500 ml 2.5 Lt	455 2035
Acetyl Chloride AR (Cas No. 75-36-5) Assay : Min. 98-102% CH ₃ COCl M.W. 78.50 Liquid, d. 1.10	00044 00500	GB	500 ml	915
Acetyl Choline Chloride AR (Cas No. 60-31-1) (Store in refrigerator) Assay : Min. 99% C ₇ H ₁₆ ClNO ₂ M.W. 181.66	00045 00005 00045 00025	GB GB	5 gm 25 gm	1180 4255
Acetyl Choline Iodide AR (Cas No. 2260-50-6) (Store in refrigerator) Assay : Min. 99% C ₇ H ₁₆ INO ₂ M.W. 273.11	00045 00005 00045 00025	GB GB	5 gm 25 gm	1300 5310
N-Acetyl-L-Cysteine (for Biochemistry) (Cas No. 616-91-1) Assay : Min. 99% C ₅ H ₉ NO ₃ S M.W. 163.19	00047 00010 00047 00100	GB GB	10 gm 100 gm	675 3985
Acetylene Tetrabromide (Cas No. 79-27-6) (1,1,2,2 - Tetrabromo Ethane) Assay : Min. 98% C ₂ H ₂ Br ₄ M.W. 345.67 Liquid, d. 2.967	00048 00250 00048 00500	GB GB	250 ml 500 ml	4900 9290
1-Acetyl Naphthalene (for Synthesis) (Cas No. 941-98-0) Assay : Min. 97.5% C ₁₂ H ₁₀ O M.W. 170.21, Liquid, d.1.12	00049 00100 00049 00250	GB GB	100 ml 250 ml	1085 2475
Acetyl Salicylic Acid (for Synthesis) (Cas No. 50-78-2) (Aspirin) Assay : Min. 99% C ₉ H ₈ O ₄ M.W. 180.15	00050 00500	PB	500 gm	865
Acetyl Salicylic Acid AR (Cas No. 50-78-2) (Aspirin) Assay : Min. 99% C ₉ H ₈ O ₄ M.W. 180.15	00051 00500	PB	500 gm	955
2-Acetylthiophene (for synthesis) (Cas No. 88-15-3) (Methyl-2-Thienyl ketone) Assay : Min. 98% C ₆ H ₆ OS M.W. 126.18 Liquid, d. 1.168	00052 00025 00052 00100	PB PB	25 gm 100 gm	815 2860
N-Acetyl-DL-Tryptophan (for Biochemistry) (Cas No. 87-32-1) (AC-DL-Trp-OH) Assay : Min. 98% C ₁₃ H ₁₄ N ₂ O ₃ M.W. 246.27	00053 00025	PB	25 gm	3965
Acid Fuchsin See Fuchsin Acid Page No. 72.				
Acridine Orange (M.S) (Cas No. 494-38-2) (C.I. No. 46005) Dye Content : Min. 75% C ₁₇ H ₁₉ N ₃ M.W. 265.35	00054 00010 00054 00025	GB GB	10 gm 25 gm	1325 3185
Acriflavin, Neutral (for Molecular Biology) (Cas No. 8048-52-0) (C.I. No. 46000) C ₁₄ H ₁₄ ClN ₃ M.W. 259.74	00055 00025 00055 00100 00055 00500	PB PB PB	25 gm 100 gm 500 gm	1645 6215 29315

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Acrylamide (for Synthesis) (Cas No. 79-06-1) Assay : Min. 98% C ₃ H ₅ NO M.W. 71.08	00056 00500	PB	500 gm	515
Acrylamide (for Molecular Biology) (Cas No. 79-06-1) Assay : Min. 99.9% C ₃ H ₅ NO M.W. 71.08	00057 00025 00057 00100	PB PB	25 gm 100 gm	190 595
Acrylamide AR (Cas No. 79-06-1) Assay : Min. 99% C ₃ H ₅ NO M.W. 71.08	00058 00100	GB	100 gm	695
Acrylic Acid (for Synthesis) (Cas No. 79-10-7) Assay: Min. 99% C ₃ H ₄ O ₂ M.W. 72.06, Liquid, d.1.05	00059 00500	GB	500 ml	535
Acrylonitrile (for Synthesis) (Cas No. 107-13-1) (Vinyl Cyanide) Assay: Min. 99% CH ₂ CH.CN M.W. 53.06, Liquid, d.0.81	00060 00500 00060 02500	GB GB	500 ml 2.5 Lt	445 2025
Acrylonitrile AR (Cas No. 107-13-1) (Vinyl Cyanide) Assay: Min. 99.5% CH ₂ CH.CN M.W. 53.06, Liquid, d.0.81	00061 00500	GB	500 ml	685
Actidione AR (Cas No. 66-81-9) (Cycloheximide) Assay: Min. 94% C ₁₅ H ₂₃ NO ₄ M.W. 281.35	00062 00001 00062 00005	GB GB	1 gm 5 gm	2970 10950
Activated Charcoal (Cas No. 7440-44-0) (Decolorizing Powder) (Charcoal Activated Powder) A.W.12.01	00063 00500 00063 05000	PB PB	500 gm 5 kg	285 2265
Activated Charcoal Strong (Cas No. 7440-44-0) (Decolorizing Powder, Acid Washed) C A.W. 12.01	00064 00500 00064 05000	PB PB	500 gm 5 kg	905 7850
Activated Charcoal AR (Cas No. 7440-44-0) (Phosphorous Free Powder) C A.W. 12.01	00065 00100 00065 00500	PB PB	100 gm 500 gm	425 1135
Activated Charcoal (Granular) (Cas No. 7440-44-0) (2.5 - 5.0 mm) C A.W. 12.01	00066 00500 00066 05000	PB PB	500 gm 5 kg	250 2020
Ada Buffer (Cas No. 26239-55-4) [N-2-Acetamido) Iminodiacetic acid] Assay : Min. 98% C ₆ H ₁₀ N ₂ O ₅ M.W.190.16	00067 00025 00067 00100	GB GB	25 gm 100 gm	1780 4930
Adam's Catalyst (Abt. 80% Pt) See Platinum Oxide Hydrate Page No. 125				
Adenine (for Biochemistry) (Cas No. 73-24-5) Assay : Min. 99% C ₅ H ₅ N ₅ M.W.135.13	00068 00005 00068 00025	GB GB	5 gm 25 gm	200 805
Adenine Sulphate AR (Cas No. 321-30-2) (adenine hemisulphate) Assay : Min. 99% (C ₅ H ₅ N ₅) 1/2H ₂ SO ₄ M.W.184.17	00069 00010 00069 00025	GB GB	10 gm 25 gm	530 1175
Adenosine (for Biochemistry) (Cas No. 58-61-7) Assay : Min. 99% C ₁₀ H ₁₃ N ₅ O ₄ M.W.267.25	00070 00005 00070 00025	GB GB	5 gm 25 gm	285 1125
Adenosine-5-Diphosphoric Acid Disodium Salt (for Molecular Biology) (Cas No. 16178-48-6) (A.D.P) Assay : Min. 90% C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ M.W. 471.16	00071 00001 00071 00005	GB GB	1 gm 5 gm	1140 4585
Adenosine-5-Monophosphoric Acid Sodum Salt (for Biochemistry) (Cas No. 4578-31-8) (A.M.P) Assay : Min. 95% C ₁₀ H ₁₂ N ₅ Na ₂ O ₇ P M.W. 391.19	00072 00001 00072 00005	GB GB	1 gm 5 gm	425 1705
Adenosine-5-Triphosphoric Acid Disodium Salt (for Molecular Biology) (Cas No. 987-65-5) (A.T.P) Assay : Min. 98% C ₁₀ H ₁₄ N ₅ Na ₂ O ₁₃ P ₃ M.W. 391.19	00073 00001 00073 00005	GB GB	1 gm 5 gm	385 1490

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Adipic Acid (Extra Pure) (Cas No. 124-04-9)	00074 00500	PB	500 gm	420
Assay : Min. 99% C ₆ H ₁₀ O ₄ M.W. 146.14	00074 05000	PB	5 kg	3370
Adipic Acid AR (Cas No. 124-04-9)	00075 00500	PB	500 gm	810
Assay : Min. 99.5% C ₆ H ₁₀ O ₄ M.W. 146.14				
Adonitol (for Biochemistry) (Cas No. 488-81-3) (Adonite, Ribitol)	00076 00005	GB	5 gm	1120
Assay : Min. 99% C ₅ H ₁₂ O ₅ M.W. 152.15	00076 00025	GB	25 gm	4505
L-Adrenaline AR (Cas No. 51-43-4) (Epinephrine)	00077 00001	GB	1 gm	1415
Assay : Min. 97% C ₉ H ₁₃ NO ₉ M.W. 183.21	00077 00005	GB	5 gm	6560
	00077 00025	GB	25 gm	31005
Adrenaline Bitartrate AR (Cas No. 51-42-3) (Adrenaline Hydrogen Tartrate)	00078 00001	GB	1 gm	1160
Assay : Min. 98% C ₁₃ H ₁₉ NO ₉ M.W. 333.29	00078 00005	GB	5 gm	4855
Aesculin (Esculin) (Cas No. 66778-17-4)	00079 00005	GB	5 gm	1525
Assay : Min. 98% C ₁₅ H ₁₆ O ₉ .1.5H ₂ O M.W. 367.31				
Agar Agar Powder (Cas No. 9002-18-0) (for Bacteriology)	00080 00100	GB	100 gm	880
(C ₁₂ H ₁₈ O ₉)n	00080 00500	GB	500 gm	3690
	00080 05000	GB	5 kg	35435
Agar Agar Powder (Cas No. 9002-18-0) (for Microbiology)	00081 00250	PB	250 gm	2035
(C ₁₂ H ₁₈ O ₉)n	00080 00500	PB	500 gm	3875
Agarose (H) (High EEO) (for Microbiology) (Cas No. 9012-36-6)	00082 00010	GB	10 gm	790
(Nuclease and Protease free)	00082 00100	PB	100 gm	6300
Agarose (L) (Low EEO) (for Microbiology) (Cas No. 9012-36-6)	00083 00010	GB	10 gm	895
(Nuclease and Protease free)	00083 00100	PB	100 gm	6655
Agarose (M) (Medium EEO) (for Microbiology) (Cas No. 9012-36-6)	00084 00010	GB	10 gm	830
(Nuclease and Protease free)	00084 00100	PB	100 gm	6745
Ajowan Oil Extra Pure (Cas No. 8001-99-8) Liquid, d. 0.910-0.930	00084A 00500	GB	500 ml	1835
B-Alanine (For Biochemistry) (Cas No. 107-95-9) (B-Aminopropionic Acid)	00085 00025	GB	25 gm	195
Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00085 00100	PB	100 gm	780
D-Alanine (for Biochemistry) (Cas No. 338-69-2) (D-2-Aminopropionic Acid)	00086 00001	GB	1 gm	220
Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00086 00005	GB	5 gm	1085
	00086 00025	GB	25 gm	5930
DL-Alanine (for Biochemistry) (Cas No. 302-72-7) (DL-Aminopropionic acid)	00087 00025	GB	25 gm	295
Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00087 00100	GB	100 gm	840
L-Alanine (for Biochemistry) (Cas No. 56-41-7) (2-Aminopropionic Acid)	00088 00025	GB	25 gm	220
Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00088 00100	GB	100 gm	785
Alar (B-9) AR (Cas No. 1596-84-5) (Succinic Acid-2, 2-Dimethyl Hydrazide)	00089 00001	GB	1 gm	645
Assay : Min. 99% C ₆ H ₁₂ N ₂ O ₃ M.W. 160.17	00089 00005	GB	5 gm	2775
Albert Stain 'A' (Solution)	00090 00125	GB	125 ml	80
	00090 00500	GB	500 ml	280
Albert Stain 'B' (Solution)	00091 00125	GB	125 ml	80
	00091 00500	GB	500 ml	280

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Albumin Bovine Fraction V (For Molecular Biology)	00092 00005	GB	5 gm	840
(Cas No. 9048-46-8) (Nuclease and Protease free)	00092 00010	GB	10 gm	1365
Assay : Min. 98% Store at 2-8°C	00092 00100	GB	100 gm	11905
Albumin Egg	00093 00250	PB	250 gm	1775
(Flakes) (Cas No. 9006-59-1)	00093 00500	PB	500 gm	3355
Albumin Egg	00094 00250	PB	250 gm	1165
(Powder) (Cas No. 9006-59-1)	00094 00500	PB	500 gm	1925
Alcian Blue 8 GX	00095 00005	PB	5 gm	1805
(For Molecular Biology)	00095 00010	PB	10 gm	3500
(Cas No. 33864-99-2) (C.I. No. 74240)	00095 00025	PB	25 gm	7375
Alcian Blue Solution (For Microscopy Clear, Permanent Stain for Mucin)	00096 00100	PB	100 gm	575
Alginate Acid (Cas No. 9005-32-7) $(C_8H_8O_6)_n$ M.W. 176.12 d, 1.601	02900 00500	PB	500 gm	1445
Alizarin AR (pH Indicator) (C.I.No. 58000) (Cas No. 72-48-0)	00097 00025	PB	25 gm	315
Dye Content : Min. 97% $C_{14}H_8O_4$ M.W. 240.22	00097 00100	PB	100 gm	1185
Alizarin Complexone (Cas No. 3952-78-1) (3-Aminomethyl Alizarin-N, N1-Diacetic Acid) Assay : Min. 88% $C_{19}H_{15}NO_8 \cdot 2H_2O$ M.W. 421.36	00098 00001	GB	1 gm	655
	00098 00005	GB	5 gm	2580
Alizarin Cyanine Green (C.I.No. 61570) (Cas No. 4403-90-1)	00099 00025	GB	25 gm	375
Dye Content : Min. 75% $C_{28}H_{20}N_2Na_2O_8S_2$ M.W. 622.59	00099 00100	GB	100 gm	1330
Alizarin Red S (pH Indicator) (Cas No. 130-22-3) (Sodium Alizarin Sulphonate)	00100 00025	GB	25 gm	380
Dye Content : Min. 70% $C_{14}H_7NaO_7S$ M.W. 342.3 (C.I. No. 58005)	00100 00100	GB	100 gm	1100
Alizarin Red S AR (pH Indicator) (C.I. No. 58005) (Sodium Alizarin Sulphonate)	00101 00025	GB	25 gm	685
(Cas No. 130-22-3) Dye Content : Min. 70% $C_{14}H_7NaO_7S$ M.W. 342.3	00101 00100	GB	100 gm	3105
Alkali Blue 6B (Indicator) (C.I. No. 42750) (Cas No. 1324-76-1)	00102 00005	GB	5 gm	810
Dye Content : Min. 50% $C_{37}H_3ON_3NaO_4S$ M.W. 635.71	00102 00025	GB	25 gm	3290
Alkali Blue 6B (Indicator Solution)	00103 00125	GB	125 ml	175
Liquid, d. 0.800	00103 00500	GB	500 ml	555
Alkaline Copper Tartrate (Folin & Wu's Alkaline Copper Solution)	00104 00500	PB	500 ml	185
Allantoin (Cas No. 97-59-6) (Fine Power)	00105 00100	PB	100 gm	445
Assay : Min. 98-102% $C_4H_6N_4O_3$ M.W. 158.12	00105 00500	PB	500 gm	1655
Alloxan (Hydrate) (Cas No. 2244-11-3)	00106 00025	GB	25 gm	620
Assay : Min. 98% $C_4H_2N_2O_4 \cdot H_2O$ M.W. 160.09				
Allyl Alcohol (for Synthesis) (Cas No. 107-18-6)	00107 00500	GB	500 gm	795
Assay : Min. 99% C_3H_6O M.W. 58.08 Liquid, d. 0.85				
Allylamine (For Synthesis) (Cas No. 107-11-9)	00108 00250	GB	250 ml	7130
(2-Propen-1-ylamine, 3-Amino-1-Propene)	00108 01000	GB	1 Lt	22830
Assay : Min. 99% C_3H_7N M.W. 57.10 Liquid, d. 0.761				
Allyl Bromide (For Synthesis) (Cas No. 106-95-6)	00109 00250	GB	250 gm	1435
(3-Bromo-1-Propene)	00109 00500	GB	500 gm	2775
Assay : Min. 98% C_3H_5Br M.W. 120.98 Liquid, d. 1.398				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Allyl Chloride (For Synthesis) (Cas No. 107-05-1) (3-Chloro-1-Propene) Assay : Min. 98% C_3H_5Cl M.W. 76.52 Liquid, d. 0.939	00110 00500	GB	500 ml	1405
Almond Oil Extra Pure (bitter) (Cas No. 8007-69-0) Liquid, d. 0.910-0.915	00110A 00500	GB	500 ml	2215
Almond Oil Extra Pure (sweet) (Cas No. 8007-69-0) Liquid, d. 0.910-0.915	00110B 00500	GB	500 ml	2220
Alpha Benzoinoxime AR See a-Benzoin Oxime Page No. 23				
Alum Ammonium See Aluminium Ammonium Sulphate Page No. 7				
Alum Chrome Potassium See Chromium (III) Potassium Sulphate Page No. 46				
Alum Potassium (Alum Potash) See Aluminium Potassium Sulphate Page No. 8				
Aluminium AAS Standard Solution 1000mg/L in Nitric Acid	00111 00125	GB	125 ml	665
	00111 00500	GB	500 ml	1705
Aluminium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.02	00111A 00125	GB	125 ml	4550
Aluminium ICP Standard Solution 10000mg/L in Nitric Acid Liquid, d. 1.02	00111B 00125	GB	125 ml	6330
Aluminium (Metal) Foil (Thin) (Cas No. 7429-90-5) Assay : Min. 99% Al M.W. 26.98	00112 00500	PB	500 gm	935
Aluminium (Metal) Foil AR (Thin) (Cas No. 7429-90-5) Assay : Min. 99.9% Al M.W. 26.98	00113 00250	PB	250 gm	2915
Aluminium (Metal) Powder (Cas No. 7429-90-5) Assay : Min. 99.7% Al M.W. 26.98	00114 00500	PB	500 gm	510
Aluminium Ammonium Sulphate (Dodecahydrate) (Cas No. 7784-26-1) (Ammonium Aluminium Sulphate) Assay : Min. 99% $AlNH_4O_8S_2 \cdot 12H_2O$ M.W. 453.33	00115 00500	PB	500 gm	165
	00115 05000	PB	5 kg	1195
Aluminium Ammonium Sulphate AR (Dodecahydrate) (Cas No. 7784-26-1) (Ammonium Aluminium Sulphate) Assay : Min. 99.5% $AlNH_4O_8S_2 \cdot 12H_2O$ M.W. 453.33	00116 00500	PB	500 gm	255
	00116 05000	PB	5 kg	2130
Aluminium Chloride (Anhydrous) (Cas No. 7446-70-0) Assay : Min. 98% $AlCl_3$ M.W. 133.34	00117 00500	GB	500 gm	295
Aluminium Chloride (Hexahydrate) (Cas No. 7784-13-6) Assay : Min. 98% $AlCl_3 \cdot 6H_2O$ M.W. 241.45	00118 00500	GB	500 gm	685
Aluminium Chloride (Hexahydrate) AR (Cas No. 7784-13-6) Assay : Min. 98% $AlCl_3 \cdot 6H_2O$ M.W. 241.45	00119 00500	GB	500 gm	1385
Aluminium Fluoride (3-Hydrate) (Cas No. 15098-87-0) Assay : Min. 97% $AlF_3 \cdot 3H_2O$ M.W. 138.02	00120 00500	PB	500 gm	355
Aluminium Fluoride (3-Hydrate) AR (Cas No. 15098-87-0) Assay : Min. 97.5% $AlF_3 \cdot 3H_2O$ M.W. 138.02	00121 00500	PB	500 gm	1040
Aluminium Hydroxide Gel (Cas No. 21645-51-2) (Light Powder) Assay : (as Al_2O_3) : 47-60% $Al(OH)_3$ M.W. 78.00	00122 00500	PB	500 gm	365
	00122 05000	PB	5 kg	2975

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Aluminium Isopropoxide (Cas No. 555-31-7) (aluminium isopropylate) Assay : Min. 98% $C_9H_{21}AlO_3$ M.W. 204.24	00123 00500	PB	500 gm	550
Aluminium Nitrate (Nonahydrate) (Cas No. 7784-27-2) Assay : Min. 98% $Al(NO_3)_3 \cdot 9H_2O$ M.W. 375.13	00124 00500	PB	500 gm	190
Aluminium Nitrate (Nonahydrate) AR (Cas No. 7784-27-2) Assay : Min. 98.5% $Al(NO_3)_3 \cdot 9H_2O$ M.W. 375.13	00125 00500	PB	500 gm	1920
Aluminium Oxide (Active) Acidic (Cas No. 1344-28-1) (For Column Chromatography, pH 3.5 to 4.5) Al_2O_3 M.,W. 101.96	00126 00500 00126 05000	PB PB	500 gm 5 kg	285 2305
Aluminium Oxide (Active) Basic (Cas No. 1344-28-1) (For Column Chromatography, pH 8.5 to 9.5) Al_2O_3 M.,W. 101.96	00127 00500 00127 05000	PB PB	500 gm 5 kg	290 2300
Aluminium Oxide (Active) Neutral (Cas No. 1344-28-1) (For Column Chromatography, pH 6.5 to 7.5) Al_2O_3 M.,W. 101.96	00128 00500 00128 05000	PB PB	500 gm 5 kg	290 2390
Aluminium Oxide G (Neutral) (Cas No. 1344-28-1) (For TLC, Contents 10% CaSO ₄) Al_2O_3 M.,W. 101.96	00129 00500	PB	500 gm	595
Aluminium Potassium Sulphate (Dodecahydrate) (Cas No. 7784-24-9) (Alum Potash) (Alum Potassium) Assay : Min. 99.5% $AlK_2O_8S_2 \cdot 12H_2O$ M.W. 474.38	00130 00500 00130 05000	PB PB	500 gm 5 Kg	195 1520
Aluminium Potassium Sulphate (Dodecahydrate) (Cas No. 7784-24-9) (Alum Potash) (Alum Potassium) Assay : Min. 99% - 102% $AlK_2O_8S_2 \cdot 12H_2O$ M.W. 474.38	00131 00500 00131 05000	PB PB	500 gm 5 Kg	255 2120
Aluminium Stearate (Cas No. 637-12-7) Assay : Min. 6.5-8.9% (as Al_2O_3) $[CH_3(CH_2)_{16}COO]_3Al$ M.W. 877.35	00133 00500	PB	500 gm	215
Aluminium Sulphate Purified (18-Hydrate) (Cas No. 7784-31-8) Assay [as $Al_2(SO_4)_3$]: 51.0 - 59.0% $Al_2(SO_4)_3 \cdot 18H_2O$ M.W. 666.42	00134 00500 00134 05000	PB PB	500 gm 5 Kg	145 1235
Aluminium Sulphate AR (18-Hydrate) (Cas No. 7784-31-8) Assay : Min. 98% $Al_2(SO_4)_3 \cdot 18H_2O$ M.W. 666.42	00135 00500 00135 05000	PB PB	500 gm 5 Kg	145 1235
Aluminon AR (Cas No. 569-58-4) (Aurin Tricarboxylic Acid Triammonium Salt) $C_{22}H_{14}O_9 \cdot 3NH_3$ M.W. 473.44	00136 00025 00136 00100	PB PB	25 gm 100 gm	475 1455
Aluminon Reagent Solution (Cas No. 569-58-4)	00137 00500	PB	500 ml	445
Amaranth (Cas No. 915-67-3) (C.I. No. 16185) (Azorubin S) $C_{20}H_{11}N_2Na_3O_{10}S_3$ M.W. 604.48	00138 00025 00138 00100 00138 00500	PB PB PB	25 gm 100 gm 500 gm	180 610 2475
Amaranth Indicator Solution (Azorubin S Solution) Liquid. d. 1.03-1.09	00139 00125 00139 00500	PB PB	125 ml 500 ml	110 330
Amido Black 10B (For Molecular Biology) (Cas No. 1064-48-8) (C.I. No. 20470) (Naphthalene Black 12B) Dye Content : Min. 80% $C_{22}H_{14}N_6Na_2O_9S_2$ M.W. 616.49	00140 00025 00140 00100	PB PB	25 gm 100 gm	165 505
Amido Sulphonic Acid See Sulphamic Acid Page No. 157				
Amikacin Sulphate (Cas No. 39831-55-5) $C_{22}H_{43}N_5O_{13} \cdot 2H_2SO_4$ M.W.781.76	00141 00001 00141 00005	GB GB	1 gm 5 gm	2200 8410

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
P-Amino Acetanilide (Cas No. 122-80-5) Assay : Min. 99% $C_8H_{10}N_2O$ M.W. 150.18	00142 00500	PB	500 gm	1970
Amino Acetic Acid (Cas No. 56-40-6) (Glycine) Assay : Min. 98.5% $C_2H_5NO_2$ M.W. 75.07	00143 00250 00143 00500	PB PB	250 gm 500 gm	330 550
Amino Acetic Acid AR (For Molecular Biology) (Cas No. 56-40-6) (Glycine) Assay : Min. 99% $C_2H_5NO_2$ M.W. 75.07	00144 00100 00144 00500	PB PB	100 gm 500 gm	225 815
M-Aminoacetophenone (Cas No. 99-03-6) (3-Aminoacetophenone) Assay : Min. 97% C_8H_9NO M.W. 135.17	00145 00010 00145 00025	GB GB	10 gm 25 gm	745 1544
o-Aminoacetophenone (Cas No. 551-93-9) (2-Aminoacetophenone) Assay : Min. 98% C_8H_9NO M.W. 135.17	00146 00025 00146 00100	PB PB	25 gm 100 gm	4975 17905
p-Aminoacetophenone (Cas No. 99-92-3) (4-Aminoacetophenone) Assay : Min. 99% C_8H_9NO M.W. 135.17	00147 00025 00147 00100	PB PB	25 gm 100 gm	640 1550
Amino Acid Kit of 23 Items	00148 SET	GBC	SET	3295
p-Amino Antipyrine (Cas No. 83-07-8) (4-Aminophenazone) (Ampyrone) Assay : Min. 98% $C_{11}H_{13}N_3O$ M.W.203.24	00149 00025 00149 00100	PB PB	25 gm 100 gm	590 2240
p-Amino Antipyrine AR (Cas No. 83-07-8) (4-Aminophenazone) (Ampyrone) Assay : Min. 98.5% $C_{11}H_{13}N_3O$ M.W.203.24	00150 00025 00150 00100	PB PB	25 gm 100 gm	620 2310
p-Amino Azobenzene (Cas N. 60-09-3) (4-Phenylazoaniline) Assay : Min. 98% $C_{12}H_{11}N_3O$ M.W. 197.24	00151 00025 00151 00100	GB GB	25 gm 100 gm	305 825
p-Aminobenzene Sulphonamide See Sulphanilamide Page No. 157				
m-Amino Benzoic Acid (Cas No. 99-05-8) (3-Amino Benzoic Acid) Assay : Min. 98% $C_7H_7NO_2$ M.W. 137.14	00152 00100	GB	100gm	545
p-Amino Benzoic Acid (Cas No. 150-13-0) Assay : Min. 99% $C_7H_7NO_2$ M.W. 137.14	02901 00100 02901 00500	PB PB	100 gm 500 gm	385 1465
S (+)-2-Amino-1- Butanol (Cas No. 5856-62-2) (D-2-Aminobutanol) Assay : Min. 97% $C_4H_{11}NO_2$ M.W. 89.14	00153 00001 02901 00005	GB GB	1 gm 5 gm	1365 4905
p-Amino Butyric Acid AR (Cas No. 56-12-2) Assay : Min. 99% $C_4H_9NO_2$ M.W. 103.12	00154 00025 00154 00100	PB PB	25 gm 100 gm	940 2330
6-Amino Caproic Acid (For Biochemistry) (Cas No. 60-32-2) Assay : Min. 99% $C_6H_{13}NO_2$ M.W.113.17	00155 00100 00155 00500	PB PB	100 gm 500 gm	1545 6185
N-(2-Aminoethyl) Ethanolamine (For Synthesis) (Cas No. 111-41-1) [2-(2-Aminoethyl Amino) ethanol] [N-(2-Hydroxyethyl) ethylenediamine] Assay : Min. 99% $C_4H_{12}N_2O$ M.W. 104.15 Liquid, d.1.03	00156 00500 00156 02500	GB GB	500 ml 2.5 Lt	880 3900
Aminoguanidine Bicarbonate (For Synthesis) (Cas No. 2582-30-1) Assay : Min. 97% $CH_6N_4H_2CO_3$ M.W. 136.11	00157 00100 00157 00500	PB PB	100 gm 500 gm	470 2040
2-Amino-2-Methyl-1, 3-Propanediol AR (Biological Buffer) (Cas No. 115-69-5) Assay : Min. 99% $C_4H_{11}NO_2$ M.W. 105.14	00158 00100	PB	100 gm	3820
2-Amino-2-Methyl-1-Propanol Extra Pure (Cas No. 124-68-5) (AMP) Suitable for Clinical Work Assay : Min. 95% $C_4H_{11}NO$ M.W. 89.14 Liquid, d. 0.934	00159 00500 00159 02500	GB GB	500 ml 2.5 Lt	1810 7610

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2-Amino-4-Methylpyridine (For Synthesis) (Cas No. 695-34-1)	00160 00100	PB	100 gm	1560
Assay : Min. 98% $C_6H_8N_2$ M.W.108.14	00160 00500	PB	500 gm	6260
2-Amino-5-Methylpyridine (Cas No. 1603-41-4)	00161 00100	PB	100 gm	5575
Assay : Min. 98% $C_8H_8N_2$ M.W. 108.14	00161 00500	PB	500 gm	19515
1-Amino-2-Naphthol-4-Sulphonic Acid (Cas No. 116-63-2)	00162 00025	PB	25 gm	255
(4-Amino-3-Hydroxynaphthalene-1-Sulphonic Acid)	00162 00100	PB	100 gm	875
Assay : Min. 98% $C_{10}H_9NO_4S$ M.W. 239.25	00162 00500	PB	500 gm	3755
1-Amino-2-Naphthol-4-Sulphonic Acid AR (Cas No. 116-63-2)	00163 00025	PB	25 gm	355
(4-Amino-3-Hydroxynaphthalene-1-Sulphonic Acid)	00163 00100	PB	100 gm	1005
Assay : Min. 98% $C_{10}H_9NO_4S$ M.W. 239.25	00163 00500	PB	500 gm	3995
m-Amino Phenol (Cas No. 591-27-5) (3-Amino Phenol)	00164 00100	PB	100 gm	360
Assay : Min. 98% C_6H_7NO M.W. 109.13	00164 00500	PB	500 gm	1400
o-Amino Phenol (Cas No. 95-55-6) (2-Amino Phenol)	00165 00100	PB	100 gm	685
Assay : Min. 99% C_6H_7NO M.W. 109.13	00165 00500	PB	500 gm	2295
p-Amino Phenol (Cas No.123-30-8) (4-Amino Phenol)	00166 00100	PB	100 gm	259
Assay : Min. 99% C_6H_7NO M.W. 109.13	00166 00500	PB	500 gm	871
1-Aminopropane See N-Propylamine Page No. 133				
2-Aminopropane See ISO-Propylamine Page No. 133				
3-Amino-1-Propanol (for Synthesis) (3-Aminopropyl Alcohol)	00167 00100	GB	100 ml	1295
Assay : Min. 99% C_3H_9NO M.W. 75.11, Liquid, d. 0.983 (Cas No. 156-87-6)	00167 00500	GB	500 ml	1985
m-Aminopyridine (For Synthesis) (Cas No. 462-08-8) (3-Aminopyridine)	00168 00025	GB	25 gm	795
Assay : Min. 98% $C_5H_6N_2$ M.W. 94.11	00168 00100	GB	100 gm	2640
o-Aminopyridine (For Synthesis) (Cas No. 504-29-0) (2-Aminopyridine)	00169 00100	GB	100 gm	480
Assay : Min. 98% $C_5H_6N_2$ M.W. 94.11	00169 00250	GB	250 gm	1305
p-Aminopyridine (For Synthesis) (Cas No. 504-24-5) (4-Aminopyridine)	00170 00025	PB	25 gm	1305
Assay : Min. 98% $C_5H_6N_2$ M.W. 94.11	00170 00100	PB	100 gm	4205
2-Aminopyrimidine (For Synthesis) (Cas No. 109-12-6) (O-Aminopyrimidine)	00171 00100	PB	100 gm	7555
Assay : Min. 97% $C_4H_5N_3$ M.W. 95.10	00171 00250	PB	250 gm	16655
Ammonia Buffer Solution	00172 00500	PB	500 ml	145
(For Hardness of Water Determination) Liquid,d. 0.960	00172 05000	PC	5 Lt	1075
Ammonia Solution 32% (Cas No. 1336-21-6) (Ammonium Hydroxide 32%)	00173 00500	GB	500 ml	150
Sp.gr. 0.89 Assay : Min. 32% NH_4OH M.W. 35.05 Liquid, d. 0.90	00173 02500	GB	2.5 Lt	480
Ammonia Solution 25% (Cas No. 1336-21-6) Sp.gr. 0.910	00174 00500	GB	500 ml	140
(Ammonium Hydroxide 25%)	00174 00500	GB	2.5 Lt	400
Assay : Min. 25% NH_4OH M.W. 35.05, Liquid, d. 0.90	00174 00500	GB	5 Lt	630
Ammonia Solution 25% AR (Cas No. 1336-21-6) (Ammonium Hydroxide 25%)	00175 00500	GB	500 ml	160
Sp.gr. 0.910 Assay : Min. 25% NH_4OH M.W. 35.05, Liquid, d. 0.90	00175 02500	GB	2.5 Lt	440
Ammonium Acetate	00176 00500	PB	500 gm	345
(Cas No. 631-61-8)	00176 05000	PC	5 Kg	1975
Assay : Min. 96% CH_3COONH_4 M.W. 77.08				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ammonium Acetate AR (Cas No. 631-61-8)	00177 00500	PB	500 gm	395
Assay : Min. 98% $\text{CH}_3\text{COONH}_4$ M.W. 77.08	00177 05000	PC	5 Kg	2335
Ammonium Acetate (For Molecular Biology) (Cas No. 631-61-8)	00178 00100	PB	100 gm	435
Assay : Min. 98% $\text{CH}_3\text{COONH}_4$ M.W. 77.08	00178 00500	PB	500 gm	1485
Ammonium Adipate (Cas No. 3385-41-9)	00179 00500	PB	500 gm	420
Assay : Min. 99% $\text{C}_6\text{H}_{12}\text{N}_2\text{O}_4$ M.W.180.14				
Ammonium Aluminium Sulphate See Aluminium Ammonium Sulphate Page No. 7				
Ammonium Amido Sulphonate See Ammonium Sulphamate Page No. 14				
Ammonium Benzoate (Cas No. 1863-63-4)	00180 00500	PB	500 gm	670
Assay : Min. 98% $\text{C}_7\text{H}_9\text{NO}_2$ M.W. 139.16				
Ammonium Bicarbonate (Ammonium Hydrogen Carbonate)	00181 00500	PB	500 gm	160
Assay : Min. 98% NH_4HCO_3 M.W. 79.06 (Cas No. 1066-33-7)	00181 05000	PC	5 Kg	1130
Ammonium Bicarbonate AR (Ammonium Hydrogen Carbonate)	00182 00500	PB	500 gm	225
Assay : Min. 99% NH_4HCO_3 M.W. 79.06 (Cas No. 1066-33-7)	00182 05000	PC	5 Kg	2210
Ammonium Bichromate (Cas No. 7789-09-5) (Ammonium Dichromate)	00183 00500	PB	500 gm	680
Assay : Min. 99% $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ M.W. 252.06	00183 05000	PB	5 kg	5620
Ammonium Bichromate AR (Cas No. 7789-09-5) (Ammonium Dichromate)	00185 00500	PB	500 gm	720
Assay : Min. 99% $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ M.W. 252.06				
Ammonium Bifluoride (Ammonium Hydrogen Difluoride)	00186 00500	PB	500 gm	380
Assay : Min. 98% NH_4HF_2 M.W. 57.04 (Cas No. 1341-49-7)				
Ammonium Bismuth Citrate (Bismuth Ammonium Citrate)	00187 00100	PB	100 gm	820
Assay : 43-49% $\text{C}_{24}\text{H}_{20}\text{Bi}_4\text{O}_{28}\cdot 6\text{NH}_3\cdot 10\text{H}_2\text{O}$ M.W. 1875 (Cas No. 31886-41-6)	00187 00500	PB	500 gm	3035
Ammonium Bromide (Cas No. 12124-97-9)	00188 00500	PB	500 gm	525
Assay : Min. 99% NH_4Br M.W. 97.94	00188 05000	PB	5 kg	4295
Ammonium Bromide AR (Cas No. 12124-97-9)	00189 00500	PB	500 gm	690
Assay : Min. 99% NH_4Br M.W. 97.94	00189 05000	PB	5 kg	5775
Ammonium Carbonate (Cas No. 506-87-6)	00190 00500	PB	500 gm	220
Assay : Min. 30% $\text{CH}_8\text{N}_2\text{O}_3$ M.W. 96.09	00190 05000	PB	5 Kg	1870
Ammonium Carbonate AR (Cas No. 506-87-6)	00191 00500	PB	500 gm	310
Assay : Min. 95% $\text{CH}_8\text{N}_2\text{O}_3$ M.W. 96.09	00191 05000	PB	5 kg	2530
Ammonium Ceric Nitrate (Cas No. 16774-21-3)	00193 00100	GB	100 gm	1095
(Ceric Ammonium Nitrate) (Ammonium Cerium (IV) Nitrate)	00193 00500	GB	500 gm	4450
Assay : Min. 97% $(\text{NH}_4)_2\text{Ce}(\text{NO}_3)_6$ M.W. 548.22				
Ammonium Ceric Nitrate AR (Cas No. 16774-21-3)	00194 00100	GB	100 gm	1290
(Ceric Ammonium Nitrate) (Ammonium Cerium (IV) Nitrate)	00194 00500	GB	500 gm	5650
Assay : Min. 99% $(\text{NH}_4)_2\text{Ce}(\text{NO}_3)_6$ M.W. 548.22				
Ammonium Ceric Nitrate 0.05 N Volumetric Solution (N/20) Liquid, d.1.1	00195 00500	PB	500 ml	480
Ammonium Ceric Sulphate (Cas No. 10378-47-9)	00196 00100	PB	100 gm	1390
(Ceric Ammonium Sulphate) (Ammonium Cerium (IV) Sulphate)	00196 00500	PB	500 gm	6115
Assay : Min. 95% $(\text{NH}_4)_4\text{Ce}(\text{SO}_4)_4\cdot 2\text{H}_2\text{O}$ M.W. 632.55				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ammonium Ceric Sulphate AR (Cas No. 10378-47-9)	00197 00100	PB	100 gm	1590
(Ceric Ammonium Sulphate) (Ammonium Cerium (IV) Sulphate)	00197 00500	PB	500 gm	7350
Assay : Min. 99% $(\text{NH}_4)_4\text{Ce}(\text{SO}_4)_4 \cdot 2\text{H}_2\text{O}$ M.W. 632.55				
Ammonium Chloride Extra pure (Cas No. 12125-02-9)	00198 00500	PB	500 gm	195
Assay : Min. 99% NH_4Cl M.W. 53.49	00198 05000	PB	5 Kg	1150
Ammonium Chloride AR (Cas No. 12125-02-9)	00199 05000	PB	500 gm	240
Assay : Min. 99.8% NH_4Cl M.W. 53.49	00199 05000	PB	5 kg	2425
Ammonium Chloride (For Molecular Biology) (Cas No. 12125-02-9)	00200 00500	PB	500 gm	1170
Assay : Min. 99.5% NH_4Cl M.W. 53.49				
di-Ammonium Citrate (Cas No. 3012-65-5) (Di-Ammonium Hydrogen Citrate)	00201 00500	PB	500 gm	765
Assay : Min. 98% $(\text{NH}_4)_2\text{HC}_6\text{H}_5\text{O}_7$ M.W. 226.19				
tri-Ammonium Citrate (Cas No. 3458-72-8)	00202 00500	PB	500 gm	655
Assay : Min. 97-103% $\text{C}_6\text{H}_{17}\text{N}_3\text{O}_7$ M.W. 243.22				
tri-Ammonium Citrate AR (Cas No. 3458-72-8)	00203 00500	PB	500 gm	770
Assay : Min. 98.5-101% $\text{C}_6\text{H}_{17}\text{N}_3\text{O}_7$ M.W. 243.22				
Ammonium Dichromate See Ammonium Bichromate Page No. 11				
Ammonium Dihydrogen Ortho Phosphate See Ammonium Phosphate Monobasic Page No. 14				
Ammonium Ferric Citrate (Brown) (Cas No. 1185-57-5)	00204 00500	PB	500 gm	300
(Ferric Ammonium Citrate) Assay : 20.5 -22% $\text{C}_6\text{H}_8\text{O}_7 \cdot x\text{Fe}_3 + y\text{NH}_3$				
Ammonium Ferric Sulphate (Dodecahydrate) (Cas No. 7783-83-7)	00206 00500	PB	500 gm	240
(Ferric Alum) (Ammonium Iron (III) Sulphate)	00206 05000	PB	5 kg	1990
Assay : Min. 98-101% $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ M.W. 482.19				
Ammonium Ferric Sulphate AR (Dodecahydrate) (Cas No. 7783-83-7)	00207 00500	PB	500 gm	285
(Ferric Alum) (Ammonium Iron (III) Sulphate)	00207 05000	PB	5 kg	2275
Assay : Min. 98-101% $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ M.W. 482.19				
Ammonium Ferrous Sulphate (Hexahydrate) (Cas No. 7783-85-9)	00208 00500	PB	500 gm	165
(Diammonium Iron (II) Sulphate)	00208 05000	PB	5 kg	1010
Assay : Min. 98.5% $(\text{NH}_4)_2\text{SO}_4 \cdot \text{FeSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 392.14				
Ammonium Ferrous Sulphate AR (Hexahydrate) (Cas No. 7783-85-9)	00209 00500	PB	500 gm	280
(Diammonium Iron (II) Sulphate)	00209 05000	PB	5 kg	1660
Assay : Min. 98.5% $(\text{NH}_4)_2\text{SO}_4 \cdot \text{FeSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 392.14				
Ammonium Fluoride (Cas No. 12125-01-8)	00210 00500	PB	500 gm	595
Assay : Min. 97% NH_4F M.W. 37.04				
Ammonium Fluoride AR (Cas No. 12125-01-8)	00211 00250	PB	250 gm	1640
Assay : Min. 97% NH_4F M.W. 37.04				
Ammonium Formate (Cas No. 540-69-2)	00212 00500	PB	500 gm	335
Assay : Min. 97% CH_5NO_2 M.W. 63.06				
Ammonium Formate AR (Cas No. 540-69-2)	00213 00500	PB	500 gm	385
Assay : Min. 98% CH_5NO_2 M.W. 63.06				
Ammonium Heptamolybdate See Ammonium Molybdate Page No. 13				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ammonium Hydrogen Carbonate See Ammonium Bicarbonate Page No. 11				
di-Ammonium Hydrogen Citrate See Di-Ammonium Citrate Page No. 12				
Ammonium Hydrogen Difluoride See Ammonium Bifluoride Page No. 11				
di-Ammonium Hydrogen Ortho Phosphate (Anhydrous) See Ammonium Phosphate Dibasic Page No. 14				
Ammonium Hydroxide See Ammonia Solution Page No. 10				
Ammonium Iodide Extra Pure (Cas No. 12027-06-4)	00214 00100	PB	100 gm	2780
Assay : Min. 99% NH_4I M.W. 144.94	00214 00500	PB	500 gm	12780
Ammonium Iodide AR (Cas No. 12027-06-4)	00215 00050	PB	50 gm	1790
Assay : Min. 99.5% NH_4I M.W. 144.94	00215 00100	PB	100 gm	3405
Ammonium Iron (III) Citrate (Brown) See Ammonium Ferric Citrate Page No. 12				
Ammonium Iron (II) Sulphate 0.1 M (0.1N) Standardized Solution Liquid d. 1.05	00216 00500	PB	500 ml	315
Ammonium Iron (III) Sulphate See Ammonium Ferric Sulphate Page No. 12				
Ammonium Iron (II) Sulphate See Ammonium Ferrous Sulphate Page No. 12				
Ammonium Mercuric Chloride See Mercuric Ammonium Chloride Page No. 100				
Ammonium Metavanadate (Cas No. 7803-55-6) (Ammonium Monovanadate)	00217 00100	PB	100 gm	825
Assay : Min. 98% NH_4VO_3 M.W. 116.98	00217 00500	PB	500 gm	3705
Ammonium Metavanadate AR (Cas No. 7803-55-6) (Ammonium Monovanadate) Assay : Min. 99% NH_4VO_3 M.W. 116.98	00218 00100	PB	100 gm	1015
	00218 00500	PB	500 gm	4260
Ammonium Molybdate Extra Pure (Tetrahydrate) (Cas No. 12054-85-2) (Ammonium Heptamolybdate)	00219 00100	PB	100 gm	840
Assay : Min. 98% $(NH_4)_6MO_7O_{24} \cdot 4H_2O$ M.W. 1235.86	00219 00500	PB	500 gm	3330
	00219 00500	PB	5 kg	28340
Ammonium Molybdate AR (Tetrahydrate) (Ammonium Heptamolybdate)	00220 00100	PB	100 gm	1030
Assay : Min. 99% $(NH_4)_6MO_7O_{24} \cdot 4H_2O$ M.W. 1235.86 (Cas No. 12054-85-2)	00220 00500	PB	500 gm	3700
Ammonium Molybdate Reagent Solution Liquid, d. 1.0	00221 00500	PB	500 ml	565
Ammonium Nickel Sulphate (Cas No. 7785-20-8) (Nickel Ammonium Sulphate)	00222 00500	PB	500 gm	1030
Assay : Min. 98.5% $(NH_4)_2SO_4 \cdot NiSO_4 \cdot 6H_2O$ M.W. 394.97				
Ammonium Nickel Sulphate AR (Nickel Ammonium Sulphate)	00223 00500	PB	500 gm	2915
Assay : Min. 99% $(NH_4)_2SO_4 \cdot NiSO_4 \cdot 6H_2O$ M.W. 394.97 (Cas No. 7785-20-8)				
Ammonium Oxalate (Cas No. 6009-70-7)	00224 00500	PB	500 gm	305
Assay : Min. 99% $(COONH_4)_2 \cdot H_2O$ M.W. 142.11	00224 05000	PB	5 kg	2030
Ammonium Oxalate AR (Cas No. 6009-70-7)	00225 00500	PB	500 gm	345
Assay : Min. 99.5% $(COONH_4)_2 \cdot H_2O$ M.W. 142.11	00225 05000	PB	5 kg	2550
Ammonium Persulphate (Cas No. 7727-54-0) (Ammonium Peroxy Disulphate)	00226 00500	PB	500 gm	300
Assay : Min. 98% $(NH_4)_2S_2O_8$ M.W. 228.20	00226 05000	PB	5 Kg	2430
Ammonium Persulphate AR (Ammonium Peroxy Disulphate)	00227 00500	PB	500 gm	335
Assay : Min. 98.5% $(NH_4)_2S_2O_8$ M.W. 228.20 (Cas No. 7727-54-0)	00227 05000	PB	5 Kg	2685

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ammonium Persulphate (For Molecular Biology)	00228 00025	GB	25 gm	175
(Cas No. 7727-54-0)	00228 00100	GB	100 gm	595
Assay : Min. 98.5% $(\text{NH}_4)_2\text{S}_2\text{O}_8$ M.W. 228.20	00228 00500	GB	500 gm	2595
Ammonium Phosphate Dibasic (Anhydrous) (Cas No. 7783-28-0)	00229 00500	PB	500 gm	340
(Di-Ammonium Hydrogen Orthophosphate)	00229 05000	PB	5 kg	2800
Assay : Min. 97.0-102% $(\text{NH}_4)_2\text{HPO}_4$ M.W. 132.06				
Ammonium Phosphate Dibasic AR (Anhydrous) (Cas No. 7783-28-0)	00230 00500	PB	500 gm	380
(Di-Ammonium Hydrogen Orthophosphate)	00230 05000	PB	5 kg	3070
Assay : Min. 98.0-102% $(\text{NH}_4)_2\text{HPO}_4$ M.W. 132.06				
Ammonium Phosphate Dibasic (For Molecular Biology) (Cas No. 7783-28-0)	00231 00500	PB	500 gm	465
(Di-Ammonium Hydrogen Orthophosphate)				
Assay : Min. 98% $(\text{NH}_4)_2\text{HPO}_4$ M.W. 132.06				
Ammonium Phosphate Monobasic (Cas No. 7722-76-1)	00232 00500	PB	500 gm	345
(Ammonium Dihydrogen Orthophosphate)	00232 05000	PB	5 kg	2775
Assay : Min. 98-101% $\text{NH}_4\text{H}_2\text{PO}_4$ M.W. 115.03				
Ammonium Phosphate Monobasic AR (Cas No. 7722-76-1)	00233 00500	PB	500 gm	415
(Ammonium Dihydrogen Orthophosphate)	00233 05000	PB	5 kg	3350
Assay : Min. 99% $\text{NH}_4\text{H}_2\text{PO}_4$ M.W. 115.03				
Ammonium Phosphate Monobasic (For Molecular Biology)	00234 00500	PB	500 gm	510
(Cas No. 7722-76-1) (Ammonium Dihydrogen Orthophosphate)				
Assay : Min. 99% $\text{NH}_4\text{H}_2\text{PO}_4$ M.W. 115.03				
Ammonium Purpurate (Cas No. 3051-09-0)	00235 00005	GB	5 gm	255
(C.I. No. 56085) (Murexide)	00235 00025	GB	25 gm	785
$\text{C}_8\text{H}_8\text{N}_6\text{O}_6$ M.W. 284.19	00235 00100	GB	100 gm	2615
Ammonium Purpurate AR (Cas No. 3051-09-0)	00236 00005	GB	5 gm	365
(C.I. No. 56085) (Murexide)	00236 00025	GB	25 gm	980
$\text{C}_8\text{H}_8\text{N}_6\text{O}_6$ M.W. 284.19	00236 00100	GB	100 gm	4005
Ammonium Purpurate Solution	00237 00125	GB	125 ml	145
	00237 00500	GB	500 ml	475
Ammonium Pyrrolidine Dithiocarbamate AR See Ammonium Tetramethylene Dithiocarbamate Page No. 15				
Ammonium Reineckate (Cas No. 13573-16-5)	00238 00025	GB	25 gm	1785
Assay : Min. 95% $\text{C}_4\text{H}_{10}\text{CrN}_7\text{S}_4\cdot\text{H}_2\text{O}$ M.W. 354.44	00238 00100	GB	100 gm	6240
Ammonium Reineckate AR (Cas No. 13573-16-5)	00239 00010	GB	10 gm	1550
Assay : Min. 96% $\text{C}_4\text{H}_{10}\text{CrN}_7\text{S}_4\cdot\text{H}_2\text{O}$ M.W. 354.44	00239 00025	GB	25 gm	3095
Ammonium Sulphamate (Cas No. 7773-06-0)	00240 00500	PB	500 gm	345
(Ammonium Amido Sulphonate)				
Assay : Min. 98% $\text{NH}_4\text{SO}_3\cdot\text{NH}_2$ M.W. 114.12				
Ammonium Sulphamate AR (Ammonium Amido Sulphonate)	00241 00100	PB	500 gm	185
Assay : Min. 98.5% $\text{NH}_4\text{SO}_3\cdot\text{NH}_2$ M.W. 114.12 (Cas No. 7773-06-0)	00241 00500	PB	100 gm	815
Ammonium Sulphate (Cas No. 7783-20-2)	00242 00500	PB	500 gm	130
Assay : Min. 98.5% $(\text{NH}_4)_2\text{SO}_4$ M.W. 132.14	00242 05000	PB	5 kg	920

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ammonium Sulphate AR (Cas No. 7783-20-2)	00243 00500	PB	500 gm	175
Assay : Min. 99.5% (NH ₄) ₂ SO ₄ M.W. 132.14	00243 05000	PB	5 kg	1305
Ammonium Sulphate (For Molecular Biology) (Cas No. 7783-20-2)	00244 00500	PB	250 gm	635
Assay : Min. 99% (NH ₄) ₂ SO ₄ M.W. 132.14	00244 05000	PB	500 gm	1265
Ammonium Sulphate 0.5M (1N) Standardized Solution	00245 00500	PB	500 ml	315
Liquid, d. 1.04				
Ammonium Sulphide Yellow (Solution) (Cas No. 12135-76-1)	00246 00500	PB	500 ml	290
Assay : Min. 20% (NH ₄) ₂ S M.W. 68.14				
Ammonium Sulphocyanide See Ammonium Thiocyanate Page No. 15				
Ammonium (+) Tartrate (Cas No. 3164-29-2)	00247 00500	PB	500 gm	980
Assay : Min. 98% C ₄ H ₁₂ N ₂ O ₆ M.W. 184.15				
Ammonium (+) Tartrate AR (Cas No. 3164-29-2)	00248 00500	PB	500 gm	980
Assay : Min. 99% C ₄ H ₁₂ N ₂ O ₆ M.W. 184.15				
Ammonium Tetramethylene Dithiocarbamate AR	00249 00010	GB	10 gm	2290
(Cas No. 5108-96-3)	00249 00025	GB	25 gm	5520
(Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt)				
Assay : Min. 99% C ₅ H ₁₂ N ₂ S M.W. 164.29				
Ammonium Thiocyanate (Cas No. 1762-95-4)	00250 00500	PB	500 gm	410
Assay : Min. 98% NH ₄ SCN M.W. 76.12	00250 05000	PB	5 kg	3500
Ammonium Thiocyanate AR (Cas No. 1762-95-4)	00251 00500	PB	500 gm	530
Assay : Min. 99% NH ₄ SCN M.W. 76.12	00251 05000	PB	5 kg	4360
Ammonium Thiocyanate 0.1Mol (0.1N) Liquid, d.1.00	00252 00500	PB	500 ml	280
Ammonium Thiocyanate 1M (1N)Standardized Solution	00253 00500	PB	500 ml	310
Ammonium Thiosulphate (Cas No. 7783-18-8)	00254 00500	PB	500 gm	240
Assay : Min. 98% (NH ₄) ₂ S ₂ O ₃ M.W. 148.20	00254 05000	PB	5 kg	1950
iso-Amyl Acetate (For Synthesis) (Cas No. 123-92-2)	00255 00500	GB	500 ml	420
Assay : Min. 98% C ₇ H ₁₄ O ₂ M.W. 130.18 Liquid, d. 0.876	00255 02500	GB	2.5 Lt	1780
iso-Amyl Alcohol (For Synthesis) (Cas No. 123-51-3)	00256 00500	GB	500 ml	375
Assay : Min. 98% C ₅ H ₁₂ O M.W. 88.15 Liquid, d. 0.809	00256 02500	GB	2.5 Lt	1575
iso-Amyl Alcohol AR (Cas No. 123-51-3)	00257 00500	GB	500 ml	790
Assay : Min. 99% C ₅ H ₁₂ O M.W. 88.15 Liquid, d. 0.809	00257 02500	GB	2.5 Lt	3440
iso-Amyl Alcohol (For Molecular Biology) (Cas No. 123-51-3)	00258 00100	GB	100 ml	415
Assay : Min. 98.5% C ₅ H ₁₂ O M.W. 88.15 Liquid, d. 0.809	00258 00500	GB	500 ml	1855
n-Amyl Alcohol (Cas No. 71-41-0) (N-Pentanol) (Pentan-1-ol)	00259 00500	GB	500 ml	1195
Assay : Min. 99% C ₅ H ₁₂ O M.W. 88.15 Liquid, d. 0.811	00259 02500	GB	2.5 Lt	3785
n-Amyl Alcohol AR (Cas No. 71-41-0) (N-Pentanol) (Pentan-1-ol)	00260 00500	GB	500 ml	1455
Assay : Min. 99% C ₅ H ₁₂ O M.W. 88.15 Liquid, d. 0.811	00260 02500	GB	2.5 Lt	6345
tert-Amyl Alcohol (Cas No. 75-85-4) (2-Methyl-2-Butanol)	00261 00500	GB	500 ml	370
Assay : Min. 99% C ₅ H ₁₂ O M.W. 88.15 Liquid, d. 0.806	00261 02500	GB	2.5 Lt	1420

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
tert-Amyl Alcohol AR (Cas No. 75-85-4) (2-Methyl-2-Butanol)	00262 00500	GB	500 ml	1520
Assay : Min. 99.5% $C_5H_{12}O$ M.W. 88.15 Liquid, d. 0.806	00262 02500	GB	2.5 Lt	6850
a-Amylase See Diastase Page No. 55				
Andrade's Reagent Solution	00263 00125	GB	125 ml	205
	00263 00500	GB	500 ml	635
Anethi Oil Extrapure See Dill oil				
Anethol (For Synthesis) (Cas No. 104-46-1)	00264 00500	GB	500 ml	1990
Assay : Min. 99% $C_{10}H_{12}O$ M.W. 148.21 Liquid, d. 0.987-0.989				
Aniline (For Synthesis) (Cas No. 62-53-3)	00265 00500	GB	500 ml	440
Assay : Min. 99% $C_6H_5.NH_2$ M.W. 93.13	00265 02500	GB	2.5 Lt	1930
Liquid, d. 1.022	00265 05000	PC	5 Lt	3365
Aniline AR (Cas No. 62-53-3)	00266 00500	GB	500 ml	505
Assay : Min. 99% $C_6H_5.NH_2$ M.W. 93.13, Liquid, d. 1.022	00266 02500	GB	2.5 Lt	2135
Aniline Blue (Cas No. 28631-66-5)	00267 00025	PB	25 gm	750
(C.I. No. 42775) (Spirit Soluble) (China Blue)	00267 00100	PB	100 gm	2180
$C_{32}H_{25}N_3Na_2O_9S_3$ M.W. 737.73	00267 00500	PB	500 gm	6860
Aniline Blue (Water Soluble) (Cas No. 28983-56-4)	00268 00025	PB	25 gm	305
(C.I. No. 42780) (China Blue) (Cotton Blue)	00268 00100	PB	100 gm	1075
$C_{32}H_{25}N_3Na_2O_9S_3$ M.W. 737.73	00268 00500	PB	500 gm	4325
Aniline Blue Stain Solution	00269 00125	PB	125 ml	70
(China Blue Solution) (Cotton Blue Solution)	00269 00500	PB	500 ml	220
Aniline Hydrochloride (For Synthesis) (Cas No. 142-04-1)	00270 00250	PB	250 gm	505
Assay : Min. 97% $C_6H_5NH_2.HCl$ M.W. 129.60	00270 00500	PB	500 gm	935
Aniline Sulphate (Cas No. 542-16-5)	00271 00250	PB	250 gm	555
Assay : Min. 98% $C_{12}H_{14}N_2.H_2SO_4$ M.W. 284.33	00271 00500	PB	500 gm	965
p-Anisaldehyde (P-Anisaldehyde) (4-Methoxy Benzaldehyde)	00272 00100	GB	100 ml	310
Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15 Liquid, d. 1.12 (Cas No. 123-11-5)	00272 00500	GB	500 ml	1420
Aniseed Oil Extra Pure (anise oil) (Cas No. 8007-70-3) Liquid, d. 0.98	00272A 00500	GB	500 ml	3220
o-Anisic Acid (Cas No. 579-75-9) (2-Methoxybenzoic Acid)	00273 00025	PB	25 gm	415
Assay : Min. 98% $C_8H_8O_3$ M.W. 152.15	00273 00100	PB	100 gm	1650
p-Anisic Acid (Cas No. 100-09-4) (4-Methoxybenzoic Acid)	00274 00100	GB	100 gm	550
Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15	00274 00500	GB	500 gm	2270
m-Anisidine (Cas No. 536-90-3) (3-Methoxyaniline) (3-Aminoanisole)	00275 00100	GB	100 ml	2130
Assay : Min. 97% C_7H_9NO M.W. 123.16 Liquid, d. 1.096-1.101				
o-Anisidine (Cas No. 90-04-0) (2-Methoxyaniline) (2-Aminoanisole)	00276 00500	GB	500 ml	890
Assay : Min. 98% C_7H_9NO M.W. 123.16				
Liquid, d. 1.092				
p-Anisidine (Cas No. 104-94-9)	00277 00500	GB	500 gm	750
(4-Methoxyaniline) (4-Aminoanisole)				
Assay : Min. 99% C_7H_9NO M.W. 123.16				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Anisole (Methoxybenzene) (Cas No. 100-66-3) Assay : Min. 99% C ₇ H ₈ O M.W. 108.14 Liquid, d. 0.995	00278 00500	GB	500 ml	605
Anisole AR (Methoxybenzene) (Cas No. 100-66-3) Assay : Min. 99.7% C ₇ H ₈ O M.W. 108.14 Liquid, d. 0.995	00279 00500	GB	500 ml	775
Anithole Oil Extra pure Liquid, d. 0.983-0.989	00279A 00500	GB	500 ml	3905
Anthracene (Purified) (Cas No. 120-12-7) Assay : Min. 96% C ₁₄ H ₁₀ M.W. 178.22	00280 00100 00280 00500	PB PB	100 gm 500 gm	665 2850
Anthracene (Scintillation Grade) (Cas No. 120-12-7) Assay : Min. 99% C ₁₄ H ₁₀ M.W. 178.22	00281 00025 00281 00100	PB PB	25 gm 100 gm	650 2280
Anthraquinone (For Synthesis) (Cas No. 84-65-1) Assay : Min. 97% C ₁₄ H ₈ O ₂ M.W. 208.22	00282 00500 00282 05000	PB PB	500 gm 5 Kg	800 6530
Anthrone (For Synthesis) (Cas No. 90-44-8) Assay : Min. 97% C ₁₄ H ₁₀ O M.W. 194.23	00283 00025 00283 00100	GB GB	25 gm 100 gm	555 1895
Anthrone AR (For Synthesis) (Cas No. 90-44-8) Assay : Min. 98% C ₁₄ H ₁₀ O M.W. 194.23	00284 00010 00284 00025	GB GB	10 gm 25 gm	320 630
Antimony AAS Standard Solution 1000mg/L in Nitric Acid	00284A 00125 00284A 00500	GB GB	125 ml 500 ml	615 1955
Antimony ICP Standard Solution 1000mg/L in Nitric Acid	00284B 00125	GB	125 ml	4435
Antimony (Metal) Lumps (Cas No. 7440-36-0) Assay : Min. 99.5% Sb A.W. 121.75	00285 00100 00285 00500	PB PB	100 gm 500 gm	615 1985
Antimony (Metal) Powder (Cas No. 7440-36-0) Assay : Min. 99% Sb A.W. 121.75	00286 00100 00286 00500	PB PB	100 gm 500 gm	785 3205
Antimony (III) Chloride (Cas No. 10025-91-9) (Antimony Trichloride) Assay : Min. 98.5% SbCl ₃ A.W. 228.11	00287 00100 00287 00500	GB GB	100 gm 500 gm	405 1965
Antimony (III) Chloride AR (Cas No. 10025-91-9) (Antimony Trichloride) Assay : Min. 99% SbCl ₃ A.W. 228.11	00288 00100 00288 00500	GB GB	100 gm 500 gm	405 1965
Antimony (III) Oxide (Cas No. 1309-64-4) (Antimony Trioxide) Assay : Min. 98% Sb ₂ O ₃ A.W. 291.50	00289 00500	PB	500 gm	1445
Antimony (III) Oxide AR (Cas No. 1309-64-4) (Antimony Trioxide) Assay : Min. 99% Sb ₂ O ₃ A.W. 291.50	00289 00500	PB	500 gm	1785
Antimony Pentasulphide (Golden) See Antimony Sulphide Golden Page No. 18				
Antimony Pentoxide (Cas No. 1314-60-9) (Antimony (V) Oxide) Assay : Min. 99.5% Sb ₂ O ₅ M.W. 323.52	00291 00250	GB	250 gm	1760
Antimony Potassium Tartrate (Trihydrate) (Cas No. 28300-74-5) (Potassium Antimony (III) Oxide Tartrate) Assay : Min. 98.5% C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O M.W. 667.87	00292 00500 00292 05000	PB PC	500 gm 5 Kg	1210 10015
Antimony Potassium Tartrate AR (Trihydrate) (Cas No. 28300-74-5) (Potassium Antimony (III) Oxide Tartrate) Assay : Min. 99.5% C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O M.W. 667.87	00293 00100 00293 05000	PB PB	100 gm 500 gm	360 1450

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Antimony Sulphide Black (Cas No. 1345-04-6) (Antimony Tri Sulphide) Assay : Min. 95% Sb ₂ S ₃ M.W. 339.69	00294 00500	PB	500 gm	1890
Antimony Sulphide Golden (Cas No. 1315-04-6) [Antimony Pentasulphide (Golden)] Assay : Min. 60% Sb ₂ S ₃ M.W. 403.82	00295 00500	PB	500 gm	2475
Antimony Trichloride See Antimony (III) Chloride Page No. 17				
Antimony Trioxide See Antimony (III) Oxide Page No. 17				
Antipyrin (Phenazone) (Cas No. 60-80-0) Assay : Min. 99% C ₁₁ H ₁₂ N ₂ O M.W. 188.23	00296 00100	PB	100 gm	840
	00296 00500	PB	500 gm	3700
D (-) Arabinose AR (Cas No. 10323-20-3) Assay : Min. 99% C ₅ H ₁₀ O ₅ M.W. 150.13	00297 00005	GB	5 gm	555
	00297 00025	GB	25 gm	2485
	00297 00100	GB	100 gm	7945
L (+) Arabinose (Cas No. 5328-37-0) Assay : Min. 99% C ₅ H ₁₀ O ₅ M.W. 150.13	00298 00025	GB	25 gm	790
	00298 00100	GB	100 gm	2785
L-Arginine (For Biochemistry) (Cas No. 74-79-3) Assay : Min. 98% C ₆ H ₁₄ N ₄ O ₂ M.W. 174.20	00299 00025	PB	25 gm	235
	00299 00100	PB	100 gm	795
L-Arginine Monohydrochloride (For Biochemistry) (Cas No. 1119-34-2) Assay : Min. 99% C ₆ H ₁₄ N ₄ O ₂ .HCl M.W. 210.66	00300 00025	PB	25 gm	245
	00300 00100	PB	100 gm	885
Arsenazo I AR (Cas No. 520-10-5) (Reagent for thorium) (Neothorine) C ₁₆ H ₁₀ AsN ₂ Na ₃ O ₁₁ S ₂ M.W. 614.27	00301 00001	GB	1 gm	595
	00301 00005	GB	5 gm	2805
Arsenazo III AR (Cas No. 1668-00-4) (Reagent for thorium) C ₂₂ H ₁₆ As ₂ N ₄ Na ₂ O ₁₄ S ₂ .4H ₂ O M.W. 892.40	00302 00005	GB	5 gm	4165
Arsenic AAS Standard Solution 1000 mg/L in Nitric Acid	00302A 00125	GB	125 ml	615
	00302A 00500	GB	500 ml	1955
Arsenic ICP Standard Solution 1000 mg/L in Nitric Acid	00302B 00125	GB	125 ml	3335
Arsenic (Metal) Powder (Cas No. 7440-38-2) Assay : Min. 99.99% As M.W. 74.92	00304 00025	GB	25 gm	3940
	00304 00100	GB	100 gm	13805
Arsenic (III) Oxide (Cas No. 1327-53-3) (Arsenic Trioxide) Assay : Min. 99% As ₂ O ₃ M.W. 197.84	00305 00500	PB	500 gm	480
Arsenic (III) Oxide AR (Cas No. 1327-53-3) (Arsenic Trioxide) Assay : Min. 99.5% As ₂ O ₃ M.W. 197.84	00305 00500	PB	500 gm	1335
Arsenic Trioxide See Arsenic (III) Oxide Page No. 18				
L-Ascorbic Acid (Cas No. 50-81-7) (Vitamin C) Assay : Min. 99% C ₆ H ₈ O ₆ M.W. 176.13	00307 00100	PB	100 gm	640
	00307 00500	PB	500 gm	2730
L-Ascorbic Acid AR (For Biochemistry) (Cas No. 50-81-7) (Vitamin C) Assay : Min. 99.7% C ₆ H ₈ O ₆ M.W. 176.13	00308 00100	PB	100 gm	695
	00308 00500	PB	500 gm	3015
L- Ascorbic Acid Sodium Salt See Sodium L (+) Ascorbate				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
L-Asparagine (Monohydrate) (For Biochemistry)	00309 00025	PB	25 gm	250
(Cas No. 5794-13-8)	00309 00100	PB	100 gm	790
Assay: Min. 99% $C_4H_8N_2O_3 \cdot H_2O$ M.W. 150.13	00309 00500	PB	500 gm	3470
DL-Aspartic Acid (For Chromatography)	00310 00025	PB	25 gm	165
(Cas No. 617-45-8)	00310 00100	PB	100 gm	495
Assay : Min. 99% $C_4H_7NO_4$ M.W. 133.10	00310 00500	PB	500 gm	1595
L-Aspartic Acid (For Biochemistry)	00311 00025	PB	25 gm	160
(Cas No. 56-84-8)	00311 00100	PB	100 gm	390
Assay : Min. 98% $C_4H_7NO_4$ M.W. 133.10	00311 00500	PB	500 gm	1505
Aspirin See Acetyl Salicylic Acid				
Atropine Sulphate AR	00312 00005	GB	5 gm	970
(Cas No. 5908-99-6)	00312 00025	GB	25 gm	4255
Assay : Min. 98% $C_{34}H_{48}N_2O_{10} \cdot S \cdot H_2O$ M.W. 694.85	00312 00100	GB	100 gm	14895
Auramine (M.S.)	00313 00025	GB	25 gm	115
(Cas No. 2465-27-2) (C.I. No. 41000)	00313 00100	GB	100 gm	415
Auric Chloride (Au 25%) (Gold Chloride) (Cas No. 16903-35-8)	00314 00001	GB	1 gm	3330
Assay : Min. 25% $HAuCl_4 \cdot xH_2O$ M.W. 303.84				
Auric Chloride (Au 49%) (Gold Chloride) (Cas No. 16903-35-8)	00315 00001	GB	1 gm	6500
Assay : Min. 49% $HAuCl_4 \cdot xH_2O$ M.W. 303.84				
Aurin (Cas No. 603-45-2) (C.I. No. 43800) (P-Rosolic Acid)	00317 00025	GB	25 gm	900
Dye Content : Min. 85% $C_{19}H_{14}O_3$ M.W. 290.32	00317 00100	GB	100 gm	2975
Aurin Tricarboxylic Acid Triammonium Salt AR See Aluminon Page No. 8				
7-Azaindole (For Synthesis)	00318 00001	GB	1 gm	1225
(Cas No. 271-63-6) (1H-Pyrrolo(2,3-b) Pyridine)	00318 00005	GB	5 gm	4130
Assay : Min. 98% $C_7H_6N_2$ M.W. 118.14	00318 00025	GB	25 gm	15230
Azocarmine G (for histology) (Cas No. 25641-18-3) (C.I. No. 50085)	00319 00005	GB	5 gm	1305
$C_{28}H_{18}N_3NaO_6S_2$ M.W. 579.59	00319 00025	GB	25 gm	3850
a,a'-Azoisobutyronitrile (AIBN, 2,2'-Azobis) (2-Methylpropionitrile)	00320 00100	GB	100 gm	880
Assay : Min. 98% $C_8H_{12}N_4$ M.W. 164.21 (Cas No. 78-67-1) (For Synthesis)	00320 00500	GB	500 gm	3970
Azomethine-H Monosodium Salt (on anhydrous basis) (Cas No. 5378-49-4)	00320A 00001	GB	1 gm	1335
Assay: Min. 90% $C_{17}H_{12}NNaO_8S_2 \cdot xH_2O$ M.W. 445.40	00320A 00005	GB	5 gm	4835
Azorubin C See Carmoisine A Page No. 40				
Azure A (M.S.) (Cas No. 531-53-3) (C.I. No. 52005)	00321 00005	GB	5 gm	185
$C_{14}H_{14}ClN_3S$ M.W. 291.80	00321 00025	GB	25 gm	605
Azure B (M.S.) (Cas No. 531-55-3) (C.I. No. 52010) (Azur I)	00322 00005	GB	5 gm	380
$C_{15}H_{16}ClN_3S$ M.W. 305.83	00322 00025	GB	25 gm	1210
Azure II (M.S.)	00323 00010	GB	10 gm	115
(Cas No. 37247-10-2)	00323 00025	GB	25 gm	220
$C_{16}H_{18}N_3S \cdot C_{15}H_{16}N_3S \cdot 2Cl$ M.W. 625.68	00323 00100	GB	100 gm	775
Azure II Eosine (M.S.) (Cas No. 53092-85-6)	00324 00025	GB	25 gm	215

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Balsam Canada (Synthetic) (Cas No. 8007-47-4)	00325 00500	PB	500 gm	995
Balsam Canada (Colourless)	00326 00500	PB	500 gm	2355
Barbituric Acid (for Synthesis) (Cas No. 67-52-7)	00327 00025	PB	25 gm	270
Assay : Min 98% $C_4H_4N_2O_3$ M.W. 128.09	00327 00100	PB	100 gm	595
	00327 00500	PB	500 gm	2395
Barbituric Acid AR (For Molecular Biology)	00327 00025	PB	25 gm	355
(Cas No. 67-52-7)	00327 00100	PB	100 gm	955
Assay : Min 99% $C_4H_4N_2O_3$ M.W. 128.09	00327 00500	PB	500 gm	3890
Barfoed's Reagent	00329 00500	PB	500 ml	680
	00329 05000	PB	5 Lt	5110
Barium AAS Standard Solution	00330 00125	GB	125 ml	625
1000 mg/L Liquid.d. 1.013	00330 00500	GB	500 ml	2385
Barium Acetate (Cas No. 543-80-6)	00331 00500	PB	500 gm	395
Assay : Min 99% $C_4H_6BaO_4$ M.W. 255.42				
Barium Acetate AR (Cas No. 543-80-6)	00332 00500	PB	500 gm	505
Assay : Min 99% $C_4H_6BaO_4$ M.W. 255.42				
Barium Bromide (Cas No.7791-28-8)	00333 00500	PB	500 gm	860
Assay : Min 98% $BaBr_2 \cdot 2H_2O$ M.W. 333.17				
Barium Bromide AR (Cas No.7791-28-8)	00334 00500	PB	500 gm	1830
Assay : Min 98.5% $BaBr_2 \cdot 2H_2O$ M.W.333.17				
Barium Carbonate (Cas No.513-77-9)	00335 00500	PB	500 gm	340
Assay : Min 98.5% $BaCO_3$ M.W. 197.35	00335 05000	PC	5 Kg	2920
Barium Carbonate AR (Cas No.513-77-9)	00336 00500	PB	500 gm	815
Assay : Min 98.5% $BaCO_3$ M.W. 197.35				
Barium Chloranilate AR (Trihydrate) (Cas No. 32458-20-1)	00337 00025	GB	25 gm	1750
(Chloranilic Acid Barium Salt)	00337 00100	GB	100 gm	6115
Assay : Min 98.5% $C_6BaCl_2O_4 \cdot 3H_2O$ M.W. 398.36				
Barium Chloride purified (dihydrate) (Cas No. 10326-27-9)	00337A 00500	PB	500 gm	230
Assay : Min. 99% $BaCl_2 \cdot 2H_2O$ M.W. 244.28	00337A 05000	PC	5 kg	1865
Barium Chloride Purified AR (dihydrate) (Cas No. 10326-27-9)	00338 00500	PB	500 gm	270
Assay : Min 99.0-100.5% $BaCl_2 \cdot 2H_2O$ M.W. 244.28	00338 05000	PC	5 Kg	2190
Barium Chloride 0.05M (0.1N) Standardized Solution Liquid, d. 1.000	00339 00500	PB	500 ml	225
Barium Chromate (Cas No. 10294-40-3)	02913 00500	PB	500 gm	815
Assay : Min. 98% $BaCrO_4$ M.W. 253.32				
Barium Chromate AR (Cas No. 10294-40-3))	00340 00100	PB	100 gm	335
Assay : Min. 99% $BaCrO_4$ M.W. 253.32	00340 00500	PB	500 gm	1345
Barium Hydroxide (Octahydrate)	00341 00500	PB	500 gm	210
(Cas No. 12230-71-6)	00341 05000	PC	5 Kg	1760
Assay : Min. 97% $Ba(OH)_2 \cdot 8H_2O$ M.W. 315.48				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Barium Hydroxide AR (Octahydrate) (Cas No. 12230-71-6) Assay : Min. 98% Ba(OH) ₂ .8H ₂ O M.W. 315.48	00342 00250	PB	250 gm	905
	00342 00500	PB	500 gm	1660
Barium Nitrate (Cas No. 10022-31-8) Assay : Min. 98% Ba(NO ₃) ₂ M.W. 261.34	00343 00500	PB	500 gm	250
	00342 05000	PC	5 Kg	2375
Barium Nitrate AR (Cas No. 10022-31-8) Assay : Min. 99% Ba(NO ₃) ₂ M.W. 261.34	00344 00500	PB	500 gm	295
Barium Perchlorate 0.005 Mol/Liter (0.005M) Aqueous Solution	00345 00500	PB	500 ml	685
Barium Perchlorate 0.005 Mol/Liter (0.005M) Alcoholic Solution	00346 00500	PB	500 ml	850
Barium Perchlorate AR (Anhydrous) (Cas No. 13465-95-7) Assay : Min. 97% Ba(ClO ₄) ₂ M.W. 336.23	00347 00250	PB	250 gm	5790
Barium Peroxide (For Synthesis) (Cas No. 1304-29-6) Assay : Min. 97% BaO ₂ M.W. 169.34	00348 00500	TIN	500 gm	605
Barium Stearate (For Synthesis) (Cas No. 6865-35-6) C ₃₆ H ₇₀ BaO ₄ M.W. 704.27	00349 00500	PB	500 gm	245
Barium Sulphate (Precipitated) (Cas No. 7727-43-7) Assay : Min. 97% BaSO ₄ M.W. 233.39	00350 00500	PB	500 gm	185
	00350 05000	PC	5 Kg	1575
Barium Sulphate AR (Cas No. 7727-43-7) Assay : Min. 98% BaSO ₄ M.W. 233.39	00351 00500	PB	500 gm	340
Basic Fuchsin (M.S.) (Cas No. 632-99-5) (C.I. No. 42510) (Magenta Basic) (Fuchsin Basic) Dye Content : Min. 88% C ₂₀ H ₂₀ ClN ₃ M.W. 337.85	00352 00025	PB	25 gm	195
	00352 00100	PB	100 gm	495
	00352 00500	PB	500 gm	1990
Basic Fuchsin 0.1 w/v Solution (Aqueous Staining Solution) Liquid,d.0.985	00353 00125	PB	125 ml	95
	00353 00500	PB	500 ml	285
Basil Oil Extra Pure Extra pure (Cas No.8015-73-4), Liquid, d. 0.961	00353A 00500	GB	500 ml	2915
Bathocuproine AR (2,9-Dimethyl-4, 7-Diphenyl-1, 10-Phenanthroline) Assay : Min. 99% C ₂₆ H ₂₀ N ₂ M.W. 360.45 (Cas No. 4733-39-5)	00354 00100M	GB	100 mg	1610
	00354 00001	GB	1 gm	12580
Bathocuproine Disulphonic Acid Disodium Salt AR (Cas No.52698-84-7) Assay : Min. 98.5% C ₂₆ H ₁₈ N ₂ Na ₂ O ₆ S ₂ M.W. 564.55	00355 00100M	GB	100 mg	1525
	00355 00500M	GB	500 mg	6750
Bathophenanthroline AR (4,7-Diphenyle-1, 10-Phenanthroline) Assay : Min. 99% C ₂₄ H ₁₆ N ₂ M.W. 332.41 (Cas No. 1662-01-7)	00356 00100M	GB	100 mg	1765
	00356 00001	GB	1 gm	13905
Bathophenanthroline Disulphonic Acid Disodium Salt AR (Cas No.53744-42-6) Assay : Min. 99% C ₂₄ H ₁₄ N ₂ Na ₂ O ₆ S ₂ .3H ₂ O M.W. 590.54 (Water Soluble)	00357 00250M	GB	250 mg	4425
BEAM'S REAGENT Solution	00357B 00500	GB	500 ml	1410
Beef Extract Paste (For Bacteriology) (Lab Lemco Paste)	00358 00500	PB	500 gm	705
Beef Extract Powder (For Bacteriology) (Lab Lemco Powder)	00359 00500	PB	500 gm	1165
Bees Wax White (Cas No. 8012-89-3) (For Histology)	00360 00500	PB	500 gm	635
	00360 05000	PC	5 Kg	5110
Bees Wax Yellow (Cas No. 8012-89-3) (For Histology)	00361 00500	PB	500 gm	630
	00361 05000	PC	5 Kg	5050

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Benedict's Reagent (Qualitative) (Cas No. 63126-89-6)	00362 00500	PB	500 ml	155
Liquid, d. 1.19	00362 05000	PC	5 Lt	795
Benedict's Reagent (Quantitative) (Cas No. 63126-89-6)	00363 00500	PB	500 ml	255
Liquid, d. 1.11-1.23	00363 05000	PC	5 Lt	2015
Benedict's Unic Acid Reagents	00363A 00100	PB	100 ml	245
(unic acid reagents)	00363A 00500	PB	500 ml	1005
Bentonite Powder (Purified) (Cas No. 1302-78-9)	00364 00500	PB	500 gm	240
Al ₂ O ₃ .4(SiO ₂).H ₂ O M.W. 360.31	00364 05000	PC	5 kg	2020
Benzaldehyde (For Synthesis) (Cas No. 100-52-7)	00365 00500	GB	500 ml	465
Assay : Min. 99% C ₆ H ₅ .CHO M.W. 106.12, Liquid, d. 1.044	00365 02500	GB	2.5 lt	1875
Benzaldehyde AR (Cas No. 100-52-7)	00366 00500	GB	500 ml	555
Assay : Min. 99% C ₆ H ₅ .CHO M.W. 106.12, Liquid, d. 1.044				
Benzal Konium Chloride (50% aqueous Solution) (Cas No. 63449-41-2)	00367 00500	GB	500 ml	350
Assay : Min. 50% (Via Cl) Liquid, d.0.989				
Benzamide (For Synthesis) (Cas No. 55-21-0)	00368 00500	PB	500 gm	890
Assay : Min. 98% C ₇ H ₇ NO M.W. 121.14				
Benzanilide (For Synthesis) (Cas No. 93-98-1)	00369 00100	PB	100 gm	365
Assay : Min. 98% C ₁₃ H ₁₁ NO M.W. 197.23	00369 00500	PB	500 gm	1490
Benzene (Crystallizable) (For Synthesis) (Cas No. 71-43-2)	00370 00500	GB	500 ml	310
Assay : Min. 99% C ₆ H ₆ M.W. 78.11,	00370 02500	GB	2.5 lt	1185
Liquid, d. 0.874	00370 05000	PC	5 lt	1845
Benzene AR (Crystallizable) (Cas No. 71-43-2)	00371 00500	GB	500 ml	365
Assay : Min. 99.5% C ₆ H ₆ M.W. 78.11, Liquid, d. 0.874	00371 02500	GB	2.5 lt	1490
Benzene HPLC & Spectroscopy (Cas No. 71-43-2)	00372 01000	GB	1 lt	1790
Assay : Min. 99.8% C ₆ H ₆ M.W. 78.11, Liquid, d. 0.874				
Benzene Sulphonyl Chloride (Cas NO. 98-09-9)	00373 00250	GB	250 ml	825
Assay : Min. 99% C ₆ H ₅ SO ₂ Cl M.W. 176.62, Liquid, d. 1.384	00373 00500	GB	500 ml	1325
Benzethonium Chloride See Hyamine 1622 Page No. 81				
Benzhydrol (For Synthesis) (Cas No. 91-01-0) (Diphenyl Carbinol)	00374 00100	PB	100 gm	520
Assay : Min. 98% C ₁₃ H ₁₂ O M.W. 184.24	00374 00500	PB	500 gm	2115
Benzidine Reagent Solution	00375 00125	GB	125 ml	250
	00375 00500	GB	500 ml	745
Benzil (For Synthesis)	00376 00100	PB	100 gm	375
(Cas No. 134-81-6)	00376 00250	PB	250 gm	685
Assay : Min. 99% C ₁₄ H ₁₀ O ₂ M.W. 210.23	00376 00500	PB	500 gm	1205
Benzimidazole (For Synthesis) (Cas No. 51-17-2)	00377 00025	GB	25 gm	135
Assay : Min. 98% C ₇ H ₆ N ₂ M.W. 118.13	00377 00100	GB	100 gm	415
Benzoic Acid (For Synthesis) (Cas No. 65-85-0)	00378 00500	PB	500 gm	410
Assay : Min. 99% C ₇ H ₆ N ₂ M.W. 122.12	00378 05000	PC	5 kg	3100

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Benzoic Acid AR (Cas No. 65-85-0) Assay : Min. 99.9% C ₇ H ₆ O ₂ M.W. 122.12	00379 00500	PB	500 gm	785
Benzoic Anhydride (For Synthesis) (Cas No. 93-97-0) Assay : Min. 95% (C ₆ H ₅ CO) ₂ O M.W. 226.23	00380 00100 00380 00500	PB PB	100 gm 500 gm	1335 5375
Benzoin (For Synthesis) (Cas No. 119-53-9) Assay : Min. 98% C ₁₄ H ₁₂ O ₂ M.W. 212.25	00381 00100 00381 00250 00381 00500	PB PB PB	100 gm 250 gm 500 gm	495 840 1625
a-Benzoin Oxime AR (Cupron) (Cas No. 441-38-3) Assay : Min. 98% C ₁₄ H ₁₃ NO ₂ M.W. 227.27	00382 00025 00382 00100 00382 00500	PB PB PB	25 gm 100 gm 500 gm	345 1090 4270
Benzonitrile (For Synthesis) (Cas No. 100-47-0) (Phenyl Cyanide) Assay : Min. 99% C ₇ H ₅ N M.W. 103.12, Liquid, d. 1.004-1.005	00383 00500 00383 02500	GB GB	500 gm 2.5 lt	1585 6870
Benzophenone (Cas No. 119-61-9) (Diphenyl Ketone) Assay : Min. 99% C ₁₃ H ₁₀ O M.W. 182.22	00384 00500 00384 05000	PB PC	500 gm 5 kg	675 5300
1,2,3-Benzotriazole (For Synthesis) (Cas No. 95-14-7) (1H-Benzotriazole) Assay : Min. 99% C ₆ H ₅ N ₃ M.W. 119.13	00386 00100 00386 00250	PB PB	100 gm 250 gm	395 900
Benzo Trichloride (Cas No. 98-07-7) Assay : Min. 98% C ₇ H ₅ Cl ₃ M.W. 195.48, Liquid, d.1.38	00387 00500	GB	500 ml	1865
a-N-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) (Cas No. 2645-08-1) Assay : Min. 99% C ₁₅ H ₂₃ ClN ₄ O ₃ M.W. 342.83	00388 000001 00388 00005	GB GB	1 gm 5 gm	890 3870
Benzoyl Chloride (Cas No. 98-88-4) Assay : Min. 98% C ₆ H ₅ CoCl M.W. 140.57, Liquid, d. 1.21	00389 00500	GB	500 ml	595
Benzoyl Chloride AR (Cas No. 98-88-4) Assay : Min. 99% C ₆ H ₅ CoCl M.W. 140.57, Liquid, d. 1.21	00390 00500	GB	500 ml	700
Benzoyl Peroxide (Moistened with 25% Water) (Cas No. 94-36-0) Assay : Min. 75% C ₁₄ H ₁₀ O ₄ M.W. 242.23	00391 00500	PB	500 gm	595
6-Benzyladenine (Cas No. 1214-39-7) (6-BAP) (6-Benzylaminopurine) Assay : Min. 98% C ₁₂ H ₁₁ N ₅ M.W. 225.25	00392 00001 00392 00005 00392 00025 00392 00100	GB GB PB PB	25 gm 100 gm 500 gm 100 Gm	140 640 1950 6320
Benzyl Alcohol (For Synthesis) (Cas No. 100-51-6) Assay : Min. 98.5% C ₇ H ₈ O M.W. 108.14, Liquid, d. 1.45	00393 00500 00393 02500	GB GB	500 ml 2.5 lt	475 1885
Benzyl Alcohol AR (Cas No. 100-51-6) Assay : Min. 99% C ₇ H ₈ O M.W. 108.14, Liquid, d. 1.45	00394 00500 00394 02500	GB GB	500 ml 2.5 lt	575 2230
Benzylamine (For Synthesis) (Cas No. 100-46-9) Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 0.981	00395 00500	GB	500 ml	930
Benzyl Benzoate (Cas NO. 120-51-4) Assay : Min. 98% C ₁₄ H ₁₂ O ₂ M.W. 212.25, Liquid, d. 1.112- 1.118	00396 00500	GB	500 ml	490
Benzyl Bromide (Cas No. 100-39-0) Assay : Min. 98% C ₇ H ₇ Br M.W. 171.03, Liquid, d.1.44	00399 00250 00399 00500	GB GB	250 ml 500 ml	3540 6110

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Benzyl Chloride (Cas No. 100-44-7) Assay : Min. 98.5% $C_6H_5CH_2Cl$ M.W. 126.59, Liquid, d. 1.10	00400 00500	GB	500 ml	340
Benzyl Cyanide (For Synthesis) (Phenylacetoneitrile, A-Tolunitrile) Assay : Min. 99% C_8H_7N M.W. 117.15, Liquid, d. 1.015-1.02 (Cas No140-29-4)	00401 00500 00401 02500	GB GB	500 ml 2.5 lt	630 2830
N-Benzylmethylamine (Cas No. 103-67-3) Assay : Min. 97% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.939	00402 00500	GB	500 ml	4735
S-Benzylthiurionium Chloride (For Synthesis) (Cas No. 538-28-3) Assay : Min. 98% $C_8H_{11}ClN_2S$ M.W. 202.71	00403 00025 00403 00100	GB GB	25 gm 100 gm	175 560
Benzyl Tributyl Ammonium Chloride (For Synthesis) (Cas No. 23616-79-7) Assay : Min. 98% $C_{19}H_{34}ClN$ M.W. 311.94	00404 00100 00404 00500	PB PB	100 gm 500 gm	425 1745
Benzyl Triethyl Ammonium Chloride (Cas No. 56-37-1) Assay : Min. 98% $C_{13}H_{22}ClN$ M.W. 227.78	00405 00500	PB	500 gm	680
Benzyl Trimethyl Ammonium Chloride (Cas No. 56-93-9) Assay : Min. 97 $C_{10}H_{16}ClN$ M.W. 185.70	00406 00500	PB	500 gm	970
Benzyl Trimethyl Ammonium Hydroxide Methanolic Solution 40% Assay : Min. 40% $C_{10}H_{17}NO$ M.W. 167.25, Liquid, d. 0.93 (Cas No.100-85-6)	00407 00100 00407 00500	GB GB	100 ml 500 ml	1005 3360
Bergamot Oil	00407A 00500	GB	500 ml	2745
Beryllium AAS Standard Solution 1000 mg/L in Nitric Acid	00408 00125 00408 00500	GB GB	125 ml 500 ml	695 2380
Beryllium ICP Standard Solution 1000mg/L in Nitric Acid	00408A 00125	GB	125 ml	4665
BES Buffer (For Biochemistry) (Cas No. 10191-18-1) (N,N-Bis (2-Hydroxyethyl) 2-Aminoethane Sulfonic Acid) Assay : Min. 99% $C_6H_{15}NO_5S$ M.W. 213.25	00409 00025 00409 00100	GB GB	25 gm 100 gm	1885 6040
Bial's Orcinol Reagent (Sumner) Liquid,d.1.1885 For Detection of Pentoses And Glucoronic Acid	00410 00250 00410 00500	GB GB	100 ml 500 ml	500 1610
Bicine (For Molecular Biology) [N,N-Bis (2-Hydroxy ethyl) Glycine] Assay : Min. 99% $C_6H_{13}NO_4$ M.W. 163.17 (Cas No. 150-25-4)	00411 00025 00411 00100	GB GB	25 gm 100 gm	1240 3430
Biebrich Scarlet (W.S.) (C.I. No. 26905) (Cas No. 4196-99-0) Dye Content : Min. 70% $C_{22}H_{14}N_4Na_2O_7S_2$ M.W. 556.49	00412 00025 00412 00100	GB PB	25 gm 100 gm	450 1160
Bile Salt (For Bacteriology) (Cas No. 11006-55-6) (Sodium Tauroglycocholate)	00413 00100 00413 00500	PB PB	100 gm 500 gm	820 3385
Bile Salt Reagent Solution	00414 00125 00414 00500	PB PB	125 ml 500 ml	265 855
Bilirubin AR (Cas No. 635-65-4) Assay : Min. 95% $C_{33}H_{36}N_4O_6$ M.W. 584.68	00415 00100M 00415 00001	GB GB	100 mg 1 gm	655 5190
D-Biotin (For Biochemistry) (Cas No. 58-85-5) (Vitamin 'H') Assay : Min. 98% $C_{10}H_{16}N_2O_3S$ M.W. 244.31	00416 0100M 00416 00001 00416 00010	GB GB GB	100 mg 1 gm 10 gm	105 710 5910
Biphenyl (For Synthesis) (Cas No. 92-52-4) (Diphenyl) Assay : Min. 99% $C_{12}H_{10}$ M.W. 154.21	00417 00100 00417 00500	PB PB	100 gm 500 gm	305 1010

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2, 2-Bipyridyl AR (Cas No. 366-18-7) (2, 2-Dipyridyl)	00418 00005	GB	5 gm	580
Assay : Min. 99.5% $C_{10}H_8N_2$ M.W. 156.19	00418 00025	GB	25 gm	2675
2, 2-Biquinoline AR (Cas No. 119-91-5) (2, 2-Biquinolyl) (2, 2-Diquinolyl)	00419 00001	GB	1 gm	940
Assay : Min. 98% $C_{18}H_{12}N_2$ M.W. 256.31	00419 00005	GB	5 gm	3700
Bis-Cyclohexanone Oxalyl Dihydrazide AR (Cas No. 370-81-0)	00420 00025	GB	25 gm	2445
Assay : Min. 95% $C_{14}H_{22}N_4O_2$ M.W. 278.36				
Bismarck Brown R (M.S.)	00421 00025	PB	25 gm	95
(Cas No. 5421-66-9) (Basic Brown 4)	00421 00100	PB	100 gm	265
$C_{21}H_{24}N_8 \cdot 2HCl$ M.W. 461.39	00421 00500	PB	500 gm	1095
1,2-Bis (2-Hydroxyphenylimino) Ethane AR [Glyoxal Bis (2-Hydroxyanil)]	00422 00025	GB	25 gm	3395
Assay : Min. 95% $C_{14}H_{12}N_2O_2$ M.W. 240.26 (Cas No. 1149-16-2)				
Bismuth AAS Standard Solution	00423 00125	GB	125 ml	635
1000 mg/L in Nitric Acid Liquid,d.1.013	00423 00500	GB	500 ml	2375
Bismuth ICP Standard Solution 1000 mg/L in Nitric Acid Liquid,d.1.013	00423A 00125	GB	125 ml	4645
Bismuth (Metal) Granular AR (Cas No. 7440-69-9)	00424 00100	PB	100 gm	1100
Assay : Min 99.5% Bi M.W. 208.98	00424 00500	PB	500 gm	4665
Bismuth (Metal) Powder AR (Cas No. 7440-69-9)	00425 00100	PB	100 gm	1235
Assay : Min 99.9% Bi M.W. 208.98	00425 00500	PB	500 gm	3800
Bismuth Carbonate (Basic) (Cas No. 5892-10-4)	00426 00100	PB	100 gm	835
Assay : Min. 80-82% $(BiO)_2CO_3$ M.W. 509.97	00426 00500	PB	500 gm	3110
Bismuth Chloride (Tri) (Cas No. 7787-60-2) (Bismuth Trichloride)	00427 00100	GB	100 gm	1565
Assay : Min. 97% $BiCl_3$ M.W. 315.34	00427 00500	GB	500 gm	6380
Bismuth Chloride (Oxy) See Bismuth Oxychloride Page No. 26				
Bismuth Citrate (Cas No. 813-93-4)	00428 00100	PB	100 gm	980
Assay : Min. 98% $C_6H_5O_7Bi$ M.W. 398.8	00428 00500	PB	500 gm	4010
Bismuth Gallate Basic See Bismuth Subgallate Page No. 26				
Bismuth Nitrate (Pentahydrate) (Cas No. 10035-06-0)	00429 00100	GB	100 gm	505
(Bismuth (III) Nitrate)	00429 00500	GB	500 gm	2370
Assay : Min. 98% $Bi(NO_3)_3 \cdot 5H_2O$ M.W. 485.07				
Bismuth Nitrate AR (Pentahydrate) (Cas No. 10035-06-0)	00430 00100	GB	100 gm	750
(Bismuth (III) Nitrate)	00430 00500	GB	500 gm	2740
Assay : Min. 98% $Bi(NO_3)_3 \cdot 5H_2O$ M.W. 485.07				
Bismuth Oxide (Cas No. 1304-76-3) (Bismuth (III) Oxide)	00431 00100	PB	100 gm	935
Assay : Min. 99% Bi_2O_3 M.W. 465.96	00431 00500	PB	500 gm	4405
Bismuth Oxycarbonate (Cas No. 5892-10-4) (Bismuth Subcarbonate)	00432 00100	PB	100 gm	845
Assay : Min. 80-82% $(BiO)_2CO_3$ M.W. 509.97	00432 00500	PB	500 gm	3525
Bismuth Oxychloride (Cas No. 7787-59-9) [Bismuth Chloride (Oxy)]	00433 00100	GB	100 gm	505
Assay : Min. 98% $BiClO$ M.W. 260.43	00433 00500	GB	500 gm	2205
Bismuth Subgallate Hydrate (Cas No. 99-26-3) (Bismuth Gallate Basic)	00434 00100	GB	100 gm	1215
Assay : Min. 98% $C_7H_5BiO_6 \cdot xH_2O$ M.W. 394.09 (Anhyd. Basis)	00434 00500	GB	500 gm	4850

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Bismuth Subnitrate (Cas No. 1304-85-4) (Bismuth Oxynitrate)	00435 00100	GB	100 gm	1190
Assay : Min. 71% $\text{Bi}_5\text{O}(\text{OH})_9(\text{NO}_3)_4$ M.W. 1461.99	00435 00500	GB	500 gm	4835
Bismuth Sulphate (Cas No. 7787-68-0) (Bismuth (III) Sulphate)	00436 00100	PB	100 gm	1080
Assay : Min. 90% $\text{Bi}_2\text{O}_{12}\text{S}_3$ M.W. 706.13	00436 00500	PB	500 gm	4250
Bisphenol-A (Cas No. 80-05-7) [2,2-Di-(4-Hydroxyphenyl) Propane]	00437 00500	PB	500 gm	375
Assay : Min. 97% $\text{C}_{15}\text{H}_{16}\text{O}_2$ M.W. 228.29				
N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (Cas No. 25561-30-2) (BSTFA)	00438 00025	GB	25 ml	9560
Assay : Min. 98% $\text{C}_8\text{H}_{18}\text{F}_3\text{NOSi}_2$ M.W. 257.41, Liquid, d. 0.971	00438 00100	GB	100 ml	27695
Bis-Tris (For Molecular Biology) (Cas No. 6976-37-0)	00440 00025	GB	25 gm	1190
(2,2-Bis (Hydroxymethyl)-2,2',2'' Nitrioltriethanol)	00440 00100	GB	100 gm	4475
Assay : Min. 98% $\text{C}_8\text{H}_{19}\text{NO}_5$ M.W. 209.24				
Biuret (For Molecular Biology) (Cas No. 108-19-0)	00441 00100	GB	100 gm	3875
Assay : Min. 97% $\text{C}_2\text{H}_5\text{N}_3\text{O}_2$ M.W. 103.08				
Biuret Reagent Solution	00442 00125	PB	125 ml	85
(Store at 2-80C)	00442 00500	PB	500 ml	285
Bleaching Powder (Calcium Hypochlorite) (Chlorinated Lime)	00443 00500	PB	500 gm	150
CaCl_2O_2 M.W. 142.99 (Cas No. 7778-54-3)	00443 05000	PB	5 kg	1180
Blue Tetrazolium AR (Cas No. 1871-22-3) (Blue Tetrazolium Chloride)	00445 00001	GB	1 gm	1110
Assay : Min. 95% $\text{C}_{40}\text{H}_{32}\text{N}_8\text{O}_2\text{Cl}_2$ M.W. 727.66	00445 00005	GB	5 gm	4940
BOC Anhydride (For Synthesis) (Cas No. 24424-99-5)	00446 00025	GB	25 ml	885
(Di-Tert-Butyl Pyrocarbonate) Liquid,d.0.95	00446 00100	GB	100 ml	2895
Assay : Min. 98% $\text{C}_{10}\text{H}_{18}\text{O}_5$ M.W. 218.25	00446 00500	GB	500 ml	9325
Borax (decahydrate) (Cas No. 1303-96-4) (Di-Sodium Tetraborate)	00447 00500	PB	500 gm	175
Assay : Min. 99-103% $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ M.W. 381.37	00447 05000	PB	5 KG	1475
Borax AR (decahydrate) (Cas No. 1303-96-4) (Di-Sodium Tetraborate)	00448 00500	PB	500 gm	290
Assay : Min. 99.5-102.5% $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ M.W. 381.37	00448 05000	PB	5 kg	2505
Borax Carmine (Grenacher) Powder	00449 00025	GB	25 gm	1485
Borax Carmine (Grenacher) Liquid,d.0.967	00450 00125	PB	125 ml	205
Alcoholic Staining Solution	00450 00500	PB	500 ml	655
Borax Carmine (Grenacher)	00451 00125	PB	125 ml	175
Aqueous Staining Solution Liquid,d.0.967	00451 05000	PB	500 ml	555
Boric Acid (Fine Powder) (Cas No. 10043-35-3) (Orthoboric Acid)	00452 00500	PB	500 gm	280
Assay : Min. 99.5% H_3BO_3 M.W. 61.83	00452 05000	PB	5 kg	2340
Boric Acid (Powder) AR (Cas No. 10043-35-3) (Orthoboric Acid)	00453 00500	PB	500 gm	400
Assay : Min. 99.5% H_3BO_3 M.W. 61.83	00453 05000	PB	5 kg	3705
Boric Acid (For Molecular Biology) (Cas No. 10043-35-3)	00454 00500	PB	500 gm	875
Assay : Min. 99.8% H_3BO_3 M.W. 61.83	00454 01000	PB	1 kg	1495
Boric Acid (Crystals) (Cas No. 10043-35-3) (Orthoboric Acid)	00455 00500	PB	500 gm	275
Assay : Min. 99.5% H_3BO_3 M.W. 61.83				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
meta-Boric Acid (Cas No. 13460-50-9)	00456 00050	PB	50 gm	1145
Assay : Min. 98.5% HBO ₂ M.W. 43.82	00456 00250	PB	250 gm	4540
Boron AAS Standard Solution Loiquid,d.1.000	00457 00125	GB	125 ml	625
1000 mg/L in Water	00457 00500	GB	500 ml	2375
Boron ICP Standard Solution 1000mg/L in water, Liquid, d. 1.000	00457A 00125	GB	125 ml	4645
Boron Carbide Powder 90 Mesh (Cas No. 12069-32-8) Cb4 M.W. 55.25	00458 00100	PB	100 gm	4645
Boron Carbide Powder 150 Mesh (Cas No. 12069-32-8) Cb4 M.W. 55.25	00459 00100	PB	100 gm	2680
Boron Carbide Powder 220 Mesh (Cas No. 12069-32-8) Cb4 M.W. 55.25	00460 00100	PB	100 gm	2975
Boron Nitride (Lab) (Cas No. 10043-11-5)	00461 00050	PB	50 gm	4505
Assay : Min. 99% BN M.W. 24.82	00461 00500	PB	500 gm	37985
Boron Powder (amorphous) (Cas No. 7440-42-8)	00462 00025	PB	25 gm	2940
Assay : Min. 99% B M.W. 10.81	00462 00100	PB	100 gm	10870
Boron Tribromide (For Synthesis) (Cas No. 10294-33-4)	00463 00100	PB	100 gm	17005
Assay : Min. 99% Bbr ₃ M.W. 250.54, Liquid, d. 2.60				
Boron Trifluoride Diethyl Ether (Cas No. 109-63-7)	00464 00500	GB	500 ml	1650
(Boron Trifluoride Ethyl Ether Complex)	00464 02500	GB	2.5 lt	6990
Assay : Min. 50% C ₄ H ₁₀ BF ₃ O M.W. 141.93, Liquid, d. 1.15				
Di-Boron Trioxide (anhydrous) (Cas No. 1303-86-2) (Boric Anhydride)	00465 00250	PB	250 gm	2805
Assay : Min. 98% B ₂ O ₃ M.W. 69.62	00465 00500	PB	500 gm	4905
Di-Boron Trioxide AR (anhydrous) (Cas No. 1303-86-2) (Boric Anhydride)	00466 00250	PB	250 gm	3305
Assay : Min. 99% B ₂ O ₃ M.W. 69.62	00466 00500	PB	500 gm	5890
Bouin's Fluid Liquid,d.0.985	00467 00125	PB	125 ml	220
(Histopathology Fixative)	00467 00500	PB	500 ml	550
Bovine Albumin (Fraction V Powder) See Albumin Bovine Powder Page No. 6				
Brady's Reagent	00468 00125	PB	125 ml	235
Liquid,d. 1.06 Solution	00468 00500	PB	500 ml	595
Brass Powder	00469 00100	PB	100 gm	1330
(Cas No. 63338-02-3)	00469 00500	PB	500 ml	3935
Brij-35'3 (Main Component)	00470 00500	PB	500 gm	1325
(Polyoxyethylene Lauryl Ether) (Cas No. 9002-92-0)				
Liquid,d.1.06				
Brij-35'3 (30% Solution)	00471 00500	PB	500 ml	1055
(Polyoxyethylene Lauryl Ether) (Cas No. 9002-92-0)				
Brilliant Blue FCF (C.I.No. 42090)	00472 00005	GB	5 gm	320
(Cas No. 3844-45-9)	00472 00025	PB	25 gm	1270
(Erioglaucine A) C ₃₇ H ₃₄ Na ₂ N ₂ O ₉ S ₃ M.W. 792.85	00472 00100	PB	100 gm	4675
Brilliant Blue G 250 (For Molecular Biology)	00473 00005	GB	5 gm	725
(Cas No. 6104-58-1) (Coomasie Brilliant Blue G 250)	00473 00025	PB	25 gm	2645
C ₄₇ H ₄₈ N ₃ NaO ₇ S ₂ M.W. 854.02	00473 00100	PB	100 gm	9055

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Brilliant Blue R (For Molecular Biology) (C.I. No. 42660) (Cas No. 6104-59-2)	00474 00005	GB	5 gm	800
(Coomsie Brilliant Blue R 250)	00474 00025	PB	25 gm	2910
$C_{45}H_{44}N_3NaO_7S_2$ M.W. 825.97	00474 00100	PB	100 gm	9775
Brilliant Cresyl Blue (M.S.) (C.I.No. 51010) (Cresyl Blue)	00475 00005	GB	5 gm	660
$C_{17}H_{20}N_3OCl-1/2ZnCl_2$ M.W. 385.96 (Cas No. 81029-05-2)	00475 00025	GB	25 gm	2300
Brilliant Cresyl Blue alcoholic Solution	00476 00100	PB	100 ml	230
Liquid, d. 0.808	00476 00500	PB	500 ml	680
Brilliant Green indicator (Cas No. 633-03-4)	00477 00025	PB	25 gm	165
(C.I. No. 42040)	00477 00100	PB	100 gm	505
Dye Content : Min. 90% $C_{27}H_{34}N_2O_4S$ M.W. 482.65	00477 00500	PB	500 gm	2185
Brilliant Green	00478 00125	PB	125 ml	105
Indicator Solution	00478 00500	PB	500 ml	325
Brilliant Yellow (C.I. No. 24890) (Cas No. 3051-11-4)	00479 00025	PB	25 gm	265
Dye Content : Min. 70% $C_{26}H_{18}N_4Na_2O_8S_2$ M.W. 624.56	00479 00100	PB	100 gm	810
Brilliant Yellow Indicator Paper	00480 001PK	AC	PKT	180
Bromine AR (Cas No. 7726-95-6)	00482 00100	GB	250	5900
Assay : Min. 99.5% Br_2 M.W. 159.81, Liquid, d. 3.119			ml x 4	
Bromine Water (Concentrated)	00483 00500	GB	500 ml	310
p-Bromo Acetanilide (For Synthesis)	00484 00025	PB	25 gm	475
(Cas No. 103-88-8)	00484 00100	PB	100 gm	1100
Assay : Min. 98% C_8H_8BrNO M.W. 214.06	00484 00500	PB	500 gm	4575
Bromoacetic Acid (For Synthesis) (Cas No. 79-08-3)	00485 00100	PB	100 gm	1675
Assay : Min. 97% $C_2H_3BrO_2$ M.W. 138.95	00485 00500	PB	500 gm	5035
p-Bromo Acetophenone (Cas No. 99-90-1) (4-Bromo Acetophenone)	00486 00100	PB	100 gm	1390
Assay : Min. 98% C_8H_7BrO M.W. 199.06	00486 00250	PB	250 gm	3270
p-Bromo Aniline	00487 00025	GB	25 gm	335
(Cas No. 106-40-1) (For Synthesis)	00487 00100	GB	100 gm	935
Assay : Min. 98% C_6H_6BrN M.W. 172.03	00487 00500	GB	500 gm	3680
m-Bromoanisole (For Synthesis)	00488 00100	GB	100 ml	1690
(Cas No. 2398-37-0) (3-Bromoanisole) (1-Bromo-3-Methoxy Benzene)	00488 00500	GB	500 ml	5940
Assay : Min. 98% C_7H_7BrO M.W. 187.04, Liquid, d. 1.477				
p-Bromoanisole (For Synthesis) (Cas No. 104-92-7)	00489 00100	GB	100 ml	1315
(4-Bromoanisole) (1-Bromo-4-Methoxy Benzene)	00489 00500	GB	500 ml	4495
Assay : Min. 99% C_7H_7BrO M.W. 187.04, Liquid, d. 1.494				
Bromobenzene (For Synthesis) (Cas No. 108-86-1) (Phenyl Bromide)	00490 00250	GB	250 ml	565
Assay : Min. 99% C_6H_5Br M.W. 157.02, Liquid, d. 1.491	00490 00500	GB	500 ml	1095
Bromobenzene AR (Phenyl Bromide) (Cas No. 108-86-1)	00491 00250	GB	250 ml	655
Assay : Min. 99.5% C_6H_5Br M.W. 157.02, Liquid, d. 1.491				
2-Bromobenzoyl Chloride (Cas No. 7154-66-7)	00492 00050	GB	50 gm	17545
Assay : Min. 97% BrC_6H_4COCl M.W. 219.46				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
5-Bromo-4-Chloro-3-Indolyl-a'-D-Galctopyranoside See X-Gal				
1-Bromo-3-Chloropropane (Cas No. 109-70-6) (Trimethylene Bromochloride)	00494 00100	GB	100 ml	1230
Assay : Min. 99% C ₃ H ₆ BrCl M.W. 157.44 Liquid,d.1.592	00494 00500	GB	500 ml	3230
Bromo Cresol Green Indicator AR	00395 00005	GB	5 gm	575
(Cas No. 76-60-8)	00395 00010	GB	10 gm	1085
(Bromo Cresol Blue)	00395 00025	GB	25 gm	2375
Dye Content : Min. 95% C ₂₁ H ₁₄ Br ₄ O ₅ S M.W. 698.04	00395 00100	GB	100 gm	8315
Bromo Cresol Green Sodium Salt (Water Soluble)	00496 00005	GB	5 gm	515
(Cas No. 62625-32-5) (Bromo Cresol Blue Sodium Salt)	00496 00025	GB	25 gm	2020
Dye Content : Min. 90% C ₂₁ H ₁₃ Br ₄ NaO ₅ S M.W. 720.00				
Bromo Cresol Green Indicator Solution (0.04%)	00498 00125	PB	125 ml	100
(Bromo Cresol Blue Sodium)	00498 00500	PB	500 ml	305
Bromo Cresol Purple indicator AR	00499 00005	GB	5 gm	195
(Cas No. 115-40-2)	00499 00022	PB	25 gm	765
Dye Content : Min. 90% C ₂₁ H ₁₆ Br ₂ O ₅ S M.W. 540.22	00499 00100	PB	100 gm	2665
Bromo Cresol Purple Indicator Solution (0.04%)	00500 00125	PB	125 ml	100
	00500 00500	PB	500 ml	300
Bromocresol Purple Sodium Salt (Cas No. 62625-30-3)	00501 00025	PB	25 gm	1100
Dye Content : Min 90% C ₂₁ H ₁₅ Br ₂ NaO ₅ S M.W. 562.20	00501 00100	PB	100 gm	3500
Bromoethane See Ethyl Bromide Page No. 68				
2-Bromoethanesulphonic Acid Sodium Salt	00502 00010	GB	10 gm	1240
(For Synthesis) (Cas No. 4263-52-9) (Sodium 2-bromoethanesulphonate)	00502 00050	GB	50 gm	4960
Assay : Min. 98% C ₂ H ₄ BrNaO ₃ S M.W. 211.02				
2-Bromoethylamine Hydrobromide (Cas No. 2576-47-8)	00503 00100	PB	100 gm	1890
Assay : Min. 99% C ₂ H ₇ Br ₂ N M.W. 204.90				
Bromoform (Tribromomethane) (Cas No. 75-25-2)	00504 00250	GB	250 ml	3090
Assay : Min. 98% ChBr ₃ M.W. 252.73, Liquid, d. 2.89				
1-Bromoheptane (For Synthesis) (Cas No. 629-04-9) (N-Heptyl Bromide)	00505 00100	GB	100 ml	1380
Assay : Min. 99% CH ₃ (CH ₂) ₆ Br M.W. 179.1, Liquid, d. 1.14	00505 00500	GB	500 ml	5995
1-Bromohexane 98% (For Synthesis) (Cas No. 111-25-1) (N-Heptyl Bromide)	00506 00100	GB	100 ml	935
Assay : Min. 98% C ₆ H ₁₃ Br M.W. 165.07, Liquid, d. 1.176	00506 00500	GB	500 ml	3925
1-Bromonaphthalene (For Synthesis) (Cas No. 90-11-9) (A-Bromonaphthalene)	00507 00100	GB	100 ml	1355
Assay : Min. 97% C ₁₀ H ₇ Br M.W. 207.08, Liquid, d. 1.48	00507 00500	GB	500 ml	3583
1-Bromo Pentane (Cas No. 110-53-2) (N-Pentyl Bromide)	00508 00100	GB	100 ml	1645
Assay : Min. 98% C ₅ H ₁₁ Br M.W. 151.04, Liquid, d. 1.218	00508 00500	GB	500 ml	4430
Bromo Phenol Blue Indicator AR (For Molecular Biology)	00509 00005	GB	5 gm	165
(Cas No. 115-39-9)	00509 00025	PB	25 gm	625
C ₁₉ H ₁₀ Br ₄ O ₅ S M.W. 669.96	00509 00100	PB	100 gm	2195
Bromo Phenol Blue Indicator Solution (0.04%)	00510 00125	PB	125 ml	90
	00510 00500	PB	500 ml	270

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Bromo Phenol Red (Cas No. 2800-80-8)	00511 00005	GB	5 gm	3520
$C_{19}H_{12}Br_2O_5S$ M.W. 512.17	00511 00025	GB	25 gm	9915
Bromo Phenol Red	00512 00125	PB	125 ml	205
Indicator Solution	00512 00500	PB	500 ml	645
Bromo Pyrogallol Red AR (Cas No. 16574-43-9)	00513 00001	GB	1 gm	605
Dye Content : Min. 70% $C_{19}H_{10}Br_2O_9S$ M.W. 558.15	00513 00005	GB	5 gm	2425
N-Bromosuccinimide (Cas No. 128-08-5)	00514 00100	PB	100 gm	375
Assay : Min. 98% $C_4H_4BrNO_2$ M.W. 177.99	00514 00500	PB	500 gm	1540
Bromosulphalein Purified (Cas No. 71-67-0)	00515 00001	GB	1 gm	2900
$C_{20}H_8Br_4Na_2O_{10}S_2$ M.W. 838.02				
Bromothymol Blue Indicator AR (For Molecular Biology)	00516 00005	GB	5 gm	230
(Cas No. 76-59-5)	00516 00025	PB	25 gm	840
(3',3''-Dibromothymolsulfonaphthalein)	00516 00100	PB	100 gm	2970
Dye Content : Min. 95% $C_{27}H_{28}Br_2O_5S$ M.W. 624.38	00516 00500	PB	500 gm	12735
Bromothymol Blue Indicator Solution (0.04%)	00517 00125	PB	125 ml	95
	00517 00500	PB	500 ml	235
Bromothymol Blue Indicator Paper	00518 001PK	AC	Pkt	165
Bromothymol Blue Sodium Salt (Water Soluble) (Cas No. 34722-90-2)	00519 00010	GB	10 gm	420
$C_{27}H_{27}Br_2NaO_5S$ M.W. 646.36				
4-Bromotoluene (For Synthesis) (Cas No. 106-38-7)	00520 00100	GB	100 gm	1200
Assay : Min. 98% C_7H_7Br M.W. 171.03, Liquid, d. 1.41	00520 00500	GB	500 gm	4330
5-Bromo Uracil (Cas No. 51-20-7)	00521 00001	GB	1 gm	115
Assay : Min. 97% $C_4H_3BrN_2O_2$ M.W. 190.99	00521 00005	GB	5 gm	350
Bronopol (For Synthesis) (Cas No. 52-51-7) (2-Bromo-2-Nitropropane-1,3-Diol)	00522 00100	PB	100 gm	595
Assay : Min. 98% $C_3H_6BrNO_4$ M.W. 199.99	00522 00500	PB	500 gm	2410
Bronze Powder (Cas No. 7440-50-8)	00524 00500	PB	500 gm	3395
Brucine (Free base) (for Lab Use) (Cas No. 357-57-3)	00525 00025	GB	25 gm	1370
Assay : Min. 98% $C_{23}H_{26}N_2O_4$ M.W. 394.47				
Brucine AR (Free base) (for Lab Use) (Cas No. 357-57-3)	00526 00025	GB	25 gm	1208
Assay : Min. 99% $C_{23}H_{26}N_2O_4$ M.W. 394.47	00526 00100	GB	100 gm	4840
Brucine Sulphate (For Lab Use) (Cas No. 4845-99-2)	00527 00025	GB	25 gm	960
$(C_{23}H_{26}N_2O_4)_2 \cdot H_2SO_4 \cdot 7H_2O$ M.W. 1013.11	00527 00100	GB	100 gm	3335
Buffer Acetate Solution See Acetate Buffer Solution PH 4.6 Page No. 1				
Buffer Citrate Solution	00529 00500	PB	500 ml	205
Buffer Solution pH 2.0 Liquid, d.1.000	00530 00500	PB	500 ml	590
Buffer Solution pH 4 (Phthalate) Liquid, d.1.003	00531 00500	PB	500 ml	175
Buffer Concentrated For 500 ml Solution Ph 4.00 (2x2 amps. Of set in a Box)	00532 AMP04	PB	4 Amp	365
Buffer Solution pH 7 (Phosphate) Liquid, d. 1.01	00533 00500	PB	500 ml	175

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Buffer Concentrated For 500 ml Solution pH 7.00 (2x2 amps. Of set in a Box)	00534 AMP04	PB	4 Amp	370
Buffer Solution pH 9 (Borate)	00535 00500	PB	500 ml	175
Buffer Concentrated For 500 ml Solution pH 9.00 (2x2 amps. Of set in a Box)	00536 AMP04	PB	4 Amp	370
Buffer Solution pH 10.0 , Liquid, d. 1.044	00537 00500	PB	500 ml	605
Buffer Solution pH 11.0 , Liquid, d. 1.01	00538 00500	PB	500 ml	695
Buffer Capsules pH 4.0	00539 10Cap	PB	10 Cap	135
Buffer Capsules pH 6.0	00540 10Cap	PB	10 Cap	135
Buffer Capsules pH 7.0	00541 10Cap	PB	10 Cap	140
Buffer Capsules pH9.2	00542 10Cap	PB	10 Cap	160
1,3-Butanediol (Cas No. 107-88-0) (For Synthesis)	00543 00500	GB	500 ml	1790
(Assay : Min. 99% $C_4H_{10}O_2$ M.W. 90.12, Liquid, d. 1.005)	00543 02500	GB	2.5 lt	7980
1,4-Butanediol (1,4-Butylene Glycol) (Tetramethylene Glycol)	00544 00500	GB	500 ml	560
Assay : Min. 99% $C_4H_{10}O_2$ M.W. 90.12, Liquid, d. 1.017 (Cas No. 110-63-4)	00544 02500	GB	2.5 lt	2530
2,3-Butanedione See Diacetyl Page No. 54				
2,3-Butanedione Dioxime See Dimethyl Glyoxime Page No. 61				
2,3-Butanedione Oxime See Diacetyl Monoxime Page No. 55				
1-Butan Sulphonic Acid Sodium Salt AR & HPLC (Anhydrous)	00545 00005	GB	5 gm	395
(Cas No. 2386-54-1) (Sodium-1-Butanesulphonate Anhydrous)	00545 00025	GB	25 gm	1685
Assay : Min. 99% $C_4H_9NaO_3S$ M.W. 160.16	00545 00100	GB	100 gm	5895
1-Butan Sulphonic Acid Sodium Salt AR & HPLC (Monohydrate)	00546 00005	GB	5 gm	400
(Cas No. 2386-54-1) (Sodium-1-Butanesulphonate Monohydrate)	00546 00025	GB	25 gm	1690
Assay : Min. 99% $C_4H_9NaO_3S.H_2O$ M.W. 178.16	00546 00100	GB	100 gm	5895
1-Butanol See N-Butyl Alcohol Page No. 32				
2-Butanol See sec-Butyl Alcohol Page No. 32				
Butanone See Ethyl Methyl Ketone Page No. 68				
2-Butoxyethanol See Ethylene Glycol Monobutyl Ether Page No. 70				
n-Butyl Acetate (For Synthesis) (Cas No. 123-86-4)	00547 00500	GB	500 ml	295
(Assay : Min. 99% $C_6H_{12}O_2$ M.W. 116.16,	00547 02500	GB	2.5 lt	1295
Liquid d. 0.88	00547 05000	PC	5 lt	2265
n-Butyl Acetate AR (Cas No. 123-86-4)	00548 00500	GB	500 ml	500
Assay : Min. 99.5% $C_6H_{12}O_2$ M.W. 116.16, Liquid d. 0.88	00548 02500	GB	2.5 lt	2110
tert-Butyl Acetate (Cas No. 540-88-5)	00549 00500	GB	500 ml	1175
Assay : Min. 99% $C_6H_{12}O_2$ M.W. 116.16, Liquid, d. 0.866	00549 02500	GB	2.5 lt	4735
Butyl Acrylate (Monomer) (For Synthesis) (Cas No. 141-32-2)	00550 00500	GB	500 ml	475
Assay : Min. 99% $C_7H_{12}O_2$ M.W. 128.17, Liquid, d. 0.894				
n-Butyl Alcohol (For Synthesis)	00551 00500	GB	500 ml	295
(Cas No. 71-36-3) (N-Butanol) (1-Butanol)	00551 02500	GB	2.5 lt	1295
(Butan-1-ol) Assay : Min. 99% $C_4H_{10}O$ M.W. 74.12, Liquid, d. 0.81	00551 05000	GB	5 lt	2265

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
n-Butyl Alcohol AR (Cas No. 71-36-3) (N-Butanol) (1-Butanol) (Butan-1-ol) Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.81	00552 00500 00552 00250	GB GB	500 ml 2.5 lt	475 1375
n-Butyl Alcohol (For Molecular Biology) (Cas No. 71-36-3) (1-Butanol) Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.81	00553 00500	GB	500 ml	2880
iso-Butyl Alcohol (For Synthesis) (Cas No. 78-83-1) Assay : Min. 98.5% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.803	00554 00500 00554 02500	GB GB	500 ml 2.5 lt	300 1245
iso-Butyl Alcohol AR (Cas No. 78-83-1) Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.803	00555 00500 00555 02500	GB GB	500 ml 2.5 lt	355 1445
sec-Butyl Alcohol (For Synthesis) (Cas No. 78-92-2) (2-Butanol) (Butan-2-ol) Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.808	00556 00500 00556 02500	GB GB	500 ml 2.5 lt	405 1910
sec-Butyl Alcohol AR (Cas No. 78-92-2) (2-Butanol) (Butan-2-ol) Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.808	00557 00500 00557 02500	GB GB	500 ml 2.5 lt	440 2030
sec-Butyl Alcohol (For Molecular Biology) (Cas No. 78-92-2) (2-Butanol) Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.808	00558 00500	GB	500 ml	3410
tert-Butyl Alcohol (Tert-Butanol) (Cas No. 75-65-0) Assay : Min. 98.5% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.78	00559 00500	GB	500 ml	340
tert-Butyl Alcohol AR (Cas No. 75-65-0) (Tert-Butanol) Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.78	00560 00500	GB	500 ml	385
n-Butylamine (Cas No. 109-73-9) Assay : Min. 98% C ₄ H ₁₁ N M.W. 73.14, Liquid, d. 0.742	00561 00500	GB	500 ml	475
n-Butylamine AR (Cas No. 109-73-9) Assay : Min. 99% C ₄ H ₁₁ N M.W. 73.14, Liquid, d. 0.742	00562 00500 00562 02500	GB GB	500 ml 2.5 lt	550 2470
tert-Butylamine (Cas No. 75-64-9) Assay : Min. 99% C ₄ H ₁₁ N M.W. 73.14, Liquid, d. 0.694	00563 00500	GB	500 ml	745
Butylated Hydroxy Anisole (B.H.A.) (2-Tert-Butyl-4-Methoxy Phenol) Assay : Min. 98% C ₁₁ H ₁₆ O ₂ M.W. 180.25 (Cas No. 25013-16-5)	00564 00100 00564 00500	PB PB	100 gm 500 gm	855 2740
Butylated Hydroxy Toluene (Cas No. 128-37-0) (B.H.T.) (2,6-di-Tert-Butyl-4-Methyl Phenol) (2,6-di-Tert-Butyl-P-Cresol) Assay : Min 99% C ₁₅ H ₂₄ O M.W. 220.36	00565 00500 00565 05000	PB PB	500 gm 5 kg	765 6325
iso-Butyl Benzene (For Synthesis) (Cas No. 538-93-2) Assay : Min. 98% C ₁₀ H ₁₄ M.W. 134.22, Liquid, d. 0.854	00566 00500 00566 02500	GB GB	500 ml 2.5 lt	405 1670
tert-Butyl Benzene (For Synthesis) (Cas No. 98-06-6) Assay : Min. 99% C ₁₀ H ₁₄ M.W. 134.22, Liquid, d. 0.87	00567 00500 00567 02500	GB GB	500 ml 2.5 lt	1270 4785
p-Tert-Butyl Benzoic Acid (For Synthesis) (Cas No. 98-73-7) (PTBBA) Assay : Min 99% C ₁₁ H ₁₄ O ₂ M.W. 178.23	00568 00500	PB	500gm	1070
n-Butyl Bromide (For Synthesis) (Cas No. 109-65-9) (1-Bromo Butane) Assay : Min 98% C ₄ H ₉ Br M.W. 137.03, Liquid, d. 1.276	00569 00500 00569 02500	GB GB	500gm 2.5 lt	1150 5295

Butyl Carbitol See Diethylene Glycol Monobutyl Ether Page No. 58

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
4-tert-Butyl Catechol (Cas No. 98-29-3) (4-Tert-Butyl Pyrocatechol) Assay : Min. 98.% $\text{CH}_3)_3\text{C.C}_6\text{H}_3(\text{OH})_2$ M.W. 166.22	00570 00250	PB	250 gm	1140
Butyl Cellosolve See Ethylene Glycol Monobutyl Ether Page No. 69				
n-Butyl Chloride (For Sunthesis) (Cas No. 109-69-3) (1-Chlorobutane) Assay : Min. 98.5% $\text{C}_4\text{H}_9\text{Cl}$ M.W. 92.58, Liquid, d. 0.887	00571 00500	GB	500 ml	980
tert-Butyl Chloride (For Synthesis) (Cas N. 507-20-0) (2-Chloro-2-Methylpropane) Assay : Min. 99% $\text{C}_4\text{H}_9\text{Cl}$ M.W. 92.58, Liquid, d. 0.851	00572 00250 00572 00500	GB GB	250 ml 500 ml	695 1310
iso-Butylchloroformate (For Synthesis) (Cas No. 543-27-1) Assay : Min. 98% $\text{C}_5\text{H}_9\text{ClO}_2$ M.W. 136.58, Liquid, d. 1.053	00573 00100 00573 00500	GB GB	100 ml 500 ml	1410 5715
n-Butyl Diethanolamine (For Synthesis) [2,2-(N-Butylimino) Diethanol] Assay : Min. 98% $\text{C}_8\text{H}_{19}\text{NO}_2$ M.W. 161.24, Liquid, d. 0.986 (Cas No. 102-79-4)	00574 00250 00574 01000	GB GB	250 ml 1 Lt	2595 11065
Butyl Digol See Diethylene Glycol Monobutyl Ether Page No. 58				
tert-Butyldimethylsilyl Chloride (For Synthesis) (Cas No. 18162-48-6) (TBDMS-Chloride) Assay : Min. 97% $\text{C}_6\text{H}_{15}\text{ClSi}$ M.W. 150.72	00575 00025 00575 00100 00575 00500	PB PB PB	25 gm 100 gm 500 gm	730 2470 9230
1, 4-Butylene Glycol See 1,4-Butanediol Page No. 31				
Butyl Glycol See Ethylene Glycol Monobutyl Ether Page No. 69				
tert-Butylhydroperoxide 70% in Water (Cas No. 75-91-2) $\text{C}_4\text{H}_{10}\text{O}_2$ M.W. 90.12, Liquid, d. 0.93	00576 00100 00576 00500	GB GB	100 ml 500 ml	590 2675
tert-Butyl Hydroquinone (Cas No. 1948-33-0) (TBHQ) Assay : Min. 98% $\text{C}_{10}\text{H}_{14}\text{O}_2$ M.W. 166.22	00577 00250 00577 00500	PB PB	250 gm 500 gm	795 1495
Butyl-4-Hydroxybenzoate (Butyl Paraben) (N-Butyl-4-Hydroxybenzoate) Assay : Min. 99% $\text{C}_{11}\text{H}_{14}\text{O}_3$ M.W. 194.23 (Cas No. 94-26-8)	00578 00500	PB	500 gm	1025
n-Butyl Methacrylate stabilized (For Synthesis) (Cas No. 97-88-1) Assay : Min. 99% $\text{C}_8\text{H}_{14}\text{O}_2$ M.W. 142.20, Liquid, d. 0.895	00579 00500 00579 02500	GB GB	500 ml 2.5 lt	690 2670
tert-Butyl Methyl Ether (For Synthesis) (Cas No. 1634-04-4) (Methyl tert-butyl ether) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15, Liquid, d. 0.742	00580 00500 00580 02500	GB GB	500 ml 2.5 lt	485 1895
tert-Butyl Methyl Ether AR (Cas No. 1634-04-4) (Methyl Tert-Butyl Ether) Assay : Min. 99.5% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15, Liquid, d. 0.742	00581 00500 00581 02500	GB GB	500 ml 2.5 lt	770 3015
iso-Butyl Methyl Ketone (Cas No. 108-10-1) (4-methyl Pentan-2-One) Assay : Min. 99% $\text{C}_6\text{H}_{12}\text{O}$ M.W. 100.16, Liquid, d. 0.802	00582 00500 00582 02500 00582 05000	GB GB PC	500 ml 2.5 lt 5 lt	370 1610 3065
iso-Butyl Methyl Ketone AR (Cas No. 108-10-1) (4-methyl Pentan-2-One) Assay : Min. 99% $\text{C}_6\text{H}_{12}\text{O}$ M.W. 100.16, Liquid, d. 0.802	00583 00500 00583 02500	GB GB	500 ml 2.5 lt	420 1915
Butyl Paraben See Butyl-4-Hydroxybenzoate Page No. 33				
4-tert-Butylphenol (For Synthesis) (Cas No. 98-54-4) (Terbutol) Assay : Min. 98% $\text{C}_{10}\text{H}_{14}\text{O}$ M.W. 150.22	00584 00500	PB	500 gm	515
n-Butyl Phosphate See Tri-N-Butyl Phosphate Page No. 166				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
n-Butyl Stearate (Cas No. 123-95-5) Assay : Min. 50% C ₂₂ H ₄₄ O ₂ M.W. 340.58, Liquid, d. 0.861	00585 00500	GB	500 ml	250
n-Butyraldehyde (For Synthesis) (Cas No. 123-72-8) Assay : Min. 99% C ₄ H ₈ O M.W. 72.11, Liquid, d. 0.80	00586 00500	GB	500 ml	725
iso-Butyric Acid (Cas No. 79-31-2) Assay : Min. 99% C ₄ H ₈ O ₂ M.W. 88.11, Liquid, d. 0.95	00587 00500	GB	500 ml	580
n-Butyric Acid (For Synthesis) (Cas No. 107-92-6) Assay : Min. 99% C ₄ H ₈ O ₂ M.W. 88.11, Liquid, d. 0.95	00588 00500	GB	500 ml	540
n-Butyric Acid AR (Cas No. 107-92-6) Assay : Min. 99.5% C ₄ H ₈ O ₂ M.W. 88.11, Liquid, d. 0.96	00589 00500	GB	500 ml	795
iso-Butyryl Chloride (For Synthesis) (Cas No. 79-30-1) (2-Methyl Propionyl Chloride) Assay : Min. 98% C ₄ H ₇ ClO M.W. 106.55, Liquid, d. 1.017	00590 00250 00590 02500	GB GB	250 ml 2.5 lt	2240 7750
γ-Butyrolactone (For Synthesis) (Cas No. 96-48-0) Assay : Min. 99% C ₄ H ₆ O ₂ M.W. 86.09, Liquid, d. 1.12	00591 00500 00591 02500	GB GB	500 ml 2.5 lt	940 4230

C

Cacotheline AR (redox indicator) (Cas No. 561-20-6) Assay : Min. 95% C ₂₁ H ₂₁ N ₃ O ₇ M.W. 427.417	00592 00005 00592 00025	GB GB	5 mg 25 mg	735 3370
Cade Oil Extra Pure (Cas No. 8013-10-3) Liquid, d. 0.991	00593 00500	GB	500 ml	2830
Cadion AR (Cas No. 5392-67-6) [1-(4-nitrophenyl)-3-(Phenylazophenyl)-Triazine] Assay : Min 98% C ₁₈ H ₁₄ N ₆ O ₂ M.W. 346.34	00594 00001 00594 00005	GB GB	1 gm 5 gm	290 895
Cadmium AAS Standard Solution 1000 mg/L in Nitric Acid Liquid, d.1.013	00595 00125 00595 00500	GB GB	125 ml 500 ml	630 2375
Cadmium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.013	00595A 00125	GB	125 ml	4640
Cadmium (metal) Granulated AR (Cas No. 7440-4309)] Assay : Min. 99% Cd M.W. 112.41	00596 00100 00596 00500	PB PB	100 gm 500 gm	280 1230
Cadmium (metal) Powder AR (Cas No. 7440-43-9) Assay : mim 99.5% Cd M.W. 112.41	00597 00100 00597 00500	PB PB	100 gm 500 gm	3230 11315
Cadmium Acetate (dihydrate) (Cas No. 5743-04-4) Assay : Min. 98% (CH ₃ COO) ₂ Cd.2H ₂ O M.W.266.52	00598 00100 00598 00500	PB PB	100 gm 500 gm	285 1140
Cadmium Acetate AR (dihydrate) (Cas No. 5743-04-4) Assay : Min. 99% (CH ₃ COO) ₂ Cd.2H ₂ O M.W.266.52	00599 00100 00599 00500	PB PB	100 gm 500 gm	435 1490
Cadmium Carbonate (Cas No. 513-78-0) (Extra Pure) Assay : Min 62-68% CdCO ₃ M.W. 172.41	00600 00100 00600 00500 00600 00500	PB PB PC	100 gm 500 gm 5 kg	280 1290 10340

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Cadmium Carbonate AR (Cas No. 513-78-0) Assay : Min 62-68% CdCO ₃ M.W. 172.41	00601 00100	PB	100 gm	425
	00601 00500	PB	500 gm	1895
Cadmium Chloride Extra pure (monohydrate) (Cas No. 35658-65-2) Assay : Min 98% CdCl ₂ .H ₂ O M.W. 201.33	00602 00100	PB	100 gm	445
	00602 00500	PB	500 gm	2165
	00602 05000	PC	5 kg	18430
Cadmium Chloride AR (monohydrate) (Cas No. 35658-65-2) Assay : Min 98% CdCl ₂ .H ₂ O M.W. 201.33	00603 00100	PB	100 gm	520
	00603 00500	PB	500 gm	2310
Cadmium Iodide (Cas No. 7790-80-9) Assay : Min 99% CdI ₂ M.W. 366.22	00604 00100	PB	100 gm	1810
	00604 00500	PB	500 gm	6845
Cadmium Iodide AR (Cas No. 7790-80-9) Assay : Min 99.5% Min CdI ₂ M.W. 366.22	00605 00100	PB	100 gm	2015
Cadmium Nitrate (4-Hydrate) (Cas No. 10022-68-1) Assay : Min 98% Cd(NO ₃) ₂ .4H ₂ O M.W. 308.48	00606 00100	PB	100 gm	230
	00606 00500	PB	500 gm	760
	00606 05000	PB	5 kg	6370
Cadmium Nitrate AR (4-Hydrate) (Cas No. 10022-68-1) Assay : Min 99% Cd(NO ₃) ₂ .4H ₂ O M.W. 308.48	00607 00100	PB	100 gm	260
	00607 00500	PB	500 gm	1155
Cadmium Oxide (Cas No. 1306-19-0) Assay : Min 99% CdO M.W. 128.41	00608 00100	PB	100 gm	495
	00608 00500	PB	500 gm	2310
	00608 05000	PB	5 kg	19205
Cadmium Oxide AR (Cas No. 1306-19-0) Assay : Min. 99.5% CdO M.W. 128.41	00609 00100	PB	100 gm	860
	00609 00500	PB	500 gm	3990
Cadmium Sulphate (Cas No. 7790-84-3) Assay : Min. 98% 3CdSO ₄ .8H ₂ O M.W. 769.52	00610 00100	PB	100 gm	365
	00610 00500	PB	500 gm	1105
	00610 05000	PC	5 Kg	8665
Cadmium Sulphate AR (Cas No. 7790-84-3) Assay : Min. 98% 3CdSO ₄ .8H ₂ O M.W. 769.52	00611 01000	PB	100 gm	505
	00611 05000	PB	500 gm	2015
Cadmium Sulphide (Orange) (Cas No. 1306-23-6) Assay : Min. 99% Cds M.W. 144.48	00612 00100	PB	100 gm	715
	00612 00500	PB	500 gm	2015
Caffeine (Anhydrous) (Cas No. 58-08-2) (1,3,7-Trimethyl Xanthine) Assay : Min. 98% C ₈ H ₁₀ N ₄ O ₂ M.W. 194.19	00613 00100	PB	100 gm	410
	00613 00500	PB	500 gm	1620
Caffeine AR (Anhydrous) (Cas No. 58-08-2) (1,3,7-Trimethyl Xanthine) Assay : Min. 98% C ₈ H ₁₀ N ₄ O ₂ M.W. 194.19	00614 00100	PB	100 gm	505
	00614 00500	PB	500 gm	1015
Calamine Extra Pure (Cas No. 8011-96-9) Assay : Min. 98% (ZnO)	00615 00500	PB	500 gm	455
Calceine Indicator AR (Cas No. 1461-15-0) (Fluorescein Complexone) C ₃₀ H ₂₆ N ₂ O ₁₃ M.W. 622.55	00616 00001	GB	1 gm	180
	00616 00005	GB	5 gm	560
	00616 00025	GB	25 gm	1970
Calcium AAS Standard Solution 1000 mg/L in Nitric Acid Liquid,d.1.014	00617 00125	GB	125 ml	610
	00617 00500	GB	500 ml	1705
Calcium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.014	00617A 00125	GB	125 ml	4635

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Calcium ICP Standard Solution 10000mg/L in Nitric Acid Liquid, d. 1.014	00617B 00125	GB	125 ml	6425
Calcium (metal) LUMPS (Cas No. 7440-70-2)	00618 00100	PB	100 gm	985
Assay : Min. 98% Ca M.W. 40.0	00618 00500	PB	500 gm	4435
Calcium Acetate (Hydrate) (Dried for soil test) (Cas No. 114460-21-8)	00620 00500	PB	500 gm	420
Assay : Min. 98% (CH ₃ .COO) ₂ Ca M.W. 158.17	00620 05000	PC	5 kg	3320
Calcium Acetate AR (Hydrate) (Cas No. 114460-21-8)	00621 00500	PB	500 gm	695
Assay : Min. 99-100.5% (CH ₃ .COO) ₂ Ca M.W. 158.17				
Calcium Bromide (Hydrate) (Cas No. 71626-99-8)	00622 00500	PB	500 gm	575
Assay : Min. 84.7% Br ₂ Ca.xH ₂ O M.W. 199.89 (On anhydrous Basis)				
Calcium Carbide (Cas No. 75-20-7)	00623 00500	PB	500 gm	1995
Assay : Min. 75% CaC ₂ M.W. 64.10				
Calcium Carbonate (Calcite Powder) (precipitate Fine Powder)	00634 00500	PB	500 gm	145
Assay : Min. 98% CaCO ₃ M.W. 100.09 (Cas No. 471-34-1)	00634 05000	PB	5 kg	665
Calcium Carbonate AR (Cas No. 471-34-1) (Calcite Powder)	00635 00500	PB	500 gm	245
Assay : Min. 99% CaCO ₃ M.W. 100.09				
Calcium Chloride (Dihydrate) (Cas No. 10035-04-8)	00636 00500	PB	500 gm	170
Assay : Min. 98% CaCl ₂ .2H ₂ O M.W. 147.01	00636 05000	PC	5 kg	1290
Calcium Chloride AR (Dihydrate) (Cas No. 10035-04-8)	00637 00500	PB	500 gm	610
Assay : Min. 99% CaCl ₂ .2H ₂ O M.W. 147.01	00637 05000	PC	5 kg	6030
Calcium Chloride (Dihydrate) (For Molecular Biology)	00638 00100	PB	100 gm	625
(Cas No. 10035-04-8)	00638 00500	PB	500 gm	2590
Assay : Min. 99% CaCl ₂ .2H ₂ O M.W. 147.01				
Calcium Chloride (Fused) (Anhydrous) (Cas No. 10043-52-4)	00639 00500	PB	500 gm	165
Assay : Min. 95% CaCl ₂ M.W. 110.98	00639 02500	PB	2.5 kg	565
Calcium Chloride 0.005M (0.01N) Standardized Solution	00640 00500	PB	500 ml	320
Calcium Chloride 0.01M (0.02N) Standardized Solution	00641 00500	PB	500 ml	320
Calcium Chloride 0.02M (0.04N) Standardized Solution	00642 00500	PB	500 ml	320
Calcium Chloride 0.05M (1N) Standardized Solution	00643 00500	PB	500 ml	320
Calcium Citrate (tetrahydrate) (Cas No. 5785-44-4)	00644 00500	PB	500 gm	385
Assay : Min. 98% C ₁₂ H ₁₀ Ca ₃ O ₁₄ .4H ₂ O M.W. 570.49				
Calcium Fluoride (Purified) Extra Pure	00645 00500	PB	500 gm	695
(Cas No. 7789-75-5)				
Assay : Min. 97% CaF ₂ M.W. 78.07				
Calcium Formate (Cas No. 544-17-2)	00646 00500	PB	500 gm	585
Assay : Min. 99% (HCOO) ₂ Ca M.W. 130.11				
Calcium Gluconate (Monohydroate) (Cas No. 66905-23-5)	00647 00500	PB	500 gm	300
Assay : Min. 98.5-102% C ₁₂ H ₂₂ CaO ₁₄ .H ₂ O M.W. 448.40				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Calcium Hydrogen Orthophosphate (Anhydrous, dibasic)	00648 00500	PB	500 gm	370
Assay : Min. 98-100.5% CaHPO_4 M.W. 136.06 (Cas No. 7757-93-9)	00648 05000	PB	5 kg	2985
Calcium Hydrogen Orthophosphate (Dihydrate, Dibasic) (Cas No. 7789-77-7)	00650 00500	PB	500 gm	250
Assay : Min. 98-102.5% $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 172.10	00650 05000	PB	5 kg	1995
Calcium Hydroxide (Powder) Extra Pure (Cas No. 1305-62-0)	00651 00500	PB	500 gm	150
Assay : Min. 95% Ca(OH)_2 M.W. 74.09	00651 05000	PB	5 kg	1280
Calcium Hydroxide AR (Cas No. 1305-62-0)	00652 00500	PB	500 gm	580
Assay : Min. 96% Ca(OH)_2 M.W. 74.09				
Calcium Hypochlorite See Bleaching Powder Page No. 26				
Calcium Lactate (For Soil Test) (Cas No. 5743-47-5)	00653 00500	PB	500 gm	455
Assay : Min. 98% $\text{C}_6\text{H}_{10}\text{CaO}_6 \cdot 5\text{H}_2\text{O}$ M.W. 308.29				
Calcium Nitrate (Tetrahydrate) (Cas No. 13477-34-4)	00654 00500	PB	500 gm	145
Assay : Min. 98% $\text{Ca(NO}_3)_2 \cdot 4\text{H}_2\text{O}$ M.W. 236.15	00654 05000	PC	5 kg	1185
Calcium Nitrate (Tetrahydrate) AR (Cas No. 13477-34-4)	00655 00500	PB	500 gm	210
Assay : Min. 99% $\text{Ca(NO}_3)_2 \cdot 4\text{H}_2\text{O}$ M.W. 236.15	00655 05000	PC	5 kg	1660
Calcium Oxide (Lumps) (Cas No. 1305-78-8)	00656 00500	PB	500 gm	215
Assay : Min. 90% CaO M.W. 56.08	00656 05000	PC	5 kg	1710
Calcium Oxide (Lumps) AR (Cas No. 1305-78-8)	00657 00500	PB	500 gm	300
Assay : Min. 95% CaO M.W. 56.08				
Calcium Oxide (Powder) Purified (Cas No. 1305-78-8)	00658 00500	PB	500 gm	235
Assay : Min. 90% CaO M.W. 56.08	00658 05000	PC	5 kg	1820
Calcium-D-Pantothenate (For Biochemistry)	00659 00025	PB	25 gm	225
(Cas No. 137-08-6) [D(+)] Pantothenic Acid Calcium Salt	00659 00100	PB	100 gm	760
Assay : Min. 98% $\text{C}_9\text{H}_{16}\text{NO}_5 \cdot 1/2\text{Ca}$ M.W. 238.27	00659 00500	PB	500 gm	3110
Calcium Phosphate Dibasic See Calcium Hydrogen Orthophosphate Page No. 36				
Calcium Phosphate Monobasic (Monohydrate) (Cas No. 10031-30-8)	00660 00500	PB	500 gm	450
(Calcium Dihydrogen Phosphate)				
Assay : Min. 95% $\text{Ca(H}_2\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ M.W. 252.08				
Calcium Phosphate Tribasic (Cas No. 7758-87-4)	00661 00500	PB	500 gm	285
(Tri-Calcium Phosphate)	00661 05000	PB	5 kg	2560
Assay : Min. 90% $\text{Ca}_3\text{O}_8\text{P}_2$ M.W. 310.18				
Calcium Propionate (Cas No. 4075-81-4)	00662 00500	PB	500 gm	375
Assay : Min. 97% $\text{C}_6\text{H}_{10}\text{CaO}_4$ M.W. 186.22				
Calcium Stearate (Cas No. 1592-23-0)	00663 00500	PB	500 gm	330
Assay : 6.6-7.4% $\text{C}_{36}\text{H}_{70}\text{CaO}_4$ M.W. 607.02				
Calcium Sulphate Purified (Cas No. 7778-18-9) (Anhydrous Fine Powder)	02914 00500	PB	500 gm	235
Assay : Min. 96% CaSO_4 M.W. 136.14	02914 05000	PB	5 kg	1895
Calcium Sulphate Dihydrate (Precipitated Powder) (Cas No. 10101-41-4)	00664 00500	PB	500 gm	220
Assay : 98-101% $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 172.17	00664 05000	PB	5 kg	1780

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Calcium Sulphate Dihydrate AR (Precipitated Powder) (Cas No. 10101-41-4)	00665 00500	PB	500 gm	230
Assay : 99% $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 172.17	00665 05000	PB	5 kg	1950
Calcon (C.I. No. 15705) (Cas No. 2538-85-4) (Solochrome Dark Blue)	00666 00025	PB	25 gm	845
$\text{C}_{20}\text{H}_{13}\text{N}_2\text{NaO}_5\text{S}$ M.W. 416.38	00666 00100	PB	100 gm	2935
Calcon Carboxylic Acid AR See Patton & Reeder's Reagent Page No. 118				
Calmagite AR (Cas No. 3147-14-6)	00667 00001	GB	1 gm	215
$\text{C}_{17}\text{H}_{14}\text{N}_2\text{O}_5\text{S}$ M.W. 358.37	00667 00005	GB	5 gm	800
Calomel See Mercurous Chloride Page No. 102				
Camphor Oil Extra Pure (Cas No. 8008-51-3), Liquid, d. 0.873 -0.900	00668 00500	GB	500 ml	1100
Camphor Powder (Purified) (Cas No. 464-49-3)	00669 00500	PB	500 gm	1260
Assay : Min. 99% $\text{C}_{10}\text{H}_{16}\text{O}$ M.W. 152.24				
D-Camphor-10-Sulphonic Acid (For Synthesis) (Cas No. 3144-16-9)	00670 00100	PB	100 gm	1670
Resolution of Racemates	00670 00500	PB	500 gm	6730
Assay : Min. 99% $\text{C}_{10}\text{H}_{16}\text{O}_4\text{S}$ M.W. 232.50				
L-(-) Camphor Sulphonic Acid Extra Pure (Cas No. 35963-20-3)	00671 00025	PB	25 gm	3530
Assay : Min. 99% $\text{C}_{10}\text{H}_{16}\text{O}_4\text{S}$ M.W. 232.50	00671 00100	PB	100 gm	9950
Canada Balsam See Balsam Canada Page No. 20				
Candelila Wax	00671A 00100	PB	100 gm	925
(Cas No. 8006-44-8)	00671A 00500	PB	500 gm	3385
N-Capric Acid (Cas No. 334-48-5) (N-Decanoic Acid)	00672 00500	PB	500 gm	860
Assay : Min. 98% $\text{C}_{10}\text{H}_{20}\text{O}_2$ M.W. 172.26				
N-Caproic Acid (Cas No. 142-62-1) (N-Hexanoic Acid)	00673 00500	GB	500 ml	1080
Assay : Min. 98% $\text{C}_6\text{H}_{12}\text{O}_2$ M.W. 116.6, Liquid, d. 0.927				
N-Caprylic Acid (Cas No. 124-07-2) (N-Octanoic Acid)	00674 00500	GB	500 ml	890
Assay : Min. 99% $\text{C}_8\text{H}_{16}\text{O}_2$ M.W. 144.21, Liquid, d. 0.91				
Caprylic Acid Sodium Salt (Cas No. 1984-06-1) (Sodium Caprylate)	00675 00250	PB	250 gm	1230
Assay : Min. 99% $\text{C}_8\text{H}_{15}\text{NaO}_2$ M.W. 166.20	00675 00500	PB	500 gm	1990
Capryl Alcohol See n-Octyl Alcohol Page No. 115				
Capsicum Oil Extra Pure (Cas No. 8023-77-6)	00675A 00100	GB	100 gm	2435
CAPS (For Molecular Biology)	00676 00025	PB	25 gm	880
(Cas No. 1135-40-6) [3-(Cyclohexylamino)-1-Propane Sulphonic Acid]	00676 00100	PB	100 gm	2625
Assay : Min. 99% $\text{C}_9\text{H}_{19}\text{NO}_3\text{S}$ M.W. 221.32	00676 00500	PB	500 gm	10320
Capso Buffer (for Biochemistry) (Cas No. 73463-39-5)	00677 00025	PB	25 gm	1090
[3-(Cyclohexylamino)-2-Hydroxy-1-Propane Sulphonic Acid]	00677 00100	PB	100 gm	3740
Assay : Min. 99% $\text{C}_9\text{H}_{19}\text{NO}_4\text{S}$ M.W. 237.32				
Caraway Oil Extra pure (Cas No. 8000-42-8)	00677A 00100	GB	100 ml	1980
Liquid, d. 0.91	00677A 00500	GB	500 ml	7715
Carbazole (For Synthesis) (For Lab Use) (Cas No. 86-74-8)	00678 00100	PB	100 gm	535
Assay : Min. 95% $\text{C}_{12}\text{H}_9\text{N}$ M.W. 167.21	00678 00500	PB	500 gm	2020

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Carbitol See Diethylene Glycol Monoethyl Ether Page No. 58				
Carbol Fuchsin (M.S.) (Powder) (Cas No. 4197-24-4)	00679 00025	PB	25 gm	260
	00679 00100	PB	100 gm	925
	00679 00500	PB	500 gm	3705
Carbol Fuchsin (Dilute) Staining Solution (Ziehl Neelsen), Liquid, d. 0.99	00680 00125	PB	125 ml	95
	00680 00500	PB	500 ml	295
Carbol Fuchsin (Strong) Staining Solution (Ziehl Neelsen), Liquid, d. 0.99	00681 00125	PB	125 ml	110
	00681 00500	PB	500 ml	330
Carbolic Acid See Phenol Crystals/Liquid Page No. 120				
Carbol Xylene (For Microscopy)	00682 00500	GB	500 ml	155
Carbon Di Sulphide (For Synthesis) (Cas No. 75-15-0) (d. 1.26) Assay : Min. 99% Cs_2 M.W. 76.14, Liquid, d. 1.266	00683 00500	GB	500 ml	505
Carbon Di Sulphide AR (Cas No. 75-15-0) Assay : Min. 99.9% Cs_2 M.W. 76.14, Liquid, d. 1.266	00684 00500	GB	500 ml	650
Carbon Tetra Chloride (For Synthesis) (Cas No. 56-23-5) Assay : Min. 99% CCl_4 M.W. 153.82, Liquid, d. 1.594	00685 00250	GB	250 ml	755
	00685 00500	GB	500 ml	1515
	00685 02500	GB	2.5 Lt	6825
Carbon Tetra Chloride AR (Cas No. 56-23-5) Assay : Min. 99.5% CCl_4 M.W. 153.82, Liquid, d. 1.594	00686 00500	GB	500 ml	1780
	00686 02500	GB	2.5 Lt	6990
1,1'-Carbonyldiimidazole (CDI) (For Synthesis) (N,N-Carbonyldimidazole) (An Excellent Reagent for thesis) (Cas No. 530-62-1) Assay : Min. 98% $C_7H_6N_4O$ M.W. 162.15	00687 00100	PB	100 gm	2745
	00687 00500	PB	500 gm	8055
Carbopol 934 (Carboxy Vinyl Polymer 934) (Carbonmes 934) Assay : Min. 56-58% (Cas No. 9003-01-4)	00688 00100	PB	100 gm	715
	00688 00500	PB	500 gm	3035
Carbopol 940 (Carboxy Vinyl Polymer 940) (Carbomes 940) Assay : Min. 56-58% (Cas No. 9003-01-4)	00689 00100	PB	100 gm	800
	00689 00500	PB	500 gm	3035
Carbowax See Polyethylene Glycol				
Carboxy Methyl Cellulose Sodium Salt (Cas No. 9004-32-4) (High Viscosity)	00690 00500	PB	500 gm	690
	00690 05000	PB	5 kg	5555
Carboxy Methyl Cellulose Sodium Salt (For Molecular Biology) Medium Viscosity (CMC) (Cas No. 9004-32-4)	00691 00100	PB	100 gm	6575
Carboxy Methyl Cellulose Sodium Salt (Medium Viscosity) (250-350 Cps) (Cas No. 9004-32-4)	00692 00500	PB	500 gm	685
Cardamon Oil Extra pure (bitter) (Cas No. 8000-66-6) Liquid, d. 0.924	00692A 00100	GB	100 ml	5005
	00692A 00500	GB	500 ml	19105
Cardamon Oil Extra pure (sweet) (Cas No. 8000-66-6) Liquid, d. 0.924	00692B 00100	GB	100 ml	5005
	00692B 00500	GB	500 ml	19110

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Carmine (M.S.)	00693 00005	GB	5 gm	565
(Cas No. 1390-65-4)	00693 00025	GB	25 gm	2595
(C.I. No. 75470)	00693 00100	GB	100 gm	9505
Carmine Aceto Solution See Aceto Carmine Solution				
Carminic Acid AR (C.I. No. 75470) (Cas No. 1260-17-9)	00694 00001	GB	1 gm	2315
Assay : Min. 98% $C_{22}H_{20}O_{13}$ M.W. 492.40	00694 00005	GB	5 gm	7200
Carmoisine A (Cas No. 3567-69-9) (Azorubin C)	00695 00025	GB	25 gm	155
Dye Content : Min. 80% $C_{20}H_{12}N_2Na_2O_7S_2$ M.W. 502.43	00695 00100	GB	100 gm	530
Carnuba Wax	00695A 00100	PB	100 gm	490
(Cas No. 8015-86-9)	00695A 00500	PB	500 gm	1395
Casein Hydrolysate (Purified) (Cas No. 65072-00-6)	00696 00100	PB	100 gm	1370
(Casamino Acid) (Casein Acid Hydrolysate)	00696 00500	PB	500 gm	4790
Casein (Soluble) (Light White Powder) (Cas No. 9000-71-9)	00698 00500	PB	500 gm	1320
Casein (Fat Free & Low in Vitamins) (Cas No. 9000-71-9)	00699 00500	PB	500 gm	1390
Casein (Soluble in Alkali) (Cas No. 9000-71-9)	00700 00500	PB	500 gm	1345
Cassia Oil Extra Pure (Cas No. 8007-80-5), Liquid, d. 1.058	00700A 00500	GB	500 ml	2335
Castor Oil Extra Pure (Cas No. 8001-79-4)	00701 00500	GB	500 ml	340
Liquid, d. 0.961	00701 05000	GB	5 Lt	3060
Catechol See Pyrocatechol Page No. 135				
Catechol Violet AR (Cas No. 115-41-3)	00702 00001	GB	1 gm	1220
(Pyrocatechol Violet) $C_{19}H_{14}O_7S$ M.W. 386.38	00702 00005	GB	5 gm	4990
CDTA (Monohydrate) (Cas No. 125572-95-4)	00703 00025	PB	25 gm	1950
(Trans-1, 2-Diaminocyclohexane N,N,N,N-Tetra Acetic Acid)	00703 00100	PB	100 gm	7330
Assay : Min. 98% $C_{14}H_{22}N_2O_8 \cdot H_2O$ M.W. 364.35	00703 00500	PB	500 gm	30790
CDTA AR (Monohydrate) (Cas No. 125572-95-4)	00704 00025	PB	25 gm	2700
(Trans-1, 2-Diaminocyclohexane N,N,N,N-Tetra Acetic Acid)	00704 00100	PB	100 gm	9310
Assay : Min. 98% $C_{14}H_{22}N_2O_8 \cdot H_2O$ M.W. 364.35	00704 00500	PB	500 gm	39415
Cedarwood Oil Extra Pure	00705 00030	AB	30 ml	295
(For Microbiology)	00705 00050	AB	50 ml	475
(Cas No. 8000-27-9)	00705 00100	AB	100 ml	885
(Immersion Oi) Liquid, d. 0.952	00705 00500	AB	500 ml	3620
Celery Seed Oil Extra pure (Cas No. 8015-90-5) Liquid, d. 0.88				
Celestin Blue (M.S.) (C.I. No. 51050) (Cas No. 1562-90-9)	00706 00005	GB	5 gm	2090
$C_{17}H_{18}ClN_3O_4$ M.W. 363.80	00706 00025	GB	25 gm	6989
Celestin Blue Stain Solution	02902 00100	PB	100 ml	485
Celite (545 Filter Aid) (20-45 Microns)	00707 00500	PB	500 gm	395
(Cas No. 61790-53-2)	00707 01000	PB	1 kg	885
Cellobiose (For Biochemistry) (Cas No. 528-50-7)	00708 00005	GB	5 gm	675
Assay : Min. 99% $C_{12}H_{22}O_{11}$ M.W. 342.30	00708 00025	GB	25 gm	2530

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Cellosolve (For Synthesis) (Cas No. 110-80-5)	00709 00500	GB	500 ml	340
(Ethylene Glycol Mono Ethyl Ether) (2-Ethoxy Ethanol) (Ethyl Cellosolve)	00709 02500	GB	2.5 Lt	1395
Assay : Min. 99% $C_4H_{10}O_2$ M.W. 90.12, Liquid, 0.93				
Cellosolve AR (Cas No. 110-80-5)	00710 00500	GB	500 ml	400
(Ethylene Glycol Mono Ethyl Ether) (2-Ethoxy Ethanol) (Ethyl Cellosolve)	00710 02500	GB	2.5 Lt	1605
Assay : Min. 99.5% $C_4H_{10}O_2$ M.W. 90.12, Liquid, 0.93				
Cellosolve Acetate (Cas No. 111-15-9) (2-Ethoxyethyl Acetate)	00711 00500	GB	500 ml	385
Assay : Min. 98% $C_6H_{12}O_3$ M.W. 132.16, Liquid, d. 0.975	00711 02500	GB	2.5 Lt	1625
Cellulose Acetate (Powder) (Cas No. 9004-35-7)	00712 00500	PB	500 gm	1625
Cellulose Microcrystalline (For TLC) (Cas No. 9004-34-6)	00713 00500	PB	500 gm	390
(Cellulose Powder) $(C_6H_{10}O_5)_n$				
Cellulose Powder (For Column Chromatography) (Cas No. 9004-34-6)	00714 00500	PB	500 gm	390
Ceresin Wax (White) (Cas No. 8001-75-0)	00715 00500	PB	500 gm	430
Ceric Ammonium Nitrate See Ammonium Ceric Nitrate Page No. 11				
Ceric Ammonium Sulphate See Ammonium Ceric Sulphate Page No. 12				
Ceric Nitrate (Anhydrous) (Cas No. 13093-17-9) (Cerium (IV) Nitrate)	00716 00100	PB	100 gm	430
Ceric Nitrate AR (Anhydrous) (Cas No. 13093-17-9) (Cerium (IV) Nitrate)	00717 00100	PB	100 gm	3747
Ceric Oxide AR (Cas No. 1306-38-3) (Cerium (IV) Oxide)	00718 00100	PB	100 gm	1865
Assay : Min. 99.95% CeO_2 M.W. 172.11	00718 00500	PB	500 gm	8455
Ceric Sulphate (tetrahydrate) (Cas No. 10294-42-5) (Cerium (IV) Sulphate)				
Assay : Min. 99% $Ce(SO_4)_2 \cdot 4H_2O$ M.W. 404.30				
Ceric Sulphate AR (tetrahydrate) (Cas No. 10294-42-5) (Cerium (IV) Sulphate)	00719 00100	PB	100 gm	3005
Assay : Min. 99% $Ce(SO_4)_2 \cdot 4H_2O$ M.W. 404.30	00719 00500	PB	500 gm	12095
Ceric Sulphate N/10 Solution 0.1 N Volumetric Solution	00720 00500	PB	500 ml	465
Cerous Chloride AR (Heptahydrate) (Cas No.18618-55-8) (Cerium (III) Chloride)	00721 00100	GB	100 gm	2085
Assay : Min. 99.9% $CeCl_3 \cdot 7H_2O$ M.W. 372.58	00721 00500	GB	500 gm	8730
Cerous Nitrate AR (Hexahydrate) (Cas No. 10294-41-4) (Cerium (III) Nitrate)	00722 00100	GB	100 gm	1060
Assay : Min. 99% $Ce(NO_3)_3 \cdot 6H_2O$ M.W. 434.23	00722 00500	GB	500 gm	4575
Cesium AAS Standard Solution	00723 00125	GB	125 ml	765
1000 mg/L in Nitric Acid	00723 00500	GB	500 ml	1705
Cesium ICP Standard Solution 1000 mg/L in Nitric Acid Liquid, d. 1.013	00723A 00125	GB	125 ml	4530
Cesium Carbonate (Cas No. 534-17-8) (Caesium Carbonate)	00724 00025	GB	25 gm	960
Assay : Min. 99.9% Cs_2CO_3 M.W. 325.82				
Cesium Chloride (For Molecular Biology) (Cas No. 7647-17-8)	00725 00025	GB	25 gm	930
(Caesium Chloride) Assay : Min. 99.5% $CsCl$ M.W. 168.36				
Cesium Iodide AR (Cas No. 7789-17-5) (Caesium Iodide)	00726 00010	GB	10 gm	2190
Assay : Min. 99.9% CsI M.W. 259.81				
Cesium Nitrate AR (Cas No. 7789-18-6) (Caesium Nitrate)	00727 00010	GB	10 gm	1340
Assay : Min. 99% $CsNO_3$ M.W. 194.91				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Cesium Sulphate AR (Cas No. 10294-54-9) (Caesium Sulphate) Assay : Min. 99.9% Cs_2SO_4 M.W. 361.87	00728 00010	GB	10 gm	1255
Ceto Stearyl Alcohol (Cas No. 8005-44-5) Assay : Min. 90%	00729 00500	PB	500 gm	300
Cetrimide (Cas No. 57-09-0) (N-Cetyl-N, N-N-Trimethyl Ammonium Bromide) Assay : Min. 98% $C_{19}H_{42}BrN$ M.W. 364.45 (CTAB)	00730 00100 00730 00500	PB PB	100 gm 500 gm	310 1240
Cetyl Alcohol (Cas No. 36653-82-4) (1-Hexadecanol) Assay : Min. 95% $C_{16}H_{34}O$ M.W. 242.44	00731 00500	PB	500 gm	495
Cetyl Pyridinium Bromide (Cas No. 140-72-7) Assay : Min. 95% $C_{21}H_{38}BrN$ M.W. 384.44	00732 00250	PB	250 gm	1445
Cetyl Pyridinium Chloride (monohydrate) (Cas No. 6004-24-6) Assay : Min 98% $C_{21}H_{38}ClN.H_2O$ M.W. 358.01	00733 00100	PB	100 gm	465
N-Cetyl-N, N, N-Trimethyl Ammonium Bromide See Cetrimide Page No. 42				
Chaps (For Molecular Biology) (Cas No. 75621-03-3) [3-(3-Cholamidopropyl)-dimethylammonio] 1-Propane-Sulphonate] Assay : Min. 99% $C_{32}H_{58}N_2O_7S$ M.W. 614.88	00734 00001 00734 00005 00734 00010	GB GB GB	1 gm 5 gm 10 gm	1015 4285 8290
Chapso (For Biochemistry) (Cas No. 82473-24-3) [3-(3-Cholamidopropyl)-Dimethylammonio]-2-Hydroxy-1-Propane Sulphonate] Assay : Min. 96% $C_{32}H_{58}N_2O_8S$ M.W. 630.88	00735 00001 00735 00005 00735 00010	GB GB GB	1 gm 5 gm 10 gm	3890 13790 25920
Charcoal Activated See Activated Charcoal Page No. 4				
Chaulmogra Oil Extra Pure Liquid, d. 0.950-0.60	00735A 00500	GB	500 ml	2725
Chenopodium Oil Extra Pure (Cas No. 8006-99-3)	00735B 00500	GB	500 ml	4830
Ches Buffer (Cas No. 103-47-9) [2-(Cyclohexylamino) Ethanesulphonic Acid] Assay : Min. 99% $C_8H_{17}NO_3S$ M.W. 207.29	00736 00025 00736 00100	GB GB	25 gm 100 gm	1845 5935
Ches Sodium Buffer [2-(Cyclohexylamino) (Cas No. 3076-05-9) Ethanesulphonic Acid Sodium Salt] Assay : Min. 99% $C_8H_{16}NNaO_3S$ M.W. 229.27	00737 00025 00737 00100	GB GB	25 gm 100 gm	2205 7170
China Blue See Aniline Blue Page No. 16				
Chitin Extra Pure (Flakes) (Cas No. 1398-61-4) $(C_8H_{13}NO_5)_n$	00738 00100 00738 00500	PB PB	100 gm 500 gm	295 1190
Chloramine T (For Synthesis) Trihydrate (Cas No. 7080-50-4) (N-Chloro-P-Toluene Sulphonamide Sodium Salt) Assay : Min. 98% $C_7H_7ClNNaO_2S.3H_2O$ M.W. 281.69	00739 00250 00739 00500	PB PB	250 gm 500 gm	895 1985
Chloramine T AR Trihydrate (Cas No. 7080-50-4) (N-Chloro-P-Toluene Sulphonamide Sodium Salt) Assay : Min. 99% $C_7H_7ClNNaO_2S.3H_2O$ M.W. 281.69	00740 00250 00740 00500	PB PB	250 gm 500 gm	1835 3435
Chloranil (For Synthesis) (Cas No. 118-75-2) (Tetrachloro-P-Benzoquinone) Assay : Min. 99% $C_6Cl_4O_2$ M.W. 245.88	00741 00250 00741 00500	GB GB	250 gm 500 gm	1545 2775
Chloranilic Acid AR (Cas No. 87-88-7) (Tetrachloro-P-Benzoquinone) Assay : Min. 98% $C_6H_2Cl_4O_4$ M.W. 208.98	00742 00025 00742 00100	GB GB	25 gm 100 gm	1385 4770

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Chloranilic Acid Barium Salt AR See Barium Chloranilate Page No. 20				
Chlorinataed Lime See Bleaching Powder Cat No. 00443				
Chlorine Water (Concentrated Solution)	00743 00500 00743 05000	PB PC	500 ml 5 Lt	140 950
Chloro Acetic Acid (Mono) (Cas No. 79-11-8) (Monochloroacetic Acid) Assay : Min. 99% ClCH_2COOH M.W. 94.50	00744 00500	PB	500 gm	250
Chloro Acetic Acid (Mono) AR (Cas No. 79-11-8) (Monochloroacetic Acid) Assay : Min. 99.5% ClCH_2COOH M.W. 94.50	00745 00500	GB	500 gm	935
Chloro Acetic Acid (Tri) (Cas No. 76-03-9) (Trichloro Acetic Acid) Assay : Min. 98% $\text{Cl}_3\text{C.CooH}$ M.W. 163.39	00746 00100 00746 00500	GB GB	100 gm 500 gm	155 505
Chloro Acetic Acid (Tri) AR (Cas No. 76-03-9) (Trichloro Acetic Acid) Assay : Min. 99% $\text{Cl}_3\text{C.CooH}$ M.W. 163.39	00747 00100 00747 00500	GB GB	100 gm 500 gm	280 885
Chloro Acetic Acid (Tri) 20% W/V Solution	00748 00125 00748 00500	GB GB	125 ml 500 ml	130 370
p-Chloro Acetophenone (for Synthesis) (4-Chloro Acetophenone) Assay : Min. 98% $\text{C}_8\text{H}_7\text{ClO}$ M.W. 154.59, Liquid, D 1.193 (Cas No.99-91-2)	00749 00100 00749 00500	GB GB	100 ml 500 ml	1085 4320
Chloro Acetyl Chloride (Cas No. 79-04-9) Assay : Min. 98% $\text{C}_2\text{H}_2\text{Cl}_2\text{O}$ M.W. 112.94, Liquid, d. 1.418	00750 00500	GB	500 ml	1935
m-Chloro Aniline (For Synthesis) (Cas No. 108-42-9) (3-Chloro Aniline) Assay : Min. 98% $\text{C}_6\text{H}_6\text{ClN}$ M.W. 127.57, Liquid, d. 1.206	00751 00500	GB	500 ml	1125
O-Chloro Aniline (For Synthesis) (4-Chloro Aniline) (Cas No. 95-51-2) Assay : Min. 98% $\text{C}_6\text{H}_6\text{ClN}$ M.W. 127.57, Liquid, d. 1.213	00752 00500	GB	500 ml	670
P-Chloro Aniline (For Synthesis) (4-Chloro Aniline) (Cas No. 106-47-8) Assay : Min. 98% $\text{C}_6\text{H}_6\text{ClN}$ M.W. 127.57	00753 00500	GB	500 gm	510
Chloroauric Acid See Auric Chloride Page No. 19				
m-Chlorobenzaldehyde (For Synthesis) (3-Chlorobenzaldehyde) (Cas No. 587-04-2) Assay : Min. 96% $\text{C}_7\text{H}_5\text{ClO}$ M.W. 140.57, Liquid, d. 1.24	00754 00100 00754 00500	GB GB	100 ml 500 ml	1630 5890
O-Chlorobenzaldehyde (For Synthesis) (2-Chlorobenzaldehyde) (Cas No. 89-98-5) Assay : Min. 98% $\text{C}_7\text{H}_5\text{ClO}$ M.W. 140.57, Liquid, d. 1.25	00755 00100 00755 00500	GB GB	100 ml 500 ml	410 1020
P-Chlorobenzaldehyde (For Synthesis) (4-Chlorobenzaldehyde) Assay : Min. 98% $\text{C}_7\text{H}_5\text{ClO}$ M.W. 140.57 (Cas No. 104-88-1)	00756 00100 00756 00500	GB GB	100 gm 500 gm	400 1670
Chlorobenzene (Mono) (Cas No. 108-90-7) (Monochlorobenzene) Assay : Min. 99% $\text{C}_6\text{H}_5\text{Cl}$ M.W. 112.56, Liquid d. 1.106	00757 00500 00757 02500 00757 05000	GB GB PC	500 ml 2.5 Lt 5 Lt	315 1265 2290
Chlorobenzene (Mono) AR (Cas No. 108-90-7) (Monochlorobenzene) Assay : Min. 99% $\text{C}_6\text{H}_5\text{Cl}$ M.W. 112.56, Liquid d. 1.106	00758 00500 00758 02500	GB GB	500 ml 2.5 Lt	370 1340
m-Chlorobenzoic Acid (For Synthesis) (3-Chlorobenzoic Acid) Assay : Min. 98% $\text{C}_7\text{H}_5\text{ClO}_2$ M.W. 156.57 (Cas No. 535-80-8)	00759 00025 00759 00100	GB GB	25 gm 100 gm	1240 2825

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
O-Chlorobenzoic Acid (For Synthesis) (2-Chlorobenzoic Acid)	00760 00100	PB	100 gm	420
Assay : Min. 98% C ₇ H ₅ ClO ₂ M.W. 156.57 (Cas No. 118-91-2)	00760 00500	PB	500 gm	1095
P-Chlorobenzoic Acid (For Synthesis) (Cas No. 74-11-3) (4-Chlorobenzoic Acid)	00761 00100	PB	100 gm	245
Assay : Min. 99% C ₇ H ₅ ClO ₂ M.W. 156.57	00761 00500	PB	500 gm	785
P-Chlorobenzophenone (For Synthesis) (Cas No. 134-85-0)	00762 00100	PB	100 gm	565
(4-Chlorobenzophenone) Assay : Min. 99% C ₁₃ H ₉ ClO M.W. 216.66	00762 00500	PB	500 gm	2180
1-Chlorobutane See N-Butyl Chloride Page No. 33				
Chloro Choline Chloride (2-Chloroethyl trimethyl ammonium Chloride)	00762A 00025	GB	25 gm	715
Assay : Min. 97% C ₅ H ₁₃ N M.W. 158.07 (Cas No. 999-81-5)	00762A 00100	GB	100 gm	3085
Chloro Choline Chloride 50% Aqueous Solution	00763 00100	PB	100 gm	490
Assay : 49-51% (2-Chloroethyl Trimethyl Ammonium Chloride 50%)	00763 00500	PB	500 gm	1915
P-Chloro-m-Cresol (Cas No. 59-50-7) (4-Chloro-3-Methyl Phenol)	00764 00250	PB	250 gm	950
Assay : Min. 98% C ₇ H ₇ ClO M.W. 142.59	00764 00500	PB	500 gm	1650
1-Chloro-2, 4-Dinitrobenzene (For Synthesis) (2, 4-Dinitrochlorobenzene)	00765 00500	PB	500 gm	570
Assay : Min. 98.5% C ₆ H ₃ ClN ₂ O ₄ M.W. 202.55 (CasNo. 97-00-7)				
1-Chloro-2, 4-Dinitrobenzene AR (Cas No. 97-00-7) (2, 4-Dinitrochlorobenzene)	00766 00025	GB	25 gm	153
Assay : Min. 99% C ₆ H ₃ ClN ₂ O ₄ M.W. 202.55	00766 00100	GB	100 gm	470
2-Chloro-3, 5-Dinitropyridine AR (Cas No. 2578-45-2)	00767 00001	GB	1 gm	6520
(Terminal N-Blocking Reagent for Proteins)				
Assay : Min. 99% C ₅ H ₂ ClN ₃ O ₄ M.W. 203.54				
2-Chloroethanol See Ethylene Chlorohydrine Page No. 68				
2-Chloroethyl Phosphonic Acid (Cas No. 16672-87-0) (Ethrel)	00768 00100	GB	100 ml	1300
Assay : Min. 96% C ₂ H ₆ ClO ₃ P M.W. 144.49	00768 00250	GB	250 ml	2565
2-Chloroethyl Trimethyl Ammonium Chloride See Chloro Choline Chloride Page No. 44				
Chloroform (For Synthesis)	00769 00250	GB	250 ml	165
(Cas No. 67-66-3) (Trichloromethane)	00769 00500	GB	500 ml	245
Assay : Min. 99% CHCl ₃ M.W. 119.38,	00769 02500	GB	2.5 Lt	1055
Liquid, d. 1.492	00769 05000	PC	5 Lt	1900
Chloroform AR (Cas No. 67-66-3) (Trichloromethane)	00770 00500	GB	500 ml	340
Assay : Min. 99.5% CHCl ₃ M.W.119.38, Liquid, d. 1.480	00770 02500	GB	2.5 Lt	1180
Chloroform HPLC & Spectroscopy (Cas No. 67-66-3) (Trichloromethane)	00771 01000	GB	1 lt	845
Assay : Min. 99.8% CHCl ₃ M.W. 119.38, Liquid, d. 1.480 -1.492				
Chloromethyl Methyl Ether (For Synthesis)	00772 00025	GB	25 gm	2990
(Cas No. 107-30-2)	00772 00100	GB	100 gm	8980
Assay : Min. 92.5% C ₂ H ₅ ClO M.W. 80.51, Liquid, d. 1.06	00772 00500	GB	500 gm	31445
2-Chloro-2-Methylpropane See Tert-Butyl Chloride Page No. 33				
p-Chloro-o-Nitroaniline (For Synthesis) (Cas No. 89-63-4)	00773 00250	PB	250 gm	1435
(4-Chloro-2-Nitroaniline) Assay : Min. 98% C ₆ H ₅ ClN ₂ O ₂ M.W. 172.57				
o-Chloro-p-Nitroaniline (For Synthesis) (2-Chloro-4-Nitroaniline)	00774 00250	PB	250 gm	1660
Assay : Min. 98% C ₆ H ₅ ClN ₂ O ₂ M.W. 172.57 (Cas No. 121-87-9)				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
1-Chloro-2-Nitrobenzene (Cas No. 88-73-3) (ONCB) (O-Chloronitrobenzene) (O-Nitro Chlorobenzene) Assay : Min. 98% $C_6H_5ClN_2O_2$ M.W. 172.57	00775 00500	PB	500 gm	475
1-Chloro-3-Nitrobenzene (MNCB) (Cas No.12-73-3) (M-Chloronitrobenzene) Assay : Min. 98% $C_6H_4ClNO_2$ M.W. 157.55	00776 00500	PB	500 gm	695
1-Chloro-4-Nitrobenzene (PNCB) (Cas No. 100-00-5) (P-Chloronitrobenzene) (P-Nitro Chlorobenzene) Assay : Min. 99% $C_6H_4ClNO_2$ M.W. 157.55	00777 00500	PB	500 gm	415
m-Chloroperbenzoic Acid (Cas No. 937-14-4) (3-Chloroperbenzoic Acid) Assay : Min. 77% $C_7H_5ClO_3$ M.W. 172.57	00778 00025 00778 00100	GB GB	25 gm 100 gm	2545 7415
m-Chloro Phenol (For Synthesis) (Cas No. 108-43-0) (3-Chloro Phenol) Assay : Min. 98% C_6H_5ClO M.W. 128.56	00779 00025 00779 00100	GB GB	25 gm 100 gm	1730 5505
o-Chloro Phenol (For Synthesis) (Cas No. 95-57-8) (2-Chloro Phenol) Assay : Min. 98% C_6H_5ClO M.W.128.56 Liquid,d.1.26	00780 00500	GB	500 gm	545
p-Chloro Phenol (for synthesis) (Cas No. 106-48-9) (4-chloro phenol) Assay : Min. 99% C_6H_5ClO M.W. 128.56	00781 00500	GB	500 gm	670
Chloro Phenol Red Indicator AR (Cas No. 4430-20-0) pH 4.8 - 6.4 Yellow to Purple $C_{19}H_{12}Cl_2O_5S$ M.W. 423.27	00782 00005 00782 00025 00782 00100	GB PB PB	5 gm 25 gm 100 gm	370 1490 5235
2-Chlorophenylacetic Acid (For Synthesis) (Cas No. 2444-36-2) Assay : Min. 99% $C_8H_7ClO_2$ M.W. 170.59	00783 00025 00783 00100	GB GB	25 gm 100 gm	325 960
4-Chlorophenylacetic Acid (For Synthesis) (Cas No. 1878-66-6) Assay : Min. 97% $C_8H_7ClO_2$ M.W. 170.59	00784 00100 00784 00500	PB PB	100 gm 500 gm	960 2900
Chloroplatinic Acid See Platinum Chloride Page No. 125				
3 Chloro-1-Propene See Allyl Chloride Page No. 7				
N-Chlorosuccinimide (For Synthesis) (Cas No. 128-09-6) Assay : Min. 98% $C_4H_4ClNO_2$ M.W. 133.53	00785 00100 00785 00500	PB PB	100 gm 500 gm	420 1840
Chlorosulphonic Acid (For Synthesis) (Cas No. 7790-94-5) Assay : Min. 97% $HClO_3S$ M.W. 116.52, Liquid d. 1.753	00786 00500	GB	500 ml	1135
o-Chlorotoluene (For Synthesis) (Cas No. 95-49-8) (2-Chlorotoluene) Assay : Min. 98% C_7H_7Cl M.W. 126.59, Liquid, d. 1.083	00787 00500	GB	500 ml	760
3-Chlorotoluene (For Synthesis) (Cas No.108-41-8) (M-Chlorotoluene) Assay : Min. 98% C_7H_7Cl M.W. 126.59, Liquid, d. 1.072	00788 00250 00788 01000	GB GB	250 ml 1 Lt	1500 4300
p-Chlorotoluene (For Synthesis) (Cas No.106-43-4) (4-Chlorotoluene) Assay : Min. 98% C_7H_7Cl M.W. 126.59, Liquid, d. 1.07	00789 00500	GB	500 ml	720
Chlorotriphenylmethane (For Synthesis) (Cas No. 76-83-5) (Trityl Chloride, Triphenylmethyl Chloride) Assay : Min. 98% $C_{19}H_{15}Cl$ M.W. 278.78	00790 00100 00790 00500	PB PB	100 gm 500 gm	530 2135
4-Chloro-m-Xylenol (PCMX) Pure (4-Chloro-3, 5-dimethylphenol) Assay : Min. 98% C_8H_9ClO M.W. 156.61 (Cas No. 88-04-0)	00791 00100 00791 00500	PB PB	100gm 500gm	965 2905

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Cholesterol Extra Pure (Cas No. 57-88-5)	00792 00025	PB	25 gm	1650
	00792 00100	PB	100 gm	6700
Assay : Min. 97-103% $C_{27}H_{46}O$ M.W. 386.65	00792 00500	PB	500 gm	30500
Cholesterol AR (Cas No. 57-88-5)	00793 00025	PB	25 gm	1920
Assay : Min. 99% $C_{27}H_{46}O$ M.W. 386.65	00793 00100	PB	100 gm	5760
Cholesterol Standard Solution	00793A 00100	PB	100 ml	195
	00793A 00500	PB	500 ml	765
Cholic Acid (For Biochemistry) (Cas No. 81-25-4)	00794 00025	PB	25 gm	1505
Assay : Min. 98-101% $C_{24}H_{40}O_5$ M.W. 408.57	00794 00100	PB	100 gm	4965
Choline Chloride Extra Pure (Cas No. 67-48-1)	00795 00100	PB	100 gm	175
Assay : Min. 98-100.5% $C_5H_{14}ClNO$ M.W. 139.62	00795 00500	PB	500 gm	675
Chromazurol S (C.I. No. 43825) (Eriochrome Azurol S) (Chrome Azurol S)	00796 00010	GB	10 gm	1830
Dye Content : Min. 50% $C_{23}H_{13}Cl_2Na_3O_9S$ M.W. 605.29 (Cas No. 1667-99-8)	00796 00025	GB	25 gm	2890
Chrome Alum See Chromium (III) Potassium Sulphate Page No. 46				
Chromic Acid See Chromium Trioxide Page 47				
Chromium AAS Standard Solution 1000 mg/L in Nitri Acid	00797 00125	GB	125 ml	620
	00797 00500	GB	500 ml	2375
Chromium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.015	00797A 00125	GB	125 ml	4835
Chromium (Metal) LUMPS (Cas No. 7440-47-3)	00798 00100	PB	100 gm	825
Assay : Min. 99.9% Cr M.W. 52.00	00798 00500	PB	500 gm	2895
Chromium (Metal) Powder (Cas No. 7440-47-3)	02915 00100	PB	100 gm	805
Assay : Min. 99% Cr M.W. 52.00	02915 00500	PB	500 gm	3285
Chromium Chloride (Hexahydrate) (Chromium (III) Chloride)	00799 00500	GB	500 gm	990
Assay : Min. 96% $Cl_3Cr.6H_2O$ M.W. 266.45 (Cas No. 10060-12-5)	00799 05000	PC	5 kg	7965
Chromium Chloride AR (Hexahydrate) (Chromium (III) Chloride)	00800 00500	GB	5000gm	1795
Assay : Min. 97% $Cl_3Cr.6H_2O$ M.W. 266.45 (Cas No. 10060-12-5)				
Chromium Oxalate (Chromium (III) Oxalate) (Cas No. 814-90-4)	00801 00500	PB	500 gm	1500
Assay : Min. 96% $Cr(C_2O_4)$ M.W. 140.02				
Chromium Oxide Green Powder (Cas No. 1308-38-9)	00802 00500	PB	500gm	1055
(Chromium (III) Oxide Green) Assay : 98% Cr_2O_3 M.W. 151.99	00802 05000	PC	5 kg	8445
Chromium Oxide Green Powder AR (Cas No. 1308-38-9)	00803 00500	PB	500 gm	1625
(Chromium (III) Oxide Green) Assay : 98% Cr_2O_3 M.W. 151.99				
Chromium Potassium Sulphate (Dodecahydrate)	00804 00500	PB	500 gm	910
(Cas No. 7788-99-0)				
(Chrome Alum) (Chromium (III) Potassium Sulphate)				
Assay : Min. 98.5% $CrKO_8S_2.12H_2O$ M.W. 499.40				
Chromium Potassium Sulphate AR (Dodecahydrate)	00805 00500	PB	500 gm	1010
(Cas No. 7788-99-0) (Chrome Alum) (Chromium (III) Potassium Sulphate)				
Assay : Min. 99% $CRKO_8S_2.12H_2O$ M.W. 499.40				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Chromium Sulphate (Basic) (Cas No. 39380-78-4) (Chromium (III) Sulphate) Assay : Min. 26% $Cr_4(SO_4)_5(OH)_2$ M.W. 722.31	00806 00500	PB	500 gm	360
	00806 05000	PC	5 kg	2875
Chromium Trioxide (Flakes) (Cas No. 1333-82-0) (Chromic Acid) (Chromium (VI) Oxide) Assay : Min. 98% CrO_3 M.W. 99.99	00807 00500	GB	500 gm	735
	00807 05000	PC	5 kg	5635
Chromium Trioxide (Flakes) AR (Cas No. 1333-82-0) (Chromic Acid) (Chromium (VI) Oxide) Assay : Min. 99% CrO_3 M.W. 99.99	00808 00500	GB	500 gm	995
Chromotrope 2B (Acid re 176) (C.I. No. 16575) (Cas No. 548-80-1) $C_{16}H_9N_3Na_2O_{10}S_2$ M.W. 513.37	00809 00500	GB	5 gm	910
Chromotrope 2R (M.S.) (C.I. No. 16570) (Cas No. 4197-07-3) Dye Content : Min. 85% $C_{10}H_{10}N_2Na_2O_8S_2$ M.W. 468.37	00810 00025	GB	25 gm	780
Chromotropic Acid Disodium Salt (Cas No. 5808-22-0) Assay : Min. 98% $C_{10}H_6Na_2O_8S_2 \cdot 2H_2O$ M.W. 400.29	00811 00025	PB	25 gm	800
	00811 00100	PB	100 gm	2605
Chromotropic Acid Disodium Salt AR (Cas No. 5808-22-0) Assay : Min. 98.5% $C_{10}H_6Na_2O_8S_2 \cdot 2H_2O$ M.W. 400.29	00812 00025	PB	25 gm	2130
	00812 00100	PB	100 gm	6960
Chrysoidine R (M.S.) (C.I. No. 11320) (Cas No. 4438-16-8) $C_{13}H_{15}N_4Cl$ M.W. 262.74	00813 00025	PB	25 gm	140
	00813 00100	PB	100 gm	435
Chrysoidiner Y (M.S.) (C.I. No. 11270) (Cas No. 532-82-1) $C_{12}H_{12}N_4 \cdot HCl$ M.W. 248.71	00814 00025	PB	25 gm	140
	00814 00100	PB	100 gm	430
Cinchonine (For Synthesis) (Cas No. 118-10-5) Assay : Min. 85% $C_{19}H_{22}N_2O$ M.W. 294.39	00815 00025	PB	25 gm	3565
	00815 00100	PB	100 gm	10655
Cinnamaldehyde See Cinnamic Aldehyde Page No. 47				
Cinnamic Acid (Cas No. 140-10-3) (For Synthesis) Assay : Min. 99% $C_9H_8O_2$ M.W. 148.16	00816 00100	PB	100 gm	345
	00816 00250	PB	250 gm	670
	00816 00500	PB	500 gm	1240
Cinnamic Acid AR (Cas No. 140-10-3) Assay : Min. 99% $C_9H_8O_2$ M.W. 148.16	00817 00250	PB	250 gm	1130
Cinnamic Aldehyde (Cas No. 104-55-2) (Cinnamaldehyde) Assay : Min. 98% C_9H_8O M.W. 132.16, Liquid, d. 1.05	00818 00500	GB	500 ml	950
Cinnamon Oil Extra Pure (Cas no. 8015-91-6) Liquid, d. 0.915	00818A 00500	GB	500 ml	1285
Citrazinic Acid (Cas No. 99-11-6) Assay : Min. 96% $C_6H_5NO_4$ M.W. 155.11	00819 00050	GB	50 gm	2075
Citric Acid (Anhydrous) Extra Pure (Cas No. 77-92-9) Assay : Min. 99% $C_6H_8O_7$ M.W. 192.12	00820 00500	PB	500 gm	245
	00820 05000	PC	5 kg	1935
Citric Acid (Anhydrous) AR (Cas No. 77-92-9) Assay : Min. 99.5% $C_6H_8O_7$ M.W. 192.12	00821 00500	PB	500 gm	485
	00821 05000	PC	5 kg	3970
Citric Acid (Anhydrous) (For Molecular Biology) (Cas No. 77-92-9) Assay : Min. 99.5% $C_6H_8O_7$ M.W. 192.12	00822 00500	PB	500 gm	1950

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Citric Acid (Monohydrate) Extra Pure (Cas No. 5949-29-1)	00823 00500	PB	500 gm	230
Assay : Min. 99% $C_6H_8O_7 \cdot H_2O$ M.W. 210.14	00823 05000	PC	5 kg	1875
Citric Acid (Monohydrate) AR (Cas No. 5949-29-1)	00824 00500	PB	500 gm	425
Assay : Min. 99% $C_6H_8O_7 \cdot H_2O$ M.W. 210.14	00824 05000	PC	5 kg	3515
Citronella Oil Extra Pure (Cas No. 8000-29-1) Liquid, d. 0.897	00824A 00500	GB	500 ml	3075
L-Citrulline (For Biochemistry) (Cas No. 372-75-8)	00826 00010	GB	10 gm	790
[L-(+)-2-amino-5-ureidovaleric Acid]	00826 00025	GB	25 gm	1630
Assay : Min. 98% $C_6H_{13}N_3O_2$ M.W. 175.19				
Clayton Yellow See Titan Yellow Page No. 164				
Clove Oil (For Microscopy) (Cas No. 8000-34-8)	00827 00100	GB	100 ml	520
Liquid, d. 1.04	00827 00500	GB	500 ml	2220
Cobalt AAS Standard Solution	00828 00125	GB	125 ml	620
1000 mg/L in Nitric Acid	00828 00500	GB	500 ml	2370
Cobalt ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.014	00828A 00125	GB	125 ml	4750
Cobalt (Metal) Powder (Cas No. 7440-48-4)	00829 00100	PB	100 gm	2640
Assay : Min. 99% Co M.W. 58.93	00829 00500	PB	500 gm	11035
Cobalt (II) Acetate (tetrahydrate) (Cas No. 6147-53-1) (Cobaltous Acetate)	00830 00100	PB	100 gm	690
Assay : Min. 99% $(CH_3COO)_2Co \cdot 4H_2O$ M.W. 249.08	00830 00500	PB	500 gm	2425
Cobalt (II) Acetate (tetrahydrate) AR (Cas No. 6147-53-1) (Cobaltous Acetate)	00831 00100	PB	100 gm	925
Assay : Min. 99% $(CH_3COO)_2Co \cdot 4H_2O$ M.W. 249.08	00831 00500	PB	500 gm	3635
Cobalt (II) Chloride (Hexahydrate) (Cas No. 7791-13-1) (Cobaltous Chloride)	00832 00100	PB	100 gm	615
Assay : Min. 97-102% $CoCl_2 \cdot 6H_2O$ M.W. 237.93	00832 00500	PB	500 gm	2630
(Cobaltous Chloride)	00832 05000	PC	5 kg	22280
Cobalt (II) Chloride AR (Hexahydrate) (Cobaltous Chloride) (Cas No.7791-13-1)	00833 00100	PB	100 gm	820
Assay : Min. 99% $CoCl_2 \cdot 6H_2O$ M.W. 237.93	00833 00500	PB	500 gm	3290
Cobalt (II) Nitrate (Hexahydrate)	00834 00100	PB	100 gm	470
(Cas No. 10026-22-9) (Cobaltous Nitrate)	00834 00500	PB	500 gm	2040
Assay : Min. 97-101% $Co(NO_3)_2 \cdot 6H_2O$ M.W. 291.03	00834 05000	PC	5kg	17815
Cobalt (II) Nitrate AR (Hexahydrate) (Cas No. 10026-22-9) (Cobaltous Nitrate)	00835 00100	PB	100gm	690
Assay : Min. 99% $Co(NO_3)_2 \cdot 6H_2O$ M.W. 291.03	00835 00500	PB	500gm	2750
Cobalt (II) Oxide (Black) Powder (Cas No. 1308-06-1) (Cobaltous Oxide)	00836 00100	PB	100gm	1430
Assay : Min. 70% Co_3O_4 M.W. 240.80	00836 00500	PB	500gm	6305
Cobalt (II) Oxide (Black) Powder AR (Cas No. 1308-06-1) (Cobaltous Oxide)	00837 00100	PB	100gm	2645
Assay : Min. 70% Co_3O_4 M.W. 240.80	00837 00500	PB	500gm	9950
Cobalt (II) Sulphate (Heptahydrate)	00838 00100	PB	100 gm	605
(Cas No. 10026-24-1) (Cobaltous Sulphate)	00838 00500	PB	500 gm	2690
Assay : Min. 97-102% $CoSO_4 \cdot 7H_2O$ M.W. 281.10	00838 05000	PC	5kg	21005
Cobalt (II) Sulphate AR (Heptahydrate) (Cobaltous Sulphate)	00839 00100	PB	100gm	840
Assay : Min. 99% $CoSO_4 \cdot 7H_2O$ M.W. 281.10 (Cas No. 10026-24-1)	00839 00500	PB	500gm	3990

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Coconut Oil (Fatty acid) (Cas No. 8001-31-8) Liquid, d. 0.903	00839A 00500	PB	500 ml	575
Codliver Oil	00839B 00250	GB	250 ml	2935
Liquid, d. 0.916-0.928	00839B 00500	GB	500 ml	5590
Colchicine (Cas No. 64-86-8)	00840 00001	GB	1 gm	990
Assay : Min. 98.5% $C_{22}H_{25}NO_6$ M.W. 399.44	00840 00010	GB	10 gm	8990
Collodion 4% (Cas No. 9004-70-0) (Nitro Cellulose) Liquid, d. 0.775	00841 00500	GB	500ml	480
Collodion Flexible	00842 00500	GB	500ml	1440
Colophony (Resin) (Cas No. 8050-09-7) (Gum Rosin)	00843 00500	GB	500gm	1365
Congo Red Indicator (C.I. No. 22120)	00844 00025	GB	25 gm	120
(Cas No. 573-58-0) (For Microscopy)	00844 00100	PB	100 gm	370
Dye Content : Min. 35% $C_{32}H_{22}N_6Na_2O_6S_2$ M.W. 696.66	00844 00500	PB	500 gm	1465
Congo Red Indicator Solution Liquid,d.0.995	00845 00125	PB	125 ml	90
	00845 00500	PB	500 ml	270
Congo Red indicator Papers	00846 100 lvs		100 lvs	120
Coomasie Brilliant Blue G 250 See Brilliant Blue G 250 Page No. 28				
Coomasie Brilliant Blue R 250 See Brilliant Blue R Page No. 28				
Copper AAS Standard Solution	00847 00100	GB	100 ml	620
1000 mg/L in Nitric Acid, Liquid, d.1.014	00847 00500	GB	500 ml	2380
Copper ICP Standard Solution 1000mg/ L In Nitric Acid, Liquid, d. 1.014	00847A 00125	GB	125 ml	4735
Copper ICP Standard Solution 10000mg/ L In Nitric Acid, Liquid, d. 1.014	00847B 00125	GB	125 ml	6530
Copper (Metal) Turning / Filling	00848 00100	PB	100 gm	395
(Small Pieces)	00848 00250	PB	250 gm	785
(Cas No. 7440-50-8)	00848 00500	PC	500 gm	1330
Assay : Min. 99.5% Cu A.W. 63.55	00848 05000	PB	5 kg	10590
Copper (Metal) Foil (Approx. 0.1 mm) (Cas No. 7440-50-8)	00849 00100	PB	100 gm	880
Assay : Min.99% Cu A.W. 63.55	00849 00500	PB	500 gm	2990
Copper (Metal) Foil AR (Approx. 0.1 mm) (Cas No. 7440-50-8)	00850 00100	PB	100 gm	1690
Assay : Min.99% Cu A.W. 63.55	00850 00500	PB	500 gm	5765
Copper (Metal) Powder (325 Mesh) EL Grade	00851 00100	PB	100 gm	490
(Cas No. 7440-50-8)	00851 00500	PC	500 gm	1840
Assay : Min. 99.5% Cu A.W. 63.55	00851 05000	PB	5 kg	14730
Copper (Metal) Powder AR (Cas No. 7440-50-8)	00852 00100	PB	100 gm	980
Assay : Min. 99.7% Cu A.W. 63.55	00852 00500	PB	500 gm	3230
Copper (II) Acetate (Monohydrate) (Cas No. 6046-93-1) (Cupric Acetate)	00853 00500	PC	500 gm	915
Assay : Min. 99% $(CH_3.COO)_2Cu.H_2O$ M.W. 199.65	00853 05000	PB	5 kg	7555
Copper (II) Acetate AR (Monohydrate) (Cas No. 6046-93-1) (Cupric Acetate)	00854 00250	PB	250 gm	755
Assay : Min. 99% $(CH_3.COO)_2Cu.H_2O$ M.W. 199.65	00854 05000	PB	5 kg	1405
Copper (I) Bromide (Cuprous Bromide) (Cas No. 7787-70-4)	00855 00500	PB	500 gm	2890
Assay : Min. 97% CuBr M.W. 143.45				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Copper (II) Bromide (Cupric Bromide) (Cas No. 7789-45-9) Assay : Min. 98% CuBr_2 M.W. 223.35	00856 00500	PB	500 gm	2300
Copper (II) Carbonate (basic) (Cas No. 12069-69-1) Copper (II) Hydroxide Carbonate) (Cupric Carbonate) Assay : Min. 95% $\text{CuCO}_3 \cdot \text{Cu}(\text{OH})_2$ M.W. 221.12	00857 00500 00857 05000	PB PC	500 gm 5 kg	1080 8670
Copper (II) Chloride (Dihydrate) (Cas No. 10125-13-0) (Cuprice Chloride) Assay : Min. 99% $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$ M.W. 170.48	00858 00500 00858 05000	PC PB	500 gm 5 kg	745 6035
Copper (II) Chloride (Dihydrate) AR (Cas No. 10125-13-0) (Cuprice Chloride) Assay : Min. 99% $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$ M.W. 170.48	00859 00500 00859 05000	PB PC	500 gm 5 kg	1265 10150
Copper (III) Chloride Solution	00860 00500	PB	500 gm	290
Copper (I) Chloride (Anhydrous) (Cas No. 7758-89-6) (Cuprous Chloride) Assay : Min. 97% CuCl M.W. 99.00	00861 00500	PB	500 gm	870
Copper (I) Chloride (Anhydrous) AR (Cas No. 7758-89-6) (Cuprous Chloride) Assay : Min. 98% CuCl M.W. 99.00	00862 00500	GB	250 gm	2840
Copper (I) Cyanide (Cas No. 544-92-3) (Cuprous Cyanide) Assay : Min. 69-72% CuCN M.W. 89.56	00863 00500	PB	500 gm	1665
Copper (I) Iodide AR (Cas No. 7681-65-4) (Cuprous Iodide) Assay : Min. 99% CuI M.W. 190.95	00864 00100 00864 00500	PB PB	100 gm 500 gm	1915 7870
Copper (II) Nitrate (trihydrate) (Cas No. 10031-43-3) (Cupric Nitrate) Assay : Min. 95-103% $\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$ M.W.241.60	00865 00500 00865 05000	PB PC	500 gm 5 kg	645 5405
Copper (II) Nitrate AR (trihydrate) (Cas No. 10031-43-3) (Cupric Nitrate) Assay : Min. 99.5% $\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$ M.W.241.60	00866 00500 00866 05000	PB PC	500 gm 5 kg	845 6585
Copper (II) Oxide Black Extra Pure (Powder) (Cupric Oxide Black) Assay : Min. 98% CuO M.W. 79.55 (Cas No. 1317-38-0)	00867 00500 00867 05000	PB PC	500 gm 5 kg	1305 11430
Copper (II) Oxide Black AR (Cas No. 1317-38-0) (Cupric Oxide Black) Assay : Min. 98% CuO M.W. 79.55	00868 00100 00868 00500	PB PB	100 gm 500 gm	675 3080
Copper (II) Oxide Wire AR (Cas No. 1317-38-0) (For elementary Analysis) Assay : Min. 98% CuO M.W. 79.55	00869 00100	PB	100 gm	7205
Copper (I) Oxide Red (Cas No. 1317-39-1) (Cuprous Oxide Red) Assay : Min. 95% Cu_2O M.W. 143.09	00870 00500	PB	500 gm	1535
Copper (I) Potassium Cyanide (Cas No. 13682-73-0) (Cuprous Potassium Cyanide)	00871 00500	PB	500gm	2650
Copper (II) Sulphate Extra Pure (Cas No. 7758-99-8) (Pentahydrate Sugar Crystals) (Cupric Sulphate) Assay : Min. 98.5-101% $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 249.69	00872 00500 00872 05000	PB PC	500 gm 5 kg	495 4255
Copper (II) Sulphate AR (Pentahydrate) (Cas No. 7758-99-8) (Cupric Sulphate) Assay : Min. 99% $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 249.69	00873 00500 00873 05000	PB PC	500 gm 5 kg	590 5100
Copper (II) Sulphate 0.1M (0.1N) Standardized Solution,	00874 00500	PB	500 ml	370
Copper (II) Sulphate (Anhydrous) (Cupric Sulphate Anhydrous) Assay : Min. 98% $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 159.61 (Cas No. 7758-98-7)	00875 00500	PB	500 gm	675

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Copper (II) Sulphate AR (Anhydrous) (Cupric Sulphate Anhydrous) Assay : Min. 98% $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ M.W. 159.61 (Cas No. 7758-98-7)	00876 00500	PB	500 gm	820
Coriander Oil Extra Pure (Cas No. 8008-52-4) Liquid, d. 0.868	00876A 00100 00876A 00250	GB GB	100 ml 250 ml	2430 5350
Corralin Soda Reagent Soluitor	00876B 00500	GB	500 ml	575
Cotton Blue See Aniline Blue Page No. 16				
Cotton Seed Oil (Cas No. 8001-29-4) Liquid, d. 0.92	00876C 00500	GB	500 ml	895
Coumarin (For Synthesis) (Cas No. 91-64-5) (2H-1- Benzopyran-2-One) Assay : Min. 99% $\text{C}_9\text{H}_6\text{O}_2$ M.W. 146.15	00877 00250	PB	250 gm	1090
Cream of Tartar See Potassium Bitartrate Page No. 127				
Creatine (Cas No. 6020-87-7) (Monohydrate) Assay : Min. 98% $\text{C}_4\text{H}_9\text{N}_3\text{O}_2 \cdot \text{H}_2\text{O}$ M.W. 149.15	00878 00025 00878 00100 00878 00500	PB PB PB	25 gm 100 gm 500 gm	255 805 2660
Creatinine Extra Pure (Cas No. 60-27-5) Assay : Min. 99% $\text{C}_4\text{H}_7\text{N}_3\text{O}$ M.W. 113.12	00879 00025 00879 00100 00879 00500	PB PB PB	25 gm 100 gm 500 gm	520 1430 5930
Creatinine AR (Cas No. 60-27-5) Assay : Min. 99.8% $\text{C}_4\text{H}_7\text{N}_3\text{O}$ M.W. 113.12	00880 00025 00880 00100 00880 00500	PB PB PB	25 gm 100 gm 500 gm	580 1860 7235
Creatinine Hydrochloride (Cas No. 19230-81-0) Assay : Min. 98% $\text{C}_4\text{H}_7\text{N}_3\text{O} \cdot \text{HCl}$ M.W. 149.58	00881 00025 00881 00100	GB GB	25 gm 100 gm	585 1995
Creatinine Zinc Chloride (Cas No. 62708-52-5) Assay : Min. 98% $(\text{C}_4\text{H}_7\text{N}_3\text{O})_2 \cdot \text{ZnCl}_2$ M.W. 362.53	00882 00010 00882 00025	GB GB	10 gm 25 gm	940 2190
m-Cresol (For Synthesis) (Cas No. 108-39-4) (3-Methylphenol) Assay : Min. 98% $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.034	00883 00500	GB	500 ml	1145
m-Cresol AR (Cas No. 108-39-4) (3-Methylphenol) Assay : Min. 99% $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.034	00884 00500	GB	500 ml	1325
O-Cresol (For Synthesis) (Cas No. 95-48-7) (3-Methylphenol) Assay : Min. 98% $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.04	00885 00500	GB	500 ml	645
p-Cresol (For Synthesis) (Cas No. 106-44-5) (d. 1.03) Assay : Min. 98% $\text{CH}_3\text{C}_6\text{H}_4\text{OH}$ M.W. 108.14, Liquid, d. 1.03	00886 00500	GB	500 gm	855
o-Cresolphthalein (pH Indicator) (Cas No. 596-27-0) $\text{C}_{22}\text{H}_{18}\text{O}_4$ M.W. 346.39	00887 00005 00887 00025	GB GB	5 gm 25 gm	165 380
o-Cresolphthalein Complexone (Cas No. 2411-89-4) $\text{C}_{32}\text{H}_{32}\text{N}_2\text{O}_{12}$ M.W. 636.60	00888 00001 00888 00005	GB GB	1 gm 5 gm	800 2600
m-Cresol Purple Indicator (Cas No. 2303-01-7) Dye Content : Min. 90% $\text{C}_{21}\text{H}_{18}\text{O}_5\text{S}$ M.W. 382.44	00889 00001 00889 00005	GB GB	1 gm 5 gm	250 1025
m-Cresol Red Indicator AR (Cas No. 1733-12-6) Dye Content : Min. 95% $\text{C}_{21}\text{H}_{18}\text{O}_5\text{S}$ M.W. 382.43	00890 00005 00890 00025 00890 00100	GB GB GB	5 gm 25 gm 100 gm	145 495 1675

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Cresol Red Indicator Solution	00891 00125	PB	125 ml	100
Liquid, d.0.980	00891 00500	PB	500 ml	300
Cresol Soap Solution See Lysol Page No. 91				
Cresyl Violet Acetate Certified (Cas No. 10510-54-0)	00892 00005	GB	5 gm	6900
Dye Content : 70% $C_{18}H_{15}N_3O_3$ M.W. 321.33				
Cresyl Blue See Brilliant Cresyl Blue Page No. 28				
Cresylic Acid (Cresol Mixed Isomers) (Cas No. 1319-77-3) Liquid, d.1.04	00893 00500	PB	500 ml	680
Crospovidone (Cas No. 9003-39-8)	00894 00100	PB	100 gm	975
(Kollidon)	00894 00500	PB	500 gm	3775
Crotonaldehyde (For Synthesis) (Cas No. 123-73-9)	00895 00500	GB	500 ml	905
Assay : Min. 99% C_4H_6O M.W. 70.09, Liquid, d. 0.846				
Crotonic Acid (For Synthesis) (Cas No. 107-93-7)	00896 00100	PB	100 gm	380
Assay : Min. 99% $C_4H_6O_2$ M.W. 86.09				
18-Crown-6-Ether (For Synthesis) (1,4,7,10,13,16-Hexaoxacyclooctadecane)	00897 00005	GB	5 gm	440
(Phase Transfer Catalyst Complexing Agent) (Cas No. 17455-13-9)	00897 00025	PB	25 gm	1980
Assay : Min. 99% $C_{12}H_{24}O_6$ M.W. 264.32	00897 00100	PB	100 gm	6360
Cryolite (Cas No. 15096-52-3) (Sodium Hexafluoroaluminate)	00898 00500	PB	500 gm	305
Assay : Min. 98.5% Na_3AlF_6 M.W. 209.94				
Crystal Violet (Cas No. 548-62-9) (Gentian Violet)	00899 00025	PB	25 gm	190
(Basic Violet-3) (M.S.) (C.I. No. 42555)	00899 00100	PB	100 gm	580
Dye Content : Min. 85% $C_{25}H_{30}N_3Cl$ M.W. 407.98	00899 00500	PB	500 gm	2200
Crystal Violet AR (Cas No. 548-62-9) (Gentian Violet)	00900 00025	PB	25 gm	355
(Basic Violet-3) (M.S.) (C.I. No. 42555)	00900 00100	PB	100 gm	1155
Dye Content : Min. 85% $C_{25}H_{30}N_3Cl$ M.W. 407.98	00900 00500	PB	500 gm	4395
Crystal Violet Solution (Gram's Staining Solution	00901 00125	PB	125 ml	90
(Crystal Violet Ammonium Oxalate Solution) Liquid .d. 1.00	00901 00500	PB	500 ml	270
Cumin Seed Oil Extra Pure (Cas No. 8014-13-9)	00901A 00100	GB	100 ml	2595
Liquid, d. 0.925	00901A 00500	GB	500 ml	9755
Cupferron AR (N-Nitroso-N-Phenyl Hydroxylamine Ammonium Salt)	00902 00025	PB	25 gm	590
Assay : Min. 98% $C_6H_9N_3O_2$ M.W. 155.16 (Cas No. 135-20-6)	00902 00100	PB	100 gm	2190
Cupferron Reagent Soluitor	00902A 00500	PB	500 ml	1015
Cuoxam Reagent Solution	00902B 00500	PB	500 ml	655
Cupron AR See a-Benzoin Oxime Page No. 23				
Curcumine Crystalline (C.I. No. 75300) (Cas No. 458-37-7)	00903 00005	GB	5 gm	680
Assay : Min. 94% $C_{21}H_{20}O_6$ M.W. 368.39	00903 00010	GB	10 gm	1160
Cyanoacetamide (For Synthesis) (Cas No. 107-91-5) (Malonamide Nitrile)	00904 00100	PB	100 gm	555
Assay : Min. 98% $C_3H_4N_2O$ M.W. 84.08	00904 00500	PB	500 gm	1780
Cyanoacetic Acid (For Synthesis) (Cas No. 372-09-8)	00905 00250	PB	250 gm	845
Assay : Min. 98% $C_3H_3NO_2$ M.W. 85.06	00905 01000	PB	1 kg	2765

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Cyanocobalamin See Vitamin B12 Page No. 172				
Cyanogen Bromide (For Synthesis) (Cas No. 506-68-3) Assay : Min. 97% BrCN M.W. 105.93	00906 00100	GB	100 gm	1465
Cyclohexane (For Synthesis) (Cas No. 110-82-7) Assay : Min. 99% C ₆ H ₁₂ M.W. 84.16, Liquid, d. 0.780	00907 00500 00907 02500	GB GB	500 ml 2.5 Lt	340 1340
Cyclohexane AR (Cas No. 110-82-7) Assay : Min. 99.5% C ₆ H ₁₂ M.W. 84.16, Liquid, d. 0.780	00908 00500 00908 02500	GB GB	500 ml 2.5 Lt	390 1645
Cyclohexane HPLC & Spectroscopy (Cas No. 110-82-7) Assay : Min. 99.8% C ₆ H ₁₂ M.W. 84.16, Liquid, d. 0.780	00909 01000	GB	1 Lt	1090
Cyclohexanol (For Synthesis) (Cas No. 108-93-0) (d. 0.94) Assay : Min. 99% C ₆ H ₁₁ OH M.W. 100.16, Liquid, d. 0.948	00910 00500 00910 02500	GB GB	500 ml 2.5 Lt	545 2560
Cyclohexanol AR (Cas No. 108-93-0) Assay : Min. 99.5% C ₆ H ₁₁ OH M.W. 100.16, Liquid, d. 0.948	00911 00500 00911 02500	GB GB	500 ml 2.5 Lt	640 2700
Cyclohexanone (For Synthesis) (Cas No. 108-94-1) Assay : Min. 99% C ₆ H ₁₀ O M.W. 98.15, Liquid, d. 0.947	00912 00500 00912 02500 00912 05000	GB GB PC	500 ml 2.5 Lt 5 Lt	470 2070 3705
Cyclohexanone AR (Cas No. 108-94-1) Assay : Min. 99.5% C ₆ H ₁₀ O M.W. 98.15, Liquid, d. 0.947	00913 00500 00913 02500	GB GB	500 ml 2.5 Lt	555 2225
Cyclohexene (Cas No. 110-82-7) Assay : Min. 99% C ₆ H ₁₀ M.W. 82.14, Liquid, d. 0.811	00913 00500 00913 02500	GB GB	500 ml 2.5 Lt	975 4200
Cycloheximide AR See Actidione Page No. 4				
Cyclohexylamine (For Synthesis) (Cas No. 108-91-8) (Aminocyclohexane) Assay : Min. 99.8% C ₆ H ₁₁ NH ₂ M.W. 99.17, Liquid, d. 0.867	00915 00500 00915 02500	GB GB	500 ml 2.5 Lt	420 1880
Cyclohexyl Bromide (For Synthesis) (Cas No. 108-85-0) (Bromocyclohexane) Assay : Min. 98% C ₆ H ₁₁ Br M.W. 163.06, Liquid, d. 1.324	00916 00500	GB	500 ml	2480
Cyclopentane (For Synthesis) (Cas No. 287-92-3) Assay : Min. 98% C ₅ H ₁₀ M.W. 70.13, Liquid, d. 0.751	00917 00250	GB	250 ml	2975
Cyclopentanol (For Synthesis) (Cas No. 96-41-3) (Hydroxycyclopentane) Assay : Min. 99% C ₅ H ₉ OH M.W. 86.13, Liquid, d. 0.949	00918 00500	GB	500 ml	2675
Cyclopentanone (For Synthesis) (Cas No. 120-92-3) Assay : Min. 99% C ₅ H ₈ O M.W. 84.12, Liquid, d. 0.951	00919 00500	GB	500 ml	1675
Cyclopentyl Methyl Ether AR (Cas No. 5614-37-9) Assay : Min. 99.9% C ₆ H ₁₂ O M.W. 100.16, Liquid, d. 0.86	00920 00500 00920 01000	GB GB	500 ml 1 Lt	3320 5950
Cyclopropylamine (For Synthesis) (Cas No. 765-30-0) Assay : Min. 98% C ₃ H ₅ NH ₂ M.W. 57.09, Liquid, d. 0.824	00921 00100 00921 00500	GB GB	100 ml 500 ml	2656 9295
Cysteamine Hydrochloride (For Synthesis) (Cas No. 156-57-0) (Aminoethanethiol Hydrochloride) Assay : Min. 98% C ₂ H ₇ NS.HCl M.W. 113.61	00922 00100 00922 00500	PB PB	100 gm 500 gm	4205 12335

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
L-Cysteine (For Biochemistry)	00923 00005	GB	5 gm	140
(Cas No. 52-90-4)	00923 00025	PB	25 gm	420
Assay : Min. 99% $C_3H_7NO_2S$ M.W. 121.16	00923 00100	PB	100 gm	1475
L-Cysteine Hydrochloride (Monohydrate)	00924 00025	PB	25 gm	250
(Cas No. 7048-04-6)	00924 00100	PB	100 gm	865
Assay : Min. 98% $C_3H_7NO_2S.HCl.H_2O$ M.W. 175.63	00924 00500	PB	500 gm	2995
L-Cystine (For Biochemistry)	00925 00025	PB	25 gm	270
(Cas No. 56-89-3)	00925 00100	PB	100 gm	825
Assay : Min. 99% $C_6H_{12}N_2O_4S_2$ M.W. 240.30	00925 00500	PB	500 gm	3890
Cytidine (for biochemistry) (Cas No. 65-46-3) (d-Cytidine)	00926 00005	GB	5 gm	470
Assay : Min. 99% $C_9H_{13}N_3O_5$ M.W. 243.22	00926 00025	GB	25 gm	1430
Cytosine (For Biochemistry) (4-Amino-2-Hydroxy Pyrimidene)	00927 00005	GB	5 gm	640
Assay : Min. 98% $C_4H_5N_3O$ M.W. 111.10 (Cas No. 71-30-7)	00927 00025	GB	25 gm	2720

D

Darco G 60	00928 00500	PB	500 gm	1205
Deae Cellulose 11 (Cas No. 9013-34-7)	00929 00005	GB	5 gm	4605
(For Column Chromatography)	00929 00010	GB	10 gm	8645
Deae Cellulose 52 (For Molecular Biology)	00930 00005	GB	5 gm	4355
(Cas No. 9013-34-7)	00930 00025	GB	25 gm	17005
(for column chromatography) (diethylamino ethyl cellulose) (fine mesh)	00930 00100	PB	100 gm	59205
Decalin (for Synthesis) (Decahydronaphthalene) (Cas No. 91-17-8)	00931 00500	GB	500 ml	2305
Assay : Min. 98% $C_{10}H_{18}$ M.W. 138.55, Liquid, d. 0.88				
n-Decane (For Synthesis) (Cas No. 124-18-5)	00932 00100	GB	100 ml	2220
Assay : Min 99% $C_{10}H_{22}$ M.W. 142.28, Liquid, d. 0.73	00932 00250	GB	250 ml	4780
1, 10-Decanediol (Cas No. 112-47-0)	00933 00100	PB	100 gm	4135
Assay : Min 97.5% $C_{10}H_{22}O_2$ M.W. 174.28				
1-Decanesulphonic Acid Sodium Salt AR & HPLC (Anhydrous)	00934 00005	GB	5 gm	295
(Cas No. 13419-61-9)(Sodium 1-Decanesulphonate Anhydrous)	00934 00025	PB	25 gm	1330
Assay : Min 99% $C_{10}H_{21}NaO_3S$ M.W. 244.33	00934 00100	PB	100 gm	4475
1-Decanesulphonic Acid Sodium Salt AR & HPLC (Anhydrous) (Monohydrate)	00935 00005	GB	5 gm	445
(Sodium 1-Decanesulphonate Monohydrate) (Cas No. 13419-61-9)	00935 00025	PB	25 gm	1945
Assay : Min. 99% $C_{10}H_{21}NaO_3S.H_2O$ M.W. 262.33	00935 00100	PB	100 gm	6295
Hexa-Decanoic Acid See Palmitic Acid Page No. 117				
n-Decanoic Acid See N-Capric Acid Page No. 38				
tetra-Decanoic Acid See Myristic Acid Page No. 108				
1-Decanol (For Synthesis) (Cas No. 112-30-1) (Decyl Alcohol)	00936 00500	GB	500 ml	1070
Assay : Min 99% $C_{10}H_{22}O$ M.W. 158.29, Liquid, d. 0.829	00936 02500	GB	2.5 Lt	4610

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Dehydro-EPI-Androsterone (For Biochemistry) (Cas No. 53-43-0)	00937 00005	GB	5 gm	3285
Assay : Min 97% $C_{19}H_{28}O_2$ M.W. 288.43	00937 00010	GB	10 gm	5625
Devarda's Alloy (Powder) (Cas No. 8049-11-4)	00938 00500	PB	500 gm	2385
Devarda's Alloy (Powder) AR (Cas No. 8049-11-4)	00939 00500	PB	500 gm	4345
Dextrine White (Cas No. 9004-53-9)	00940 00500	PB	500 gm	215
$(C_5H_{10}O_5)_n \cdot xH_2O$	00940 05000	PC	5 kg	1715
Dextrine Yellow (Cas No. 9004-53-9)	00941 00500	PB	500 gm	200
$(C_5H_{10}O_5)_n \cdot xH_2O$	00941 05000	PC	5 kg	1605
Dextrose (anhydrous) Extra Pure (Purified) (Cas No. 50-99-7)	00942 00500	PB	500 gm	220
(glucose Anhydrous) (D-(+) Glucose Anhydrous)	00942 05000	PC	5 kg	1550
Assay : Min. 99% $C_6H_{12}O_6$ M.W. 180.16				
Dextrose (anhydrous) AR (Cas No. 50-99-7) (Glucose Anhydrous)	00943 00500	GB	500 gm	240
(D-(+) Glucose Anhydrous)	00943 05000	GB	5 kg	1875
Assay : Min. 99.5% $C_6H_{12}O_6$ M.W. 180.16				
Diacetone Alcohol (For Synthesis) (Cas No. 123-42-2)	00944 00500	GB	500 ml	380
(4-Hydroxy-4-Methyl Pentan-2-One)	00944 02500	GB	2.5 Lt	1545
Assay : Min. 99% $C_6H_{12}O_2$ M.W. 116.16, Liquid, d. 0.931				
Diacetyl (For Synthesis) (Cas No. 431-03-8) (2,3-Butanedione)	00945 00100	GB	100 ml	1855
Assay : Min. 99% $C_4H_6O_2$ M.W. 86.09				
Diacetyl Monoxime AR	00946 00025	PB	25 gm	280
(Cas No. 57-71-6) (2,3-Butanedione Oxime)	00946 00100	PB	100 gm	900
Assay : Min. 99% $C_4H_7NO_2$ M.W. 101.11	00946 00500	PB	500 gm	4145
3,5-Diamino Benzoic Acid (Cas No. 535-87-5)	00947 00100	PB	100 gm	840
Assay : Min. 99% $C_7H_8N_2O_2$ M.W. 152.15	00947 00500	PB	500 gm	3790
1, 2-Diaminoethane See Ethylenediamine Page No. 68				
O-Dianisidine (Cas No. 119-90-4)	00948 00025	GB	25 gm	410
Assay : Min. 99% $C_{14}H_{16}N_2O_2$ M.W. 244.30	00948 00100	GB	100 gm	1285
Diastase (a-Amylase) (Fungal Diastase) (Cas No. 9000-92-4)	00949 00100	PB	100 gm	540
(Amylase Activity 1300 1 U/g)	00949 00500	PB	500 gm	2155
Diastase Solution (A-Amylase Solution) Liquid .d .1.013	00950 00500	PB	500 ml	495
1, 4-Diazabicyclo (2.2.2) Octane (For Synthesis)	00951 00100	PB	100 gm	1645
(Cas No. 280-57-9) (DABCO, TED, Triethylenediamine)	00951 00500	PB	500 gm	4735
Assay : Min. 98% $C_6H_{12}N_2$ M.W. 112.17 Store at 2-8°C				
Diazo Reagent A Indicator Solution , (Vanden Bergh's Reagent A)	00952 00125	GB	125 ml	170
(For Billirubin Determination) Liquid .d .0.800-0.850	00952 00500	GB	500 ml	510
Diazo Reagent B Indicator Solution (Vanden Bergh's Reagent B)	00953 00125	GB	125 ml	170
(For Billirubin Determination) Liquid .d .0.800-0.850	00953 00500	GB	500 ml	510
5-Diazo Uracil (For Biochemistry)	00954 00001	GB	1 gm	3340
1, 2-Dibromoethane (For Synthesis) (Cas No. 106-93-4) (Ethylene Dibromide)	00955 00500	GB	500 ml	2355
Assay : Min. 99% $C_2H_4Br_2$ M.W. 187.89, Liquid, d. 2.18				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2, 6-Dibromoquinone-4-Chlorimide AR (Cas No. 537-45-1) Assay : Min. 98% $C_6H_2Br_2ClNO$ M.W. 299.35	00956 00005	GB	5 gm	3375
2, 6-DI-Tert-Butyl-P-Cresol See Butylated Hydroxy Toluene Page No. 32				
Di-N-Butylamine (For Synthesis) (Cas No. 111-92-2) Assay : Min. 99% $C_8H_{19}N$ M.W. 129.25, Liquid, d. 0.767	00957 00500 00957 02500	GB GB	500 ml 2.5 Lt	805 3640
Dibutyl Ether (For Synthesis) (Cas No. 142-96-1) Assay : Min. 98% $C_8H_{18}O$ M.W. 130.23, Liquid, d. 0.764	00958 00500 00958 02500	GB GB	500 ml 2.5 Lt	1230 5420
Dibutyl Ether AR (Cas No. 142-96-1) Assay : Min. 99% $C_8H_{18}O$ M.W. 130.23, Liquid, d. 0.764	00959 00500 00959 02500	GB GB	500 ml 2.5 Lt	1430 6160
Dibutyl Maleate (For Synthesis) (Cas No. 105-76-0) Assay : Min. 98% $C_{12}H_{20}O_4$ M.W. 228.28, Liquid, d. 0.988	00960 00500 00960 02500	GB GB	500 ml 2.5 Lt	535 2265
Dibutyl Phthalate (For Synthesis) (Cas No. 84-74-2) (Di-n-Butyl Phthalate) (Phthalic Acid Dibutyl Ester) Assay : Min. 99% $C_{16}H_{22}O_4$ M.W. 278.35, Liquid, d.1.043	00961 00500 00961 02500	GB GB	500 ml 2.5 Lt	390 1745
Dichloro Acetic Acid See Chloroacetic Acid di Page No. 42				
m-Dichloro Benzene (M.D.C.B.) (Cas No. 541-73-1) (1,3-Dichlorobenzene) Assay : Min. 98% $C_6H_4Cl_2$ M.W. 147.00, Liquid, d. 1.288	00962 00500	GB	500 ml	1335
o-Dichloro Benzene (O.D.C.B.) (Cas No. 95-50-1) (1, 2-Dichlorobenzene) Assay : Min. 98% $C_6H_4Cl_2$ M.W. 147.00, Liquid, d. 1.306	00963 00500	GB	500 ml	385
p-Dichloro Benzene (P.D.C.B.) (For Synthesis) (Cas No. 106-46-7) (1, 4-Dichlorobenzene) Assay : Min. 98% $C_6H_4Cl_2$ M.W. 147.00	00964 00500 00964 05000	GB PC	500 gm 5 Kg	285 2390
2, 4-Dichloro Benzoic Acid (For Synthesis) (Cas No. 50-84-0) Assay : Min. 98% $C_7H_4Cl_2O_2$ M.W. 191.01	00965 00250	PB	250 gm	710
2, 3-Dichloro-5, 6-Dicyano-P-Benzoquinone (For Synthesis) (Cas No. 84-58-2) (DDQ) Assay : Min. 98% $C_8Cl_2N_2O_2$ M.W. 227.00 Store at 2-8°C	00966 00025 00966 00100 00966 00500	GB PB PB	25 gm 100 gm 500 gm	1335 3960 13860
1, 2-Dichloroethane See Ethylene Dichloride Page No. 69				
2,7-Dichloro Fluoresceine AR (Cas No. 76-54-0) Assay : Min. 90% $C_{20}H_{10}Cl_2O_5$ M.W. 401.20	00967 00010	GB	10 gm	1245
Dichloro Methane (For Synthesis) (Cas No. 75-09-2) (Methylene Chloride) Assay : Min. 98% CH_2Cl_2 M.W. 84.93, Liquid, d. 1.325	00968 00500 00968 02500 00968 05000	GB GB PC	500 ml 2.5 Lt 5 Lt	265 1090 1965
Dichloro Methane AR (Cas No. 75-09-2) (Methylene Chloride) Assay : Min. 99.56% CH_2Cl_2 M.W. 84.93, Liquid, d. 1.325	00969 00500 00969 02500	GB GB	500 ml 2.5 Lt	295 1205
Dichloro Methane HPLC & Spectroscopy (Cas No. 75-09-2) Assay : Min. 99.8% CH_2Cl_2 M.W. 84.93, Liquid, d. 1.325	00970 01000	GB	1 Lt	690
2,4-Dichloro Phenol (For Synthesis) (Cas No. 120-83-2) AAssay : Min. 98% $C_6H_4Cl_2O$ M.W. 163.01	00971 00100 00971 00500	PB PB	100 gm 500 gm	365 1395

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2, 6-Dichloro Phenol (For Synthesis) (Cas No. 87-65-0)	00972 00100	GB	100 gm	935
Assay : Min. 98% $C_6H_4Cl_2O$ M.W. 163.01	00972 00500	GB	500 gm	3400
2,6-Dichlorophenol Indophenol	00973 00125	PB	125 ml	315
Reagent Solution, Liquid .d. 1.025	00973 00500	PB	500 ml	980
2, 6-Dichlorophenol Phenol Indophenol Sodium Salt AR	00974 00001	GB	1 gm	375
(Cas No. 620-45-1) (2, 6-DCPIP Na Salt) (Redox Indicator For Biologicalwork)	00974 00005	GB	5 gm	920
(For the Determination of Ascorbic Acid)	00974 00025	PB	25 gm	3695
Assay : Min. 90% $C_{12}H_6Cl_2NNaO_2 \cdot xH_2O$ M.W. 290.08 (anhy. basis)	00974 00100	PB	100 gm	12865
2, 6-Dichloroquinone-4-Chlorimide AR (Cas No. 101-38-2) (Gibb's Reagent)	00976 00005	GB	5 gm	1695
Assay : Min. 99% $C_6H_2Cl_3NO$ M.W. 210.45	00976 00010	GB	10 gm	2455
Dicyandiamide Extra Pure (Cas No. 461-58-5)	00977 00500	PB	500 gm	475
Assay : Min. 99% $C_2H_4N_4$ M.W. 84.08				
Dicyclohexylamine (For Synthesis) (Cas No. 101-83-7)	00978 00500	GB	500 ml	675
Assay : Min. 99% $C_{12}H_{23}N$ M.W. 181.32, Liquid. d. 0.912				
N, N-Dicyclohexylcarbodiimide (For Synthesis) (Cas No. 538-75-0)	00979 00100	PB	100 gm	675
Assay : Min. 99% $C_{13}H_{22}N_2$ M.W. 206.33	00979 00500	PB	500 gm	2885
Diethanolamine (For Synthesis) (Cas No. 111-42-2)	00980 00500	GB	500 ml	380
Assay : Min. 98% $C_4H_{11}NO_2$ M.W. 105.14, Liquid, d. 1.097	00980 02500	GB	2.5 Lt	1725
Diethanolamine AR (Cas No. 111-42-2)	00981 00500	GB	500 ml	435
Assay : Min. 99% $C_4H_{11}NO_2$ M.W. 105.14, Liquid, d. 1.097	00981 02500	GB	2.5 Lt	2035
Diethylamine (For Synthesis)	00982 00500	GB	500 ml	335
(Cas No. 109-89-7)	00982 02500	GB	2.5 Lt	1370
Assay : Min. 99% $(C_2H_5)_2NH$ M.W. 73.14, Liquid. d. 707	00982 05000	PC	5 Lt	2430
Diethylamine AR (Cas No. 109-89-7)	00983 00500	GB	500 ml	380
Assay : Min. 99.5% $(C_2H_5)_2NH$ M.W. 73.14, Liquid. d. 707	00983 02500	GB	2.5 Lt	1620
Diethylamine Hydrochloride (For Synthesis) (Cas No. 660-68-4)	00984 00500	PB	500 gm	530
(Diethylammonium Chloride)				
Assay : Min. 98% $(C_2H_5)_2NH.HCl$ M.W. 109.60				
2-Diethylaminoethanol See N,N-Diethylethanolamine Page No.				
N,N-Diethylaniline (For Synthesis) (Cas No. 91-66-7)	00985 00500	GB	500 ml	655
Assay : Min. 98.5% $C_{10}H_{15}N$ M.W. 149.23, Liquid. d. 0.938				
N,N-Diethylaniline AR (Reagent for Zinc) (Cas No. 91-66-7)	00986 00500	GB	500 ml	1015
Assay : Min. 98.5% $C_{10}H_{15}N$ M.W. 149.23, Liquid. d. 0.938				
Diethyl Carbonate (For Synthesis) (Cas No. 105-58-8)	00987 00500	GB	500 ml	740
Assay : Min. 99% $C_5H_{10}O_3$ M.W. 118.13, Liquid, d. 0.975				
Diethylene Glycol	00988 00500	GB	500 ml	340
(Cas No. 111-46-6) (Digol)	00988 02500	GB	2.5 Lt	1430
Assay : Min. 98.5% $C_4H_{10}O_3$ M.W. 106.12, Liquid, d. 1.118	00988 05000	PC	5 Lt	2570
Diethylene Glycol AR (Cas No. 111-46-6) (Digol)	00989 00500	GB	500 ml	410
Assay : Min. 99% $C_4H_{10}O_3$ M.W. 106.12, Liquid, d. 1.118	00989 02500	GB	2.5 Lt	1645

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Diethylene Glycol Dimethylether (For Synthesis)	00990 00500	GB	500 ml	875
(Cas No. 111-96-6) (Diglyme) (Dimethyldigol)	00990 02500	GB	2.5 Lt	3605
Assay : Min. 99% $C_6H_{14}O_3$ M.W. 113.17, Liquid, d. 0.944				
Diethylene Glycol Mono Butyl Ether (Cas No. 112-34-5)	00991 00500	PB	500 ml	505
(Butyl Carbitol) (Butyl Digol)	00991 02500	PB	2.5 Lt	1980
Assay : Min. 98% $C_8H_{18}O_3$ M.W. 162.23, Liquid, d. 0.953-0967				
Diethylene Glycol Mono Ethyl Ether (Cas No. 111-90-0)	00992 00500	GB	500 ml	470
(Carbitol) (Ethyl Digol) (Ethyl Carbitol)	00992 02500	GB	2.5 Lt	1980
Assay : Min. 98% $C_6H_{14}O_3$ M.W. 134.17, Liquid, d. 0.999				
Diethylene Glycol Mono Methyl Ether (Cas No. 111-77-3)	00993 00500	GB	500 ml	570
(Methyl Digol) (Methyl Carbitol)	00993 02500	GB	2.5 Lt	2285
Assay : Min. 98% $C_5H_{12}O_3$ M.W. 120.15, Liquid, d. 1.022				
Diethylene Triamine (For Synthesis) (Cas No. 111-40-0)	00994 00500	GB	500 ml	725
Assay : Min. 98% $C_4H_{13}N_3$ M.W. 103.17, Liquid, d. 0.952				
Diethylene Triamine Penta Acetic Acid (Cas No. 67-43-6) (DTPA)	00995 00100	PB	100 gm	400
Assay : Min. 99% $C_{14}H_{23}N_3O_{10}$ M.W. 393.35	00995 00500	PB	500 gm	1600
Diethylene Triamine Penta Acetic Acid AR (Cas No. 67-43-6) (DTPA)	00996 00100	PB	100 gm	520
Assay : Min. 99% $C_{14}H_{23}N_3O_{10}$ M.W. 393.35	00996 00500	PB	500 gm	2320
Diethylene Triamine Penta Acetic Acid	00997 00500	PB	500 ml	640
Penta Sodium Salt 40% (aqueous Solution), Liquid, d. 1.303				
N,N-Diethyl Ethanolamine (Cas No. 100-37-8) (2-Diethylaminoethanol)	00998 00500	GB	500 ml	690
Assay : Min. 98% $C_6H_{15}NO$ M.W. 117.19, Liquid, d. 0.884	00998 02500	GB	2.5 Lt	3140
Diethyl Ether (Cas No. 60-29-7) (Ether Solvent)	00999 00500	GB	500 ml	340
Assay : Min. 98% $C_4H_{10}O$ M.W. 74.12, Liquid, d. 0.714				
Diethyl Ether AR (Cas No. 60-29-7) (Ether Solvent)	01000 00500	GB	500 ml	380
Assay : Min. 99% $C_4H_{10}O$ M.W. 74.12, Liquid, d. 0.714				
Diethyl Malonate (For Synthesis) (Cas No. 105-53-3)	01001 00500	GB	500 ml	580
Assay : Min. 98% $C_7H_{12}O_4$ M.W. 160.17, Liquid, d. 1.055				
Diethyl Malonate AR (For Synthesis) (Cas No. 105-53-3)	01002 00500	GB	500 ml	795
Assay : Min. 99% $C_7H_{12}O_4$ M.W. 160.17, Liquid, d. 1.055				
Diethyl Oxalate (For Synthesis) (Cas No. 95-92-1)	01003 00500	PB	500 ml	390
Assay : Min. 99% $C_6H_{10}O_4$ M.W. 146.14, Liquid, d. 1.076				
N,N-Diethyl-P-Phenylene Diamine Sulphate AR (Cas No. 6283-63-2)	01004 00100	PB	100 gm	1750
Assay : Min. 98% $C_{10}H_{16}N_2.H_2SO_4$ M.W. 262.33	01004 00500	PB	500 gm	3540
Diethyl Phthalate (For Synthesis) (Cas No. 84-66-2)	01005 00500	PB	500 ml	390
Assay : Min. 99% $C_{12}H_{14}O_4$ M.W. 222.24, Liquid, d. 1.12				
Diethyl Succinate (For Synthesis) (Cas No. 123-25-1)	01006 00500	GB	500 ml	1740
Assay : Min. 99% $C_8H_{14}O_4$ M.W. 174.19, Liquid, d. 1.047				
Diethyl Sulphate (Sulphuric Acid Diethyl Ester) (Cas No. 64-67-5)	01007 00500	GB	500 ml	380
Assay : Min. 99% $C_4H_{10}O_4S$ M.W. 154.19, Liquid, d. 1.177				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
1,3-Difluorobenzene Extra Pure (Cas No. 372-18-9) (M-Difluorobenzene)	01008 00100	GB	100 ml	2930
Assay : Min. 99% $C_6H_4F_2$ M.W. 114.10, Liquid, d. 1.163	01008 00500	GB	500 ml	7345
Digitonin AR (Cas No. 11024-24-1)	01009 00001	GB	1 gm	15205
Assay : Min. 99% $C_{56}H_{92}O_{29}$ M.W. 1229.31				
Digol See Diethylene Glycol Page No. 57				
2, 4-Dihydroxy Acetophenone (For Synthesis) (Cas No. 89-84-9)	01010 00100	PB	100 gm	1925
(Resaacetophenone) (4-Acetylresourcinol)	01010 00500	PB	500 gm	7690
Assay : Min. 98% $C_8H_8O_3$ M.W. 152.15				
3-(3,4-Dihydroxyphenyl)-DL-Alanine (For Synthesis)	01011 00005	GB	5 gm	2430
(Cas No. 63-84-3) (DI-DOPA) (DI-3-Hydroxytyrosin)	01011 00025	PB	25 mg	6490
Assay : Min. 99% $C_9H_{11}NO_4$ M.W. 197.19	01011 00100	PB	100 gm	22745
3-(3,4-Dihydroxyphenyl)-L-Alanine (For Biochemistry) (Cas No. 59-92-7)	01012 00025	GB	25 gm	3230
Assay : Min. 99% $C_9H_{11}NO_4$ M.W. 197.19 (L-DOPA)	01012 00100	GB	100 gm	12045
2,2-DI-(4-Hydroxyphenyl) Propane See Bisphenol A Page No. 26				
1,8-Dihydroxy-2-(4-Sulphophenylazo)				
Naphthalene-3,6-Disulphonic Acid Trisodium Salt AR See SPADNS Page No. 48				
3,5-Dihydroxytoluene See Orcinol Page No. 116				
Diiodomethane (For Separation of Minerals) (Methylene Iodide)	01013 00025	GB	25 gm	1855
Assay: Min. 98% CH_2I_2 M.W. 267.84, Liquid, d. 3.325 (Cas No. 75-11-6)	01013 00100	GB	100 gm	5295
Diisopropylamine (For Synthesis) (Cas No. 108-18-9)	01014 00500	GB	500 ml	710
Assay : Min. 99% $C_6H_{15}N$ M.W. 101.19, Liquid, d. 0.722				
Diisopropylazodicarboxylate (For Synthesis)	01015 00025	GB	25 ml	1830
(Cas No. 2446-83-5) (DIAD, Diisopropylazodiformate)	01015 00100	GB	100 ml	5940
Assay : Min. 98% $C_8H_{14}N_2O_4$ M.W. 202.21, Liquid, d. 1.027				
Di-Isopropyl Ether (For Synthesis) (Cas No. 108-20-3) (Iso-Propyl Ether)	01016 00500	GB	500 ml	425
Assay : Min. 99% $C_6H_{14}O$ M.W. 102.17, Liquid, d. 0.724	01016 02500	GB	2.5 Lt	1720
N,N-Diisopropylethylamine (For Peptide Synthesis)	01017 00250	GB	250 ml	1725
(Cas No. 7087-68-5) (DIEA) (Ethylene Diisopropylamine)	01017 01000	GB	1 Lt	6515
Assay : Min. 98% $C_8H_{19}N$ M.W. 129.24, Liquid, d. 0.742				
Dill Oil Extra pure	01017A 00100	GB	100 ml	1415
(anethi Oil) Liquid, d. 0.892	01017A 00500	GB	500 ml	4851
Dimedone AR (Reagent for aldehyde) (Cas No. 126-81-8)	01018 00025	GB	25 gm	1140
Assay : Min. 99% $C_8H_{12}O_2$ M.W. 140.18	01018 00100	GB	100 gm	3020
1,2-Dimethoxyethane (Cas No. 110-71-4) (Ethelene Elycol dimethyl ether)	01019 00100	GB	100 ml	1705
Assay : Min. 99% $C_4H_{10}O_2$ M.W. 90.12, Liquid, d. 0.867	01019 00500	GB	500 ml	5265
2,2-Dimethoxy Propane (For Synthesis) (Acetone Dimethyl Acetal)	01020 00500	GB	500 ml	1095
(Cas No. 77-76-9) Assay : Min. 98% $C_5H_{12}O_2$ M.W. 104.15, Liquid, d. 0.850	01020 02500	GB	2.5 Lt	3795
N,N-Dimethyl Acetamide (Cas No. 127-19-5)	01021 00500	GB	500 ml	340
Assay : Min. 99% C_4H_9NO M.W. 87.12, Liquid, d. 0.937	01021 02500	GB	2.5 Lt	1390

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
N,N-Dimethyl Acetamide AR (Cas No. 127-19-5)	01022 00500	GB	500 ml	500
Assay : Min. 99% C_4H_9NO M.W. 87.12, Liquid, d. 0.937	01022 02500	GB	2.5 Lt	1590
Dimethyl Adipate (For Synthesis) (Cas No. 627-93-0)	01023 00500	GB	500 ml	1380
Assay : Min. 98% $C_8H_{14}O_4$ M.W. 174.19, Liquid, d. 1.062				
Dimethylamine See Methylamine Solution (Di) page No. 103				
Dimethylamine Hydrochloride (Dimethyl Ammonium Chloride)	01024 00100	PB	100 gm	165
Assay : Min. 99% $C_2H_7N.HCl$ M.W. 81.55 (Cas No. 506-59-2)	01024 00500	PB	500 gm	460
p-Dimethyl Amino Benzaldehyde (for Synthesis) (Cas No. 100-10-7)	01025 00100	PB	100 gm	705
Assay : Min. 98% $C_9H_{11}NO$ M.W. 149.19	01025 00500	PB	500 gm	3305
p-Dimethyl Amino Benzaldehyde AR (Cas No. 100-10-7)	01026 00100	PB	100 gm	800
Assay : Min. 99% $C_9H_{11}NO$ M.W. 149.19	01026 00500	PB	500 gm	3530
p-Dimethyl Amino Benzylidene Rhodanine AR (Reagent for Silver)	01027 00005	GB	5 gm	520
Assay : Min. 97% $C_{12}H_{12}N_2OS_2$ M.W. 264.37 (Cas No. 536-17-4)	01027 00025	GB	25 gm	1555
p-Dimethyl Amino Cinnamaldehyde AR (Cas No. 6203-18-5)	01028 00005	GB	5 gm	2450
Assay : Min. 99% $C_{11}H_{13}NO$ M.W. 175.23	01028 00010	GB	10 gm	4265
2-(Dimethylamino)-Ethanol (Cas No. 108-01-0) (N,N-Dimethylethanolamine)	01029 00500	GB	500 ml	555
Assay : Min. 99% $C_4H_{11}NO$ M.W. 89.14, Liquid, d. 0.886	01029 02500	GB	2.5 Lt	2305
4-(Dimethylamino) Pyridine (For Synthesis)	01030 00025	PB	25 gm	545
(Cas No. 1122-58-3)	01030 00100	PB	100 gm	1495
Assay : Min. 99% $C_7H_{10}N_2$ M.W. 122.17	01030 00500	PB	500 gm	6485
Dimethyl Ammonium Chloride See Dimethylamine Hydrochloride Page No. 66				
2,6-Dimethylaniline 99% See 2,6-Xylidine Page No. 167				
N,N-Dimethylaniline (For Synthesis) (Cas No. 121-69-7) (Dimethyl Aniline)	01031 00500	GB	500 ml	465
Assay : Min. 99% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.956	01031 02500	GB	2.5 Lt	1915
N,N-Dimethylaniline AR (Cas No. 121-69-7) (Dimethyl Aniline)	01032 00500	GB	500 ml	585
Assay : Min. 99.5% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.956				
Dimethylcarbonyl Chloride (For Synthesis) (Cas No. 79-44-7)	01033 00100	GB	100 gm	3980
Assay : Min. 98% C_3H_6ClNO M.W. 107.54				
Dimethyl Carbonate (For Synthesis) (Cas No. 616-38-6)	01034 00500	GB	500 ml	730
Assay : Min. 99% $C_3H_6O_3$ M.W. 90.08, Liquid, d. 1.070				
Dimethyldigol 99% See Diethylene Glycol Dimethylether Page 58				
Dimethyl Formamide (For Synthesis)	01035 00500	GB	500 ml	290
(Cas No. 68-12-2) (N,N-Dimethyl Formamide)	01035 02500	GB	2.5 Lt	1085
Assay : Min. 99% C_3H_7NO M.W. 73.09, Liquid, d. 0.944	01035 05000	GB	5 Lt	1960
Dimethyl Formamide AR (Cas No. 68-12-2) (N,N-Dimethyl Formamide)	01036 00500	GB	500 ml	300
Assay : Min. 99.5% C_3H_7NO M.W. 73.09, Liquid, d. 0.944	01036 02500	GB	2.5 Lt	1240
Dimethyl Formamide HPLC & Spectroscopy	01037 01000	GB	1 Lt	1505
(Cas No. 68-12-2) (N,N-Dimethyl Formamide)				
Assay : Min. 99% C_3H_7NO M.W. 73.09, Liquid, d. 0.944				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Dimethyl Formamide (For Molecular Biology)	01038 00250	GB	250 ml	1945
(Cas No. 68-12-2) (N,N-Dimethylformamide (DMF))	01038 00500	GB	500 ml	3595
Assay : Min. 99% C_3H_7NO M.W. 73.09, Liquid, d. 0.944				
Dimethyl Formamide Dimethyl Acetal (Cas No. 46237-24-5)	01039 00100	GB	100 ml	2805
Assay : Min. 97% $C_5H_{13}NO_2$ M.W. 119.16, Liquid, d. 0.897	01039 00500	GB	500 ml	12795
Dimethyl Glyoxime (Cas No. 95-45-4) (2,3-Butanedion Dioxime)	01040 00100	PB	100 gm	380
Assay : Min. 98% $C_4H_8N_2O_2$ M.W. 116.12	01040 00500	PB	500 gm	1610
Dimethyl Glyoxime AR (Cas No. 95-45-4) (2,3-Butanedion Dioxime)	01041 00100	PB	100 gm	520
Assay : Min. 99% $C_4H_8N_2O_2$ M.W. 116.12	01041 00500	PB	500 gm	1945
Dimethyl Glyoxime Disodium Salt (Octahydrate) AR (Cas No. 75006-64-3)	01042 00250	PB	250 gm	686
Assay : Min. 99% $C_4H_6N_2Na_2O_2 \cdot 8H_2O$ M.W. 304.21				
Dimethyl Malonate (For Synthesis) (Cas No. 108-59-8)	01043 00500	GB	500 ml	1750
Assay : Min. 99% $C_5H_8O_4$ M.W. 114.15, Liquid, d. 1.156				
N,N-Dimethyl-P-Phenylenediamine Dihydrochloride AR	01044 00010	GB	10 gm	1170
(Cas No. 536-46-9)	01044 00025	PB	25 gm	2370
Assay : Min. 99% $C_8H_{12}N_2 \cdot 2HCl$ M.W. 209.12	01044 00100	PB	100 gm	8070
Dimethyl Phthalate (For Synthesis) (Cas No. 131-11-3)	01045 00500	PB	500 ml	300
Assay : Min. 99% $C_{10}H_{10}O_4$ M.W. 194.19, Liquid, d. 1.19	01045 02500	PB	2.5 Lt	2030
Dimethyl Popop (Scintillation Grade) (Cas No. 3073-87-8)	01046 00005	GB	5 gm	4650
[1,4-bis (4-Methyl-5-Phonyl-2-oxazolyl) benzene]	01046 00025	GB	25 gm	17670
Assay Min. 99% $C_{26}H_{20}N_2O_2$ M.W. 392.45				
Dimethyl Sulphate (For Synthesis) (Cas No. 77-78-1)	01047 00500	GB	500 ml	520
Assay : Min. 99% $(CH_3O)_2SO_2$ M.W. 126.13, Liquid, d. 1.33				
Dimethyl Sulphoxide (Cas No. 67-68-5)	01048 00500	GB	500 ml	425
Assay : Min. 99% $CH_3SO \cdot CH_3$ M.W. 78.13, Liquid, d. 1.10	01048 02500	GB	2.5 Lt	1665
Dimethyl Sulphoxide AR (Cas No. 67-68-5)	01049 00500	GB	500 ml	480
Assay : Min. 99% $CH_3SO \cdot CH_3$ M.W. 78.13, Liquid, d. 1.10	01049 02500	GB	2.5 Lt	1815
Dimethyl Sulphoxide HPLC & SPECTROSCOPY (Cas No. 67-68-5)	01050 01000	GB	1 Lt	3020
Assay : Min. 99.7% $CH_3SO \cdot CH_3$ M.W. 78.13, Liquid, d. 1.10				
N,N-Dimethylurea (For Synthesis) (Cas No. 96-31-1)	01051 00500	PB	500 gm	695
Assay : Min. 98% $C_3H_8N_2O$ M.W. 88.11				
Dimethyl Yellow pH Indicator (C.I. No. 11020) (Cas No. 60-11-7)	01052 00025	PB	25 gm	125
ph 2.9 - 4.0 Red to Orange Yellow	01052 00100	PB	100 gm	385
$C_{14}H_{15}N_3$ M.W. 225.29	01052 00500	PB	500 gm	1640
Dimethyl Yellow Indicator Solution	01053 00125	PB	125 ml	105
	01053 00500	PB	500 ml	305
Dimidium Bromide (For Tensile Test) (Cas No. 518-67-2)	01054 00100M	GB	100 mg	850
Assay : Min. 98% $C_{20}H_{18}BrN_3$ M.W. 380.28	01054 00001	GB	1 gm	6800
2,4-Dinitro Aniline (For Synthesis) (Cas No. 97-02-9)	01055 00100	PB	100 gm	820
Assay : Min. 98% $C_6H_5N_3O_4$ M.W. 183.12	01055 00500	PB	500 gm	2510

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
m-Dinitrobenzene (For Synthesis) (Cas No. 99-65-0) Assay : Min. 98% $C_6H_4N_2O_4$ M.W. 168.11	01056 00500	PB	500 gm	905
m-Dinitrobenzene AR (For Determination of 17 Ketosteroids) (Cas No.99-65-0) Assay : Min. 99% $C_6H_4N_2O_4$ M.W. 168.11	01057 00100 01057 00500	PB PB	100 gm 500 gm	1195 3385
3,5-Dinitro Benzoic Acid (Cas No. 99-34-3) Assay : Min. 98% $C_7H_4N_2O_6$ M.W. 212.12	01058 00100 01058 00500	PB PB	100 gm 500 gm	415 1290
3,5-Dinitro Benzoic Acid AR (Cas No. 99-34-3) Assay : Min. 99% $C_7H_4N_2O_6$ M.W. 212.12	01059 00100 01059 00500	PB PB	100 gm 500 gm	420 2385
2,4-Dinitrochlorobenzene See 1-Chloro-2, 4-Dinitrobenzene Page No. 48				
2,4-Dinitro-1-Fluorobenzene AR (Cas No. 70-34-8) (Sanger's Reagent, 1-Fluoro-2-4-Dinitrobenzene) Assay : Min. 98% $C_6H_3FN_2O_4$ M.W. 186.10	01060 00025 01060 00100	GB GB	25 ml 100 ml	2385 6355
2,4-Dinitrophenol (Cas No. 51-28-5) (For Synthesis) Assay : Min. 97% $C_6H_4N_2O_5$ M.W. 184.11	01061 00025 01061 00100 01061 00500	PB PB PB	25 gm 100 gm 500 gm	320 960 3460
2,4-Dinitrophenol (Indicator) AR (Cas No. 51-28-5) ph 2.8 - 4.7 Colourless to Yellow Assay : Min. 98% $C_6H_4N_2O_5$ M.W. 184.11	01062 00025 01062 00100 01062 00500	PB PB PB	25 gm 100 gm 500 gm	340 990 3805
2,4-Dinitrophenyl Hydrazine (For Synthesis) (Cas No. 119-26-6) Assay : Min. 98% $C_6H_6N_4O_4$ M.W. 198.14	01063 00100 01063 00500	PB PB	100 gm 500 gm	495 2260
2,4-Dinitrophenyl Hydrazine AR (Cas No. 119-26-6) Assay : Min. 99% $C_6H_6N_4O_4$ M.W. 198.14	01064 00025 01064 00100 01064 00500	PB PB PB	25 gm 100 gm 500 gm	170 555 2580
3,5-Dinitro Salicylic Acid (Cas No. 609-99-4) (For Synthesis) Assay : Min. 97% $C_7H_4N_2O_7$ M.W. 228.12	01065 00025 01065 00100 01065 00500	PB PB PB	25 gm 100 gm 500 gm	590 1810 6710
3,5-Dinitro Salicylic Acid AR (Cas No. 609-99-4) Assay : Min. 98% $C_7H_4N_2O_7$ M.W. 228.12	01066 00025 01066 00100	PB PB	25 gm 100 gm	765 2355
Diocetyl Phthalate (Cas No. 117-81-7) (DOP) (For Snthesis) Assay : Min. 99% $C_{24}H_{38}O_4$ M.W. 390.57, Liquid, d. 0.985	01067 00500 01067 02500 01067 05000	GB GB PC	500 ml 2.5 Lt 5 Lt	375 1640 2850
Diocetyl Sebacate (Cas No. 122-62-3) [di-(2-Diethyl Hexyl) Sebacate] Assay : Min. 98% $C_{26}H_{50}O_4$ M.W. 426.68, Liquid, d. 0.914	01068 00500 01068 02500	PB PB	500 ml 2.5 Lt	720 3395
Diocetyl Sodium Sulphosuccinate (Cas No. 577-11-7) (Manoxol OT) (DOSS) Assay : Min. 98% $C_{20}H_{37}NaO_7S$ M.W. 444.57	01069 00500	PB	500 gm	1160
1,3-Dioxolane (For Synthesis) (Cas No. 646-06-0) Assay : Min. 99% $C_3H_6O_2$ M.W. 74.06, Liquid, d. 1.06	01070 00500 01070 02500	GB GB	500 ml 2.5 Lt	1195 4255
1,3-Dioxolane AR (Cas No. 646-06-0) Assay : Min. 99% $C_3H_6O_2$ M.W. 74.06, Liquid, d. 1.06	01071 00500 01071 02500	GB GB	500 ml 2.5 Lt	1245 4985

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
1,4-Dioxan (For Synthesis) (Cas No. 123-91-1)	01072 00500	GB	500 ml	495
Assay : Min. 99% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 1.034	01072 02500	GB	2.5 Lt	1990
1,4-Dioxan AR (Cas No. 123-91-1)	01073 00500	GB	500 ml	540
Assay : Min. 99% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 1.034	01073 02500	GB	2.5 Lt	2330
1,4-Dioxan HPLC & Spectroscopy	01074 01000	GB	1 Lt	1450
Assay Min. 99.8% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 1.034				
Diphenyl See Biphenyl Page No. 26				
Diphenylamine (Cas No. 122-39-4)	01075 00100	PB	100 gm	270
Assay : Min. 98% $C_{12}H_{11}N$ M.W. 169.23	01075 00500	PB	500 gm	840
Diphenylamine AR (Cas No. 122-39-4)	01076 00100	PB	100 gm	290
Assay : Min. 98% $C_{12}H_{11}N$ M.W. 169.23	01076 00500	PB	500 gm	1110
N,N-Diphenyl Benzidine AR (Oxidation Reduction Indicator)	01077 00005	GB	5 gm	2915
Assay : Min. 96% $C_{24}H_{20}N_2$ M.W. 336.43 (Cas No. 531-91-9)	01077 00025	GB	25 gm	9915
Diphenyl Carbazide	01078 00005	GB	5 gm	235
(Cas No. 140-22-7)	01078 00025	PB	25 gm	815
(1,5-Diphenyl Carbazide)	01078 00100	PB	100 gm	2390
Assay : Min. 98% $C_{13}H_{14}N_4O$ M.W. 242.28	01078 00500	PB	500 gm	9880
Diphenyl Carbazide AR	01079 00005	GB	5 gm	295
(Cas No. 140-22-7)	01079 00025	PB	25 gm	1030
(1,5-Diphenyl Carbazide)	01079 00100	PB	100 gm	3530
Assay : Min. 98.5% $C_{13}H_{14}N_4O$ M.W. 242.28	01079 00500	PB	500 gm	14145
Diphenyl Carbazone	01080 00005	GB	5 gm	310
(Cas No. 538-62-5)	01080 00025	PB	25 gm	1245
(Reagent for Mercury)	01080 00100	PB	100 gm	3990
$C_{13}H_{12}N_4O$ M.W. 240.26	01080 00500	PB	500 gm	15910
Diphenyl Carbazone AR	01081 00005	GB	5 gm	370
(Cas No. 538-62-5) (Reagent for Mercury)	01081 00025	PB	25 gm	1670
$C_{13}H_{12}N_4O$ M.W. 240.26	01081 00100	PB	100 gm	5990
Diphenyl Carbinol See Benzhydrol Page No. 24				
Diphenyl Carbonate (For Synthesis) (Cas No. 102-09-0)	01082 00250	PB	250 gm	1630
Assay : Min. 99% $C_{13}H_{10}O_3$ M.W. 214.22	01082 01000	PB	1 Kg	4915
Diphenyl Ether (Cas No. 101-84-8) (Diphenyl Oxide)	01083 00500	GB	500 ml	965
Assay : Min. 98% $C_{12}H_{10}O$ M.W. 170.21, Liquid, d. 1.073				
Diphenyl Methane (Cas No. 101-81-5)	01084 00500	GB	500 ml	1805
Assay : Min. 99% $C_{13}H_{12}$ M.W. 168.23, Liquid, d. 1.006				
Diphenyl Oxide See Diphenyl Ether Page No. 70				
4,7-Diphenyl-1-10-Phenanthroline See Bathophenanthroline Page No. 23				
Diphenyl Thiocarbazon AR (Cas No. 60-10-6) (Dithizone)	01085 00005	GB	5 gm	815
Assay : Min. 85% $C_{13}H_{12}N_4S$ M.W. 256.33	01085 00025	GB	25 gm	3100
	01085 00100	GB	100 gm	10670

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2,2-Diquinolyl See 2,2-Biquinoline Page No. 27				
Distilled Water (Cas No. 7732-18-5) (DM Water)	01086 00500	PB	500 ml	75
H ₂ O M.W. 18.02, Liquid, d. 1.000	01086 05000	PC	5 Lt	465
Disulphine Blue (C.I. 42045) (Cas No. 129-17-3)	01087 00025	GB	25 gm	7435
C ₂₇ H ₃₁ N ₂ NaO ₆ S ₂ M.W. 566.7				
Dithioerythritol (For Molecular Biology) (Cas No. 6892-68-8)	01088 00001	GB	1 gm	720
(D.T.E) (1,4-Dithioerythritol) Store at 2 - 80C	01088 00005	GB	5 gm	2835
Assay : Min. 99% C ₄ H ₁₀ O ₂ S ₂ M.W. 154.25	01088 00025	GB	25 gm	11635
Dithiooxamide See Rubeanic Acid Page No. 151				
Dithiothreitol (Cas No. 3483-12-3) (D.T.T.)	01089 00001	GB	1 gm	635
(Cleland's Reagent)	01089 00005	GB	5 gm	2025
Assay : Min. 99% C ₄ H ₁₀ O ₂ S ₂ M.W. 154.24	01089 00025	GB	25 gm	8230
Dithizone See Diphenyl Thiocarbazone Page No. 70				
Dodecanethiol Extra Pure (Lauryl Mercaptan, Dodecyl Mercaptan)	01090 00500	GB	500 ml	2435
Assay : Min. 98% C ₁₂ H ₂₆ S M.W. 202.41, Liquid, d. 0.845 (Cas No. 112-55-0)				
Dodecylamine (For Synthesis) (Cas No. 124-22-1) (Laurylamine)	01091 00100	GB	100 ml	1410
Assay : Min. 98% C ₁₂ H ₂₇ N M.W. 185.35, Liquid. d. 0.806	01091 00500	GB	500 ml	5375
DI-Dopa See 3-(3,4-Dihydroxyphenyl)-DL-Alanine Page No. 65				
L-Dopa See 3-(3,4-Dihydroxyphenyl)-DL-Alanine Page No. 65				
1-Dodecanesulphonic Acid Sodium Salt AR & HPLC (Cas No. 2386-53-0)	01092 00005	GB	5 gm	1035
(Sodium 1-Dodecanesulphonate)	01092 00025	GB	25 gm	4035
Assay : Min. 98% C ₁₂ H ₂₅ NaO ₃ S M.W. 272.38	01092 00100	GB	100 gm	12215
N-Dodecanoic Acid See Lauric Acid Page No. 100				
Dodecyl Alcohol See Lauryl Alcohol Page No. 100				
Dodecyl Benzene (For Synthesis) (cas No. 123-01-3)	01093 00250	GB	250 ml	950
Assay : Min. 97% C ₁₈ H ₃₀ M.W. 246.44, Liquid, d. 0.856	01093 00500	GB	500 ml	1750
Dodecyl Benzene Sulphonic Acid Sodium Salt Purified (Cas No. 25155-30-0)	01094 00100	PB	100 gm	595
Assay : Min. 20% C ₁₈ H ₂₉ NaO ₃ S M.W. 348.48	01094 00500	PB	500 gm	2235
D.P.X. Mountant (For Microscopy)	01095 00250	GB	250 ml	275
Liquid, d. 0.904	01095 00500	GB	500 ml	520
Drabkin's Solution Diluent	01096 00500	GB	500 ml	180
	01096 02500	GB	2.5 Lt	615
Dragendroff's Reagent (Test Reagent for Alkaloids)	01097 00125	GB	125 ml	1450
	01097 00500	GB	500 ml	3820
Dulcitol (For Microscopy) (Cas No. 608-66-2) (Dulcitol) (Galactitol)	01098 00025	GB	25 gm	715
Assay : Min. 99% C ₆ H ₁₄ O ₆ M.W. 182.17				
Dysprosium Carbonate AR (Cas No. 38245-35-1) (Tetrahydrate)	01099 00005	GB	5 gm	1920
Assay : Min. 99.9% Dy ₂ (CO ₃) ₃ .4H ₂ O M.W. 577.06	01099 00025	GB	25 gm	7570

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Dysprosium Oxide AR (Cas No. 1308-87-8)	01100 00005	GB	5 gm	555
Assay : Min. 99.9% Dy ₂ O ₃ M.W. 373.00	01100 00025	GB	25 gm	2400
Dysprosium Sulphate AR (Cas No. 14373-91-2)	01101 00001	GB	1 gm	2345
Assay : Min. 99.99% Dy ₂ (SO ₄) ₃ M.W. 613.19	01101 00005	GB	5 gm	9685

E				
EDTA (Plain) See Ethylenediamine Tetra Acetic Acid Page No. 76				
EDTA Disodium Salt See Ethylenediamine Tetra Acetic Acid Disodium Salt Page No. 76				
EDTA Dipotassium Salt See Ethylenediamine Tetra Acetic Acid Dipotassium Salt Page No. 76				
EDTA Solution N/50 (0.02N) (For Valumetric Analysis), Liquid, d. 1.003	01102 00500	PB	500 ml	130
EDTA 0.1 Mol/L (0.2N) Solution Liquid, d. 1.02	01103 00500	PB	500 ml	185
EDTA 0.01 Mol/L (0.02N) Solution Liquid, d. 1.003	01104 00500	PB	500 ml	185
EDTA Disodium Salt 0.1M Solution , Liquid, d. 1.02	01105 00500	PB	500 ml	245
EDTA Disodium Salt 0.01M (0.02N) Standardized Solution Liquid, d. 1.003	01106 00500	PB	500 ml	305
EDTA Disodium Salt 0.1M (0.2N) Standardized Solution , Liquid, d. 1.02	01107 00500	PB	500 ml	315
EDTA Disodium Salt 0.5M (1N) Standardized Solution , Liquid, d. 1.003	01108 00500	PB	500 ml	425
EDTA Solution 5%	01109 00125	PB	125 ml	85
	01109 00500	PB	500 ml	270
EDTA Solution 5% (2x2 amps. Of Set in a Box)	01110 AMP04	AMP	4 Amp	780
Egg Albumin See Albumin Egg Page No. 6				
Ehrlich's Reagent Liquid, d. 1.10	01111 00125	PB	125 ml	100
(For Detection of Urobilinogen)	01111 00500	PB	500 ml	315
Ehrlich's A Reagent Liquid, d. 1.10	01112 00125	PB	125 ml	75
For Diazo-Reaction For Determination of Bilirubin In Serum & Urine				
Ehrlich's B Reagent Liquid, d. 1.10	01113 00125	PB	125 ml	77
For Diazo-Reaction For Determination of Bilirubin In Serum & Urine				
Eosine Blue (For Microscopy)	01114 00025	PB	25 gm	420
(Cas No. 548-24-3) (C.I. No. 45400)	01114 00100	PB	100 gm	1260
Dye Content : Min. 90% C ₂₀ H ₆ Br ₂ N ₂ O ₉ Na ₂ M.W. 624.06	01114 00500	PB	500 gm	5590
Eosine Blue (2% w/v)	01115 00125	PB	125 ml	115
(Staining Solution)	01115 00500	PB	500 ml	285
Eosine Spirit Soluble (For Microscopy) (Cas No. 6359-05-3)	01116 00025	PB	25 gm	365
(Ethyl Eosine) (C.I. No. 45386)	01116 00100	PB	100 gm	1025
Dye Content : Min. 95% C ₂₂ H ₁₁ Br ₄ KO ₅ M.W. 714.03	01116 00500	PB	500 gm	3860
Eosine Yellow (W.S.) (For Microscopy)	01117 00025	PB	25 gm	190
(Cas No. 17372-87-1) (C.I. No. 45380)	01117 00100	PB	100 gm	590
Dye Content : Min. 85% C ₂₀ H ₆ Br ₄ Na ₂ O ₅ M.W. 691.85	01117 00500	PB	500 gm	2410

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Eosine Yellow (2% w/v)	01118 00125	PB	125 ml	80
Staining Solution, Liquid, d. 1.015	01118 00500	PB	500 ml	255
Epichlorohydrin (Cas No. 106-89-8) (1-Chloro-2, 3-epoxypropane)	01119 00500	GB	500 ml	505
Assay : Min. 98.5% C_3H_5ClO M.W. 92.52, Liquid, d. 1.18	01119 02500	GB	2.5 Lt	2015
Epichlorohydrin AR (Cas No. 106-89-8) (1-Chloro-2, 3-epoxypropane)	01120 00500	GB	500 ml	625
Assay : Min. 99% C_3H_5ClO M.W. 92.52, Liquid, d. 1.18	01120 02500	GB	2.5 Lt	2380
Erdman's Reagent (for protein test)	01120A 00125	PB	125 ml	245
	01120A 00500	PB	500 ml	760
Eriochrome Black T (C.I. No. 14645) (Cas No. 1787-61-7)	01121 00025	PB	25 gm	210
(Mordant Black 11) (Solochrome Black T)	01121 00100	PB	100 gm	610
$C_{20}H_{12}N_3NaO_7S$ M.W. 461.38	01121 00500	PB	500 gm	2185
Eriochrome Black T AR (C.I. No. 14645) (Cas No. 1787-61-7)	01122 00025	PB	25 gm	240
(Mordant Black 11) (Solochrome Black T)	01122 00100	PB	100 gm	725
$C_{20}H_{12}N_3NaO_7S$ M.W. 461.38	01122 00500	PB	500 gm	2910
Eriochrome Black T (Indicator Solution)	01123 00125	PB	125 ml	90
(Solochrome Black T Solution), Liquid, d. 1.109	01123 00500	PB	500 ml	270
Eriochrome Blue Black R See Calcon Page No. 41				
Eriochrome Cyanine R AR (C.I. No. 43820) (Solochrome Cyanine R)	01124 00010	GB	10 gm	680
$C_{23}H_{15}Na_3O_9S$ M.W. 536.39 (Cas No. 3564-18-9)	01124 00025	GB	25 gm	1530
Erioglucine Disodium Salt (C.I. No. 42090) (Cas No. 3844-45-9)	01125 00010	GB	10 gm	580
$C_{37}H_{34}Na_2N_2O_9S_3$ M.W. 792.85	01125 00025	GB	25 gm	1285
Erioglucine A See Brilliant Blue FCF Page No. 30				
Erythrosine B (For Microscopy) (C.I. No. 45430) (Cas No. 16423-68-0)	01126 00025	PB	25 gm	565
Dye Content : Min. 90% $C_{20}H_6I_4Na_2O_5$ M.W. 879.84 (Iodoeosin)	01126 00100	PB	100 gm	2080
Esbach's Reagent (for detection of Proteins)	01127 00125	PB	125 ml	100
Liquid, d. 0.987	01127 00500	PB	500 ml	305
Eschka's Mixture AR (Cas No. 8007-09-8)	01128 00100	PB	100 gm	6005
(For Determination of Sulfur in Coal)	01128 00250	PB	250 gm	14505
Assay : Min. 38-42% $2MgO.Na_2CO_3$	01128 00500	PB	500 gm	27605
Esculin See Aesculin Page No. 5				
Ethanediol See Ethylene Glycol Mono Page No. 76				
Ethanolamine (Mono) (Monoethanolamine) (2-Aminoethanol)	01129 00500	PB	500 ml	420
Assay : Min. 99% C_2H_7NO M.W. 61.08, Liquid, d. 1.012 (Cas No. 141-43-5)	01129 02500	PB	2.5 Lt	1705
Ethanolamine (Mono) AR (Cas No. 141-43-5) (Monoethanolamine)	01130 00500	GB	500 ml	504
(2- Aminoethanol) Assay : Min. 99% C_2H_7NO M.W. 61.08, Liquid, d. 1.012	01130 02500	GB	2.5 Lt	2045
Ether Petroleum 40°-60°C	01131 00500	GB	500 ml	395
(Cas No. 8032-32-4)	01131 02500	GB	2.5 Lt	1585
(Petroleum Benzine) (Petroleum Ether)	01131 05000	PC	5 Lt	2985
Liquid, d. 0.655				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ether Petroleum 40°-60°C AR (Cas No. 8032-32-4) Liquid, d. 0.655 (Petroleum Benzine) (Petroleum Ether)	01132 00500	GB	500 ml	420
	01132 02500	GB	2.5 Lt	1785
Ether Petroleum 40°-60°C HPLC & SPECTROSCOPY (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.655	01133 00500	GB	500 ml	490
	01133 02500	GB	2.5 Lt	2095
Ether Petroleum 60°-80°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.672	01134 00500	GB	500 ml	265
	01134 02500	GB	2.5 Lt	995
	01134 05000	PC	5 Lt	1900
Ether Petroleum 60°-80°C AR (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.672	01135 00500	GB	500 ml	290
	01135 02500	GB	2.5 Lt	1050
Ether Petroleum 80°-100°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.77	01136 00500	GB	500 ml	420
	01136 02500	GB	2.5 Lt	1830
Ether Petroleum 100°-120°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.77	01137 00500	GB	500 ml	365
	01137 02500	GB	2.5 Lt	1555
Ethidium Bromide (For Molecular Biology) (For Lab Use) (Cas No. 1239-45-8) Assay : Min. 95% $C_{21}H_{20}BrN_3$ M.W. 394.31	01138 00001	GB	1 gm	800
	01138 00005	GB	5 gm	3155
Ethidium Bromide Solution 1% In Water for Fluorescence, Store at 2-80C	01139 00050	GB	50 ml	1960
2-Ethoxyethanol See Cellosolve Page No. 44				
2-Ethoxy Ethyl Acetate See Cellosolve Acetate Page No. 44				
Etherl See 2-Chloroethyl Phosphonic Acid Page No. 48				
Ethyl Acetate (Cas No. 141-78-6) (For Synthesis) Assay : Min. 99% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902	01140 00500	PB	500 ml	245
	01140 02500	PB	2.5 Lt	895
	01140 05000	PC	5 Lt	1615
Ethyl Acetate AR (Cas No. 141-78-6) Assay : Min. 99.5% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902	01141 00500	GB	500 ml	280
	01141 02500	GB	2.5 Lt	1120
Ethyl Acetate HPLC & SPECTROSCOPY (Cas No. 141-78-6) Assay : Min. 99.8% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902	01142 01000	GB	1 Lt	1695
Ethyl Aceto Acetate (Cas No. 141-97-9) (Acetoacetic Ester Ethyl) Assay : Min. 99% $C_6H_{10}O_3$ M.W. 130.14, Liquid, d. 1.029	01143 00500	GB	500 ml	580
	01143 02500	GB	2.5 Lt	2405
Ethyl Acrylate (For Synthesis) (Cas No. 140-88-5) Assay : Min. 99% $C_5H_8O_2$ M.W. 100.12, Liquid, d. 0.902	01145 00500	GB	500 ml	615
Ethylamine Solution 70% (Cas No. 75-04-7) (Monoethylamine) Assay : Min. 70% C_2H_7N M.W. 45.08, Liquid, d. 0.689	01146 00500	GB	500 ml	385
	01146 02500	GB	2.5 Lt	1625
2-(Ethylamino) Ethanol (For Synthesis) (Cas No. 110-73-6) (N-ethylethanolamine) Assay : Min. 98% $C_4H_{11}NO$ M.W. 89.14, Liquid, d. 0.914	01147 00250	GB	250 ml	520
	01147 01000	GB	1 Lt	1890
Ethylaniline (Mono) (For Synthesis) (Cas No. 103-69-5) (Monoethylaniline) (N-Ethylaniline) Assay : Min. 98% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.963	01148 00500	GB	500 ml	670
	01148 02500	GB	2.5 Lt	2945

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ethyl Benzene (For Synthesis) (Cas No. 100-41-4) Assay : Min. 99% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.867	01149 00500	GB	500 ml	620
Ethyl Benzoate Extra Pure (Cas No. 93-89-0) (Benzoic acid Ethyl Ester) Assay : Min. 99% C ₉ H ₁₀ O ₂ M.W. 150.17, Liquid, d. 1.049	01150 00500	GB	500 ml	1090
Ethyl Benzoyl Acetate (For Synthesis) (Cas No. 94-02-0) (EBA) Assay : Min. 88% C ₁₁ H ₁₂ O ₃ M.W. 192.21, Liquid, d. 1.11	01151 00100	GB	100 ml	3330
Ethyl Bromide (For Synthesis) (Cas No. 74-96-4) (Bromoethane) Assay : Min. 99% C ₂ H ₅ Br M.W. 108.97, Liquid, d. 1.46	01152 00250 01152 00500	GB GB	250 ml 500 ml	920 1520
Ethyl Bromoacetate (Bromoacetic Acid Ethyl Ester) (Cas No. 105-36-2) Assay : Min. 95% C ₄ H ₇ BrO ₂ M.W. 167.00, Liquid, d. 1.506 (For Synthesis)	01153 00250 01153 00500	GB GB	250 ml 500 ml	2240 4335
Ethyl Cellosolve See Cellosolve Page No. 44				
Ethyl Cellulose (7 cps) (Low Viscosity) (Cas No. 9004-57-3)	01154 00250 01154 00500	PB PB	250 gm 500 gm	1500 2800
E Ethyl Cellulose (18-22 cps) (High Viscosity) (Cas No. 9004-57-3)	01155 00250 01155 00500	PB PB	250 gm 500 gm	1560 2940
Ethyl Chloro Acetate (Mono) (For Synthesis) (Cas No. 105-39-5) Assay : Min. 99% C ₄ H ₇ ClO ₂ M.W. 122.55, Liquid, d. 1.145	01156 00500	GB	500 ml	555
Ethyl Chloroformate (For Synthesis) (Cas No. 541-41-3) (Ethyl Chlorocarbonate) Assay : Min. 97% C ₃ H ₅ ClO ₂ M.W. 108.32, Liquid, d. 1.135	01157 00500 01157 02500	GB GB	500 ml 2.5 Lt	1255 4985
Ethyl Cyanoacetate (For Synthesis) (Cas No. 105-56-6) Assay : Min. 98% C ₅ H ₇ NO ₂ M.W. 113.11, Liquid, d. 1.063	01158 00500	GB	500 ml	690
Ethyl Digol See Diethylene Glycol Mono ethyl Ether Page No. 64				
Ethylene Chloride See Ethylene Dichloride Page No. 76				
Ethylene Chlorohydrine (Cas No. 107-07-3) (2-Chloroethanol) Assay : Min. 99% C ₂ H ₅ ClO M.W. 80.51, Liquid, d. 1.201	01159 00500	GB	500 ml	1250
Ethylene Diamine (Cas No. 107-15-3) (1,2-Diaminoethane) Assay : Min. 99% C ₂ H ₈ N ₂ M.W. 60.10, Liquid, d. 0.90	01160 00500 01160 02500	GB	500 ml 2.5 Lt	490 2090
Ethylenediamine Dihydrochloride (Cas No. 333-18-6) (1,2-Diaminoethane Dihydrochloride) Assay : Min. 98% C ₂ H ₈ N ₂ .2HCl M.W. 133.02	01161 00100 01161 00500	PB PB	100 gm 500 gm	490 2255
Ethylenediamine Tetra Acetic Acid (Plain) (Cas No. 60-00-4) (Salt Free) (EDTA Plain) Assay : Min. 98% C ₁₀ H ₁₆ N ₂ O ₈ M.W. 292.24	01162 00100 01162 00500 01162 05000	PB PB PC	100 gm 500 gm 5 kg	195 640 5435
Ethylenediamine Tetra Acetic Acid AR (Plain) (Cas No. 60-00-4) (Salt Free) (EDTA Plain) Assay : Min. 99.5% C ₁₀ H ₁₆ N ₂ O ₈ M.W. 292.24	01163 00100 01163 00500	PB PB	100 gm 500 gm	220 885
Ethylenediamine Tetra Acetic Acid Calcium Disodium Salt (Cas No. 62-33-9) (EDTA Calcium Disodium Salt) Assay : Min. 97% C ₁₀ H ₁₂ N ₂ O ₈ CaNa ₂ M.W. 374.27	01164 00100 01164 00500	PB PB	100 gm 500 gm	305 1135

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ethylenediamine Tetra Acetic Acid Dipotassium Salt AR (EDTA Dipotassium Salt)	01165 00100	PB	100 gm	250
Assay : Min. 99% $C_{10}H_{14}K_2N_2O_8 \cdot 2H_2O$ M.W. 404.5 (Cas No. 25102-12-9)	01165 00500	PB	500 gm	895
Ethylenediamine Tetra Acetic Acid Disodium Salt	01166 00100	PB	100 gm	175
(Cas No. 6381-92-6) (EDTA Disodium Salt)	01166 00500	PB	500 gm	590
Assay : Min. 98.5% $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M.W. 372.24	01166 05000	PC	5 kg	5025
Ethylenediamine Tetra Acetic Acid Disodium Salt AR	01167 00100	PB	100 gm	210
(Cas No. 6381-92-6) (EDTA Disodium Salt)	01167 00500	PB	500 gm	765
Assay : Min. 99% $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M.W. 372.24	01167 05000	PC	5 kg	6180
Ethylenediamine Tetra Acetic Acid Disodium Salt Dihydrate	01168 00500	PB	500 gm	2245
(For Molecular Biology) (Cas No. 6381-92-6) (EDTA Disodium Salt)	01168 01000	PB	1 kg	4175
Assay : Min. 99% $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M.W. 372.24				
Ethylenediamine Tetra Acetic Acid Magnesium Salt AR	01169 00100	PB	100 gm	245
(Cas No. 14402-88-1) (EDTA Magnesium Salt AR) (anhyd. basis)	01169 00500	PB	500 gm	805
Assay : Min. 99% $C_{10}H_{12}MgN_2Na_2O_8 \cdot xH_2O$ M.W. 358.50				
Ethylene Dibromide See 1,2-Dibromoethane Page No. 61				
Ethylene Dichloride (For Synthesis) (Cas No. 107-06-2)	01170 00500	GB	500 ml	270
(1,2-Dichloroethane)	01170 02500	GB	2.5 Lt	940
Assay : Min. 98% $C_2H_4Cl_2$ M.W. 98.96, Liquid, d. 1.256	01170 05000	GB	5 Lt	1980
Ethylene Dichloride AR (Cas No. 107-06-2) (1,2-Dichloroethane)	01171 00500	GB	500 ml	325
Assay : Min. 99% $C_2H_4Cl_2$ M.W. 98.96, Liquid, d. 1.256	01171 02500	GB	2.5 Lt	1025
Ethylene Glycol (Mono) LR (Cas No. 107-21-1) (Ethanediol) (MEG)	01173 00500	GB	500 ml	295
Assay : Min. 97% $C_2H_6O_2$ M.W. 74.08, Liquid, d. 0.917	01173 02500	GB	2.5 Lt	1235
Ethylene Glycol (Mono) AR (Cas No. 107-21-1) (Ethanediol) (MEG)	01174 00500	GB	500 ml	350
Assay : Min. 99% $C_2H_6O_2$ M.W. 62.07, Liquid, d. 1,113	01174 02500	GB	2.5 Lt	1360
Ethylene Glycol Monobutyl Ether (Cas No. 111-76-2)	01175 00500	GB	500 ml	330
(2-Butoxyethanol) (Butyl Glycol) (Butyl Cellosolve)	01175 02500	GB	2.5 Lt	1565
Assay : Min. 99% $C_6H_{14}O_2$ M.W. 118.17, Liquid, d. 0.902				
Ethyl Formate (For Synthesis) (Cas No. 109-94-4) (Formic Acid Ethyl Ester)	01177 00500	GB	500 ml	595
Assay : Min. 97% $C_3H_6O_2$ M.W. 74.08, Liquid, d. 0.917				
Ethylene Glycol Monobutyl Ether Acetate (For Synthesis)	01176 01000	GB	1 Lt	1830
(Cas No. 112-07-2) (Butyl Cellosolve Acetate)	01176 02500	GB	2.5 Lt	3800
Assay : Min. 99% $C_6H_{16}O_3$ M.W. 160.21, Liquid, d. 0.942				
2-Ethylhexanoic Acid (Cas No. 149-57-5) (Octoic Acid)	01178 00500	PB	500 ml	590
Assay : Min. 99% $C_8H_{16}O_2$ M.W. 144.21, Liquid, d. 0.903-0.910				
2-Ethyl Hexanol See iso-Octanol Page No. 127				
2-Ethyl-1-Hexanol (Cas No. 104-76-7)	01179 00500	GB	500 ml	750
Assay : Min. 99.6% $C_8H_{18}O$ M.W. 130.23, Liquid, d. 0.833				
2-Ethylhexyl Acrylate (For Synthesis) (Cas No. 103-11-7)	01180 00500	GB	500 ml	450
(Acrylic Acid 2-ethyl Hexyl Ether)	01180 02500	GB	2.5 Lt	1930
Assay : Min. 98% $C_{11}H_{20}O_2$ M.W. 184.28, Liquid, d. 0.885				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2-Ethylhexyl Methacrylate (For Synthesis) Stabilized (Cas No. 688-84-6) Assay : Min. 98% $C_{12}H_{22}O_2$ M.W. 198.31, Liquid, d. 0.885	01181 00250 01181 01000	GB GB	250 ml 1 Lt	2355 8075
Ethyl-4-Hydroxy Benzoate Extra Pure See Ethyl Paraben Page No. 78				
Ethyl Iodide (For Synthesis) (Cas No. 75-03-6) (Iodoethane) Assay : Min. 99% C_2H_5I M.W. 155.97, Liquid, d. 1.940	01182 00100 01182 00250	GB GB	100 ml 250 ml	4235 10125
Ethyl Lactate (Cas No. 687-47-8) Assay : Min. 99% $C_5H_{10}O_3$ M.W. 118.13, Liquid, d. 0.1.03	01183 00500	GB	500 ml	2925
N-Ethyl Maleimide (Cas No. 128-53-0) (NEM) Store at 2-8°C Assay : Min. 99% $C_6H_7NO_2$ M.W. 125.13	01184 00005 01184 00025	GB GB	5 gm 25 gm	3110 9995
Ethyl Methyl Ketone (For Synthesis) (Cas No. 78-93-3) (Butanone) (Butane-2-One) (Methyl Ethyl Ketone) Assay : Min. 99% C_4H_8O M.W. 72.11, Liquid, d. 0.805	01185 00500 01185 02500 01185 05000	GB GB PC	500 ml 2.5 Lt 5 Lt	520 2255 4055
Ethyl Methyl Ketone AR (Cas No. 78-93-3) (Butanone) (Butane-2-One) (Methyl Ethyl Ketone) Assay : Min. 99.5% C_4H_8O M.W. 72.11, Liquid, d. 0.805	01186 00500 01186 02500	GB GB	500 ml 2.5 Lt	620 2655
Ethyl Methyl Ketone HPLC & SPECTROSCOPY (Cas No. 78-93-3) (Butanone) (Butane-2-One) (Methyl Ethyl Ketone) Assay : Min. 99.7% C_4H_8O M.W. 72.11, Liquid, d. 0.805	01187 00500 01187 02500	GB GB	500 ml 2.5 Lt	645 2745
N-Ethyl Morpholine (For Synthesis) (Cas No. 100-74-3) (4-Ethyl Morpholine) Assay : Min. 97% $C_6H_{13}NO$ M.W. 115.17, Liquid, d. 0.91	01188 00250 01188 01000	GB GB	250 ml 1 Lt	1440 4490
Ethyl Oleate (Cas No. 111-62-6) Assay : Min. 98% $C_{20}H_{38}O_2$ M.W. 310.51, Liquid, d. 0.87	01189 00500	GB	500 ml	630
Ethyl Orthoformate (Triethyl Orthoformate) (Cas No. 122-51-0) Assay : Min. 98% $C_7H_{16}O_3$ M.W. 148.20, Liquid, d. 0.891	01190 00500	GB	500 ml	885
Ethyl Paraben Extra Pure (Ethyl-P-Hydroxy Benzoate) (Nipagin A) Assay : Min. 99% $C_9H_{10}O_3$ M.W. 166.17 (Cas No. 120-47-8)	01191 00100 01191 00500	PB PB	100 gm 500 gm	415 1395
N-Ethyl Piperazine (For Synthesis) (Cas No. 5308-25-8) Assay : Min. 98% $C_6H_{14}N_2$ M.W. 114.19, Liquid, d. 0.899	01192 00250 01192 01000	PB GB	250 ml 1 Lt	1960 6660
Ethyl Pyruvate (For Synthesis) (Cas No. 617-35-6) Assay : Min. 98% $C_3H_8O_3$ M.W. 116.12, Liquid, d. 1.05	01193 00100 01193 00500	GB GB	100 gm 500 gm	2760 10880
Ethyl Trifluoroacetate (For Synthesis) (Cas No. 383-63-1) Assay : Min. 99% $C_4H_5F_3O_2$ M.W. 142.08, Liquid, d. 1.194	01194 00100 01194 00500	GB GB	100 gm 500 gm	1045 3980
Ethyl Violet (For Microscopy) (C.I. No. 42600) (Cas No. 2390-59-2) Dye Content : Min 80% $C_{31}H_{42}N_3Cl$ M.W. 492.14	01195 00025	GB	25 gm	1150
Eucalyptus Oil Extra Pure (Cas No. 8000-48-4) Liquid, d. 0.909	01196 00500	GB	500 ml	1730
Eugenol (Cas No. 97-53-0) Assay : Min. 99% $C_{10}H_{12}O_2$ M.W. 164.20, Liquid, d. 1.067	01197 00100	GB	100 gm	1190
Euparol (For Microscopy)	01198 00100	GB	100 ml	990

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Europium Oxide AR (Cas No. 1308-96-9)	01199 00001	GB	1 gm	1750
Assay : Min. 99.9% Eu_2O_3 M.W. 351.93	01199 00005	GB	5 gm	5780
Evan's Blue (For Microscopy) (C.I. No. 23860)	01200 00005	GB	5 gm	165
(Cas No. 314-13-6)	01200 00025	GB	25 gm	675
Dye Content : Min. 75% $\text{C}_{34}\text{H}_{24}\text{N}_6\text{Na}_4\text{O}_{14}\text{S}_4$ M.W. 960.81	01200 00100	GB	100 gm	2415
Evan's Blue	01200A 00125	PB	125 ml	155
Staining Solution	01200A 00500	PB	500 ml	475
Exten's Reagent	01200B 00125	PB	125 ml	270
	01200B 00500	PB	500 ml	915

F

Fast Garnet GBC Sulfate Salt (C.I. No. 37210) (Cas No. 101-89-3)	01201 00005	GB	5 gm	6345
$\text{C}_{14}\text{H}_{14}\text{N}_4\text{O}_4\text{S}$ M.W. 334.35				
Fast Green (For Microscopy) See Malachite Green Page No. 107				
Fast Green FCF (M.S.) (C.I. No. 42053)	01202 00005	GB	5 gm	375
(Cas No. 2353-45-9)	01202 00025	GB	25 gm	1460
Dye Content : Min. 85% $\text{C}_{37}\text{H}_{34}\text{N}_2\text{O}_{10}\text{S}_3\text{Na}_2$ M.W. 808.85	01202 00100	GB	100 gm	4870
Fast Green FCF (For Molecular Biology) (Cas No. 2353-45-9)	01203 00005	GB	10 gm	3680
Dye Content : Min. 85% $\text{C}_{37}\text{H}_{34}\text{N}_2\text{O}_{10}\text{S}_3\text{Na}_2$ M.W. 808.85	01203 00025	GB	25 gm	6490
Fast Green Indicator Solution See Malachite Green Solution Page No. 107				
Fast Sulphon Black F (C.I. NO. 26990)	01204 00025	PB	25 gm	330
(Cas No. 3682-47-1)	01204 00100	PB	100 gm	1145
$\text{C}_{30}\text{H}_{20}\text{N}_4\text{O}_{11}\text{S}_3$ M.W. 708.695	01204 00500	PB	500 gm	4585
Fehling Solution 'A'	01205 00500	PB	500 ml	215
(Fehling Solution No. 1) (d. 1.038-1.060)	01205 05000	PC	5 lt	1745
Fehling Solution 'B'	01206 00500	PB	500 ml	330
(Fehling Solution No. 2) (d. 1.23-1.25)	01206 05000	PC	5 lt	2640
Fennel Oil Extra Pure (d. 0.963)	01206A 00500	GB	500 ml	5935
Ferric Alum See Ammonium Ferric Sulphate Page No. 13				
Ferric Ammonium Citrate See Ammonium Ferric Citrate Page No. 13				
Ferric Ammonium Sulphate See Ammonium Ferric Sulphate Page No. 13				
Ferric Chloride (anhydrous) (Cas No. 7705-08-0) (Iron (III) Chloride)	01207 00500	PB	500 gm	215
Assay : Min. 97% FeCl_3 M.W. 162.20	01207 05000	PC	5 kg	1575
Ferric Chloride (anhydrous) AR (Cas No. 7705-08-0) (Iron (III) Chloride)	01208 00500	PB	500 gm	290
Assay : Min. 98% FeCl_3 M.W. 162.20				
Ferric Chloride (hexahydrate) (Cas No. 10025-77-1)	01209 00500	PB	500 gm	220
Assay : Min. 98.5% $\text{FeCl}_3 \cdot 6\text{H}_2\text{O}$ M.W. 270.30				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Ferric Chloride (hexahydrate) AR (Cas No. 10025-77-1) Assay : Min. 99% $\text{FeCl}_3 \cdot 6\text{H}_2\text{O}$ M.W. 270.30	01210 00500	PB	500 gm	295
Ferric Chloride (lumps) (Cas No. 10025-77-1) (iron (III) chloride 6-hydrate) Assay : Min. 98% $\text{FeCl}_3 \cdot 6\text{H}_2\text{O}$ M.W. 270.30	01211 00500 01211 05000	PB PC	500 gm 5 kg	170 1405
Ferric Chloride 10% Solution w/v Liquid, d.1.086	01212 00500	PB	500 ml	200
Ferric Citrate (tribasic) (Monohydrate) (Cas No. 2338-05-8) [Iron (III) Citrate] Assay : (Fe) Min. 18-20% $\text{C}_6\text{H}_5\text{FeO}_7 \cdot \text{H}_2\text{O}$ M.W. 262.96	01213 00500	PB	500 gm	595
Ferric Nitrate (Cas No. 7782-61-8) [Iron (III) Nitrate] Assay : Min. 98% $\text{Fe}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$ M.W. 404.00	01214 00500 01214 05000	PB PC	500 gm 5 kg	840 1370
Ferric Nitrate AR (Cas No. 7782-61-8) [Iron (III) Nitrate] Assay : Min. 99% $\text{Fe}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$ M.W. 404.00	01215 00500	PB	500 gm	840
Ferric Oxide (Red) Extra Pure (Cas No. 1309-37-1) (Iron (III) Nitrate) Assay : Min. 95-98% Fe_2O_3 M.W. 159.69	02916 00500	PB	500 gm	255
Ferric Phosphate (Iron (III) Phosphate) (Cas No. 10045-86-0) Assay (ex Fe) : Min. 29% $\text{FePO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 186.85	01216 00500	PB	500 gm	250
Ferric Pyrophosphate Pure (Cas No. 10058-44-3) Assay : Min. 97% $\text{Fe}_4(\text{P}_2\text{O}_7)_3$ M.W. 745.21	01217 00500	PB	500 gm	685
Ferric Sulphate Hydrate (Cas No. 15244-10-7) [iron (III) Sulphate] Assay : (ex Fe) : Min. 20% $\text{Fe}_2(\text{SO}_4)_3 \cdot x\text{H}_2\text{O}$ M.W. 399.88	01218 00500	PB	500 gm	435
Ferrocene (For Synthesis) (Cas No. 102-54-5) (Dicyclopentadienyliiron) Assay : Min. 98% $\text{C}_{10}\text{H}_{10}\text{Fe}$ M.W. 186.03	01220 00025 01220 00100	PB PB	25 gm 100 gm	775 2250
Ferroun Solution AR (0.025 A) (redox Indicator) (Cas No. 14634-91-4) $\text{C}_{36}\text{H}_{24}\text{FeN}_6\text{SO}_4$ M.W. 692.52, Liquid, d. 1.006	01221 00100 01221 00250	GB GB	100 ml 250 ml	635 1275
Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate Page No. 13				
Ferrous Chloride (tetrahydrate) purified (Cas No. 13478-10-9) [Iron (II) Chloride] Assay : Min. 99% $\text{FeCl}_2 \cdot 4\text{H}_2\text{O}$ M.W. 198.81	01222 00500 01222 05000	PB PC	500 gm 5 kg	605 5110
Ferrous Sulphate (heptahydrate) (Cas No. 7782-63-0) [iron (II) Sulphate] Assay : Min. 98.5-104.5% $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 278.01	01223 00500 01223 05000	PB PC	500 gm 5 kg	140 920
Ferrous Sulphate AR (heptahydrate) (Cas No. 7782-63-0) [iron (II) Sulphate] Assay : Min. 99% $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 278.01	01224 00500	PB	500 gm	255
Ferrous Sulphate (dried) (exsiccated White Powder) (Cas No. 13463-43-9) Assay : Min. 97% $\text{FeSO}_4 \cdot \text{aq}$ M.W. 151.91 (Anhy. Basis)	01225 00500	PB	500 gm	190
Ferrous Sulphide Sticks (Cas No. 1317-37-9) [iron (II) Sulphide Sticks] (Selected Sticks of Producing H ₂ S) Assay (Sulphide, Sulphur) : Min. 29% FeS M.W. 87.91	01227 00500 01227 05000	PB PC	500 gm 5 kg	240 1935
Feulgen Reagent Solution See Schiff's Reagent Solution Page No. 153				
Field's Stain 'A' Powder	01228 00025 01228 00100 01228 00500	PB PB PB	25 gm 100 gm 500 gm	180 580 2290

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Field's Stain 'A' Solution, Liquid, d.0.89 (Microscopy Staining)	01229 00125	PB	125 ml	100
	01229 00500	PB	500 ml	300
Field's Stain 'B' Powder	01230 00025	PB	25 gm	185
	01230 00100	PB	100 gm	575
	01230 00500	PB	500 gm	2285
Field's Stain 'B' Solution (Microscopy Staining)	01231 00125	PB	125 ml	105
	01231 00500	PB	500 ml	290
Florisil Powder (60-100 Mesh) (Cas No. 1343-88-0)	01232 00100	PB	100 gm	2110
	01232 00500	PB	500 gm	8970
Fluoboric Acid 40% (Cas No. 16872-11-0) (Borofluoric Acid) Assay : Min. 40% HBF_4 M.W. 87.81, Liquid, d. 1.38	01233 00500	GB	500 ml	530
Fluorene (Cas No. 86-73-7) (diphenylenene methane) Assay : Min 98% $\text{C}_{13}\text{H}_{10}$ M.W. 166.22	01234 00100	PB	100 gm	2545
	01234 00250	PB	250 gm	5605
Fluorescein (M.S.) (Cas No. 2321-07-5) (C.I. No. 45350) Assay : Min 98% $\text{C}_{20}\text{H}_{12}\text{O}_5$ M.W. 332.31	01235 00025	PB	25 gm	150
	01235 00100	PB	100 gm	470
	01235 00500	PB	500 gm	1970
Fluorescein Complexone See Calceine indicator Page No. 39				
Fluorescein Sodium (Cas No. 518-47-8) (uranin) (C.I. No. 45350) Assay : Min 98% $\text{C}_{20}\text{H}_{10}\text{Na}_2\text{O}_5$ M.W. 376.28	01236 00025	PB	25 gm	210
	01236 00100	PB	100 gm	605
	01236 00500	PB	500 gm	2775
4-Fluoro Aniline (for synthesis) (Cas No. 371-40-4) Assay : Min 98% $\text{C}_6\text{H}_6\text{FN}$ M.W. 111.12, Liquid, 1.173	01237 00100	GB	100 ml	1230
	01237 00500	GB	500 ml	5430
Fluorobenzene (for synthesis) (Cas No.462-06-6) Assay : Min 98% $\text{C}_6\text{H}_5\text{F}$ M.W. 96.10, Liquid, 1.024	01238 00500	GB	500 ml	2245
	01238 02500	GB	2.5 ml	9435
1-Fluoro-2,4, - Dinitrobenzene see 2, 4-Dinitro-1-Fluorobenzene Page No. 68				
5-Fluorouracil Extra Pure (for biochemistry) (Cas No. 51-21-8) (2-4-dihydroxy-5-fluoropyrimidine) Assay : Min 99% $\text{C}_4\text{H}_3\text{FN}_2\text{O}_2$ M.W. 130.08	01239 00001	GB	1 gm	565
	01239 00005	GB	5 gm	2075
Folic Acid (Cas No. 59-30-3) (for biochemistry) Assay : Min 97% $\text{C}_{19}\text{H}_{19}\text{N}_7\text{O}_6$ M.W. 441.40	01240 00025	GB	25 gm	1875
	01240 00100	PB	100 gm	6575
	01240 01000	PB	1 kg	59215
Folin & Ciocalteu's Phenol Reagent (Phenol reagent) (d.1.24)	01241 00100	GB	100 ml	290
	01241 00500	GB	500 ml	1060
Folin & WU's Phosphate - Molybdate Solution (Phosphate Molybdate Solution)	01242 00500	GB	500 ml	375
Formaldehyde Solution (Cas No. 50-00-0) (37-41% w/v H.CHO), Liquid, d.1.09 (formaline Solution) Assay : Min 37-41% HCHO M.W. 30.03, Liquid, d.1.09	01243 00500	PB	500 ml	150
	01243 02500	PB	2.5 lt	465
	01243 05000	PC	5 lt	845

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Formaldehyde Solution AR (Cas No. 50-00-0) (formaline Solution)	01244 00500	PB	500 ml	220
Assay : Min 37-41% HCHO M.W. 30.03 Liquid, d.1.09	01240 02500	PB	2.5 lt	870
Formaldehyde Solution (For Molecular Biology) (Cas No. 50-00-0) (Formalin, Methanal)	01245 00500	GB	500 ml	2090
Assay : Min 37% CH ₂ O M.W. 30.03, Liquid, d.1.09				
Formamide (for synthesis) (Cas No. 75-12-7)	01246 00500	PB	500 ml	470
Assay : Min 98% CONH ₃ M.W. 45.04 Liquid, d1.134	01246 02500	PB	2.5 lt	1845
Formamide AR (Cas No. 75-12-7)	01247 00500	GB	500 ml	565
Assay : Min 99% CONH ₃ M.W. 45.04 Liquid, d 1.134	01247 02500	GB	2.5 lt	2545
Formamide (For Molecular Biology) (Cas No. 75-12-7)	01248 00500	GB	500 ml	2025
Forms a clear colourless solution in water (10%)	01248 01000	GB	1 lt	3050
Assay : Min 99.5% CONH ₃ M.W. 45.04 Liquid, d 1.134				
Formic Acid 85% (for synthesis) (Cas No. 64-18-6)	01249 00500	PB	500 ml	260
Assay : Min 85% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22	01249 02500	PB	2.5 lt	1080
Formic Acid 90% (Cas No. 64-18-6)	01250 00500	PB	500 ml	290
Assay : Min 90% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22				
Formic Acid 90% AR (Cas No. 64-18-6)	01251 00500	GB	500 ml	370
Assay : Min 90% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22				
Formic Acid 98-100% (Cas No. 64-18-6)	01252 00500	GB	500 ml	475
Assay : Min 98% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22				
Formic Acid 98-100% AR (Cas No. 64-18-6)	01253 00500	GB	500 ml	525
Assay : Min 90-100% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22				
Fouchet's Reagent (for bile pigment)	01254 00125	GB	125 ml	85
	01254 00500	GB	500 ml	305
Fougler's Reagent Solution	01254A 00500	GB	500 ml	535
French Chalk Powder Extra Pure (Cas No. 14807-96-6) (talcum Powder)	01255 00500	PB	500 gm	110
3Mgo.4SiO ₂ H ₂ O M.W. 379.27	01255 05000	PC	5 kg	940
D-(-)-Fructose (levulose) (Cas No. 57-48-7)	01256 00100	PB	100 gm	145
Assay : Min. 98% C ₆ H ₁₂ O ₆ M.W. 180.16	01256 00500	PB	500 gm	560
	01256 05000	PC	5 kg	4565
D-(-)-Fructose AR (For Molecular Biology) (levulose) (Cas No. 57-48-7)	01257 00100	PB	100 gm	210
Assay : Min. 99% C ₆ H ₁₂ O ₆ M.W. 180.16	01257 00500	PB	500 gm	750
	01257 05000	PC	5 kg	6395
D-Fructose-1, 6-Diphosphate, Tetrasodium Salt (Cas No. 23784-19-2)	01258 00005	GB	5 gm	5250
Assay : Min. 99% C ₆ H ₁₀ O ₁₂ P ₂ Na ₄ M.W. 428.04				
Fuchsin Acid (M.S.) (C.I.No. 42685) (Cas No. 3244-88-0)	01259 00025	PB	25 gm	340
(Magenta Acid) (Acid Fuchsin)	01259 00100	PB	100 gm	1180
Dye Content : Min. 70% C ₂₀ H ₁₇ N ₃ Na ₂ O ₉ S ₃ M.W. 585.54	01259 00500	PB	500 gm	4750
Fuchsin Acid Staining Solution	01260 00125	PB	125 ml	85
(Acid Fuchsin Solution)	01260 00500	PB	500 ml	285

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Fuhsin Basic See Basic Fuchsin Page No. 21				
Fuller's Earth (Cas No. 8031-18-3)	01261 00500	PB	500 gm	135
Fumaric Acid (For Synthesis) (Cas No. 110-17-8) Assay : Min. 99% $C_4H_4O_4$ M.W. 116.07	01262 00500	PB	500 gm	465
Fumaric Acid AR (Cas No. 110-17-8) Assay : Min. 99.5-100.5% $C_4H_4O_4$ M.W. 116.07	01263 00500	PB	500 gm	595
Fungal Diastase See Diastase Page No. 61				
Furfuraldehyde (for synthesis) (Cas No. 98-01-1) (furfural) Assay : Min. 98% $C_5H_4O_2$ M.W. 96.09, Liquid, d. 1.16	01264 00500	GB	500 ml	430
Furfuraldehyde AR (Cas No. 98-01-1) (furfural) Assay : Min. 99% $C_5H_4O_2$ M.W. 96.09, Liquid, d. 1.16	01265 00500	GB	500 ml	1150
Furfuryl Alcohol (for synthesis) (Cas No. 98-00-0) Assay : Min. 98% $C_5H_6O_2$ M.W. 98.10, Liquid, d. 1.135	01266 00500	GB	500 ml	815
Farfurylamine (for synthesis) (Cas No. 617-89-0) Assay : Min 98% C_5H_7NO M.W. 97.12, Liquid, d. 1.099	01267 00500	GB	500 ml	915
6- Furfuryl Aminopurine See Kinetine Page No. 99				
Fusion Mixture (Cas No. 9006-59-1) (sodium potassium carbonate)	01268 00500	PB	500 gm	295
***** G				
Gadolinium (III) Oxide (Cas No. 12064-62-9) Assay : Min. 99.9% Gd_2O_3 M.W. 362.50	01269 00005 01269 00025	GB GB	5 gm 25 gm	1440 3995
D-(+)-Galactose (For Molecular Biology) (Cas No. 59-23-4) Assay : Min. 99% $C_6H_{12}O_6$ M.W. 180.16	01270 00025 01270 00100 01270 00500	PB PB PB	25 gm 100 gm 500 gm	585 2095 8215
Gallic Acid (Cas No. 5995-86-8) (3,4,5-trihydroxybenzoic acid) Assay : Min. 98% $C_6H_{12}O_6$ M.W. 180.16	01271 00250 01271 00500	PB PB	250 gm 500 gm	1790 3320
Garlic Oil Extra Pure (Cas No. 8000-78-0) Liquid, d. 1.073	01272A 00100 01272A 00250	GB GB	100 ml 250 ml	4695 9650
Gelatine Powder (for bacteriology) (Cas No. 9000-70-8)	01272 00500 01272 05000	PB PB	500 gm 5 kg	765 6245
Gellan Gum Extra Pure (Cas No. 7101-52-1) (agar substitute gelling agent) (phytagel)	01272A 00100 01272A 00500	PB PB	100 gm 500 gm	3140 12840
Gentian Violet See Crystal Violet Page No. 57				
Gentian Violet AR See Crystal Violet AR Page No. 57				
Gentian Violet Solution (aqueous staining solution)	01273 00125 01273 00500	PB PB	125 ml 500 ml	135 415

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Gentitan Violet Solution (alcoholic solution)	01274 00125 01274 00500	PB PB	125 ml 500 ml	170 510
Geranium Oil Extra Pure (Cas No. 8000-46-2) Liquid, d. 0.887	01274A 00100 01274A 00500	GB GB	100 ml 500 ml	1955 6800
Germanium Dioxide (electronic grade) (germanium (IV) oxide) Assay : Min. 99.999% GeO_2 M.W. 104.64 Cas No. 1310-53-8	01275 00001 01275 00010	GB GB	1 gm 10 gm	1720 13790
Gibbs Reagent AR See 2, 6-Dichloroquinone-4-Chlorimide Page No. 63				
Giemsa's Stain (Cas No. 51811-82-6) (for microscopy) $\text{C}_{14}\text{H}_{14}\text{ClN}_3\text{S}$ M.W. 291.80	01276 00025 01276 00100 01276 00500	PB PB PB	25 gm 100 gm 500 gm	425 1535 6430
Giemsa's Stain Solution (azur-eosin-methylene blue staining solution)	01277 00125 01277 00500	PB PB	125 ml 500 ml	225 690
Ginger Oil Extra pure (Cas No. 8007-08-7), Liquid, d. 0.871	01277A 00500	GB	500 ml	11900
Girard's Reagent P AR (Cas No. 1126-58-5) Assay : Min 98% $\text{C}_7\text{H}_{10}\text{ClN}_3\text{O}$ M.W. 187.63	01278 00025 01278 00100	PB PB	25 gm 100 gm	690 2205
Glass Beads (drilled)	01279 00500	PB	500 gm	365
Glass Beads (undrilled)	01280 00500	PB	500 gm	370
Glass Wool (Cas No. 65997-19-3) (low in lead)	01281 00250 01281 00500	PB PB	250 gm 500 gm	375 630
Glucose See Dextrose Page No. 53				
Glucose-1-Phosphate Dipotassium Salt (for biochemistry) (Cas No. 5996-14-5) (store in refrigerator) Assay : Min. 99% $\text{C}_6\text{H}_{11}\text{K}_2\text{O}_9 \cdot \text{P} \cdot \text{xH}_2\text{O}$ M.W. 336.32 (anhy basis)	01282 00001 01282 00005	GB GB	1 gm 5 gm	885 3555
Glucose Standard Stock Solution (1% w/v) Liquid, d.1.0	01283 00100 01283 00500	PB PB	100 ml 500 ml	160 545
L-Glutamic Acid (Cas No. 58-86-0) (for biochemistry) Assay : Min. 99% $\text{C}_5\text{H}_9\text{NO}_4$ M.W. 147.13	01284 00100 01284 00500 01284 05000	PB PB PC	100 gm 500 gm 5 kg	290 910 3685
L-Glutamic Acid Mono Sodium Salt See Sodium-L-Glutamate Page No. 162				
L-Glutamine (Cas No. 56-85-9) (for biochemistry) Assay : Min. 99% $\text{C}_5\text{H}_9\text{NO}_4$ M.W. 146.15	01285 00025 01285 00100 01285 00500	PB PB PB	25 gm 100 gm 500 gm	290 915 3700
Glutaraldehyde (25% aqueous solution) (Cas No. 111-30-8) Assay : Min. 25% $\text{C}_5\text{H}_8\text{O}_2$ M.W. 100.12, Liquid, d. 1.06	01286 00500	GB	500 ml	525
Glutaraldehyde 8% Solution (Cas No. 111-30-8) In Water Fixing Agent Liquid, d.1.016	01287 00100	GB	100 ml	170
Glutaric Acid Extra Pure (Cas No. 110-94-1) (pentanedioic acid) Assay : Min. 99% $\text{C}_5\text{H}_8\text{O}_4$ M.W. 132.11	01288 00100 01288 00500	PB PB	100 gm 500 gm	1285 4905

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Glutaric Anhydride (Cas No. 108-55-4) Assay : Min. 98% $C_5H_6O_3$ M.W. 114.1	01289 00025	GB	25 gm	3235
L-Glutathione reduced (For Molecular Biology) (Cas No. 70-18-8) Store at 2 – 80C Assay : Min. 99% $C_{10}H_{17}N_3O_6S$ M.W. 307.33	01290 00001 01290 00005 01290 00025	GB GB GB	1 gm 5 gm 25 gm	330 1365 5450
Glycerine purified (Cas No. 56-81-5) (1,2,3-Propanetriol) (glycerol) Assay : Min. 98% $C_3H_8O_3$ M.W. 92.09, Liquid, d. 1.25	01291 00250 01291 00250 01291 02500	PB PB PB	250 ml 500 ml 2.5 Lt	170 325 1285
Glycerine AR (Cas No. 56-81-5) (1,2,3-Propanetriol) (glycerol) Assay : Min. 99% $C_3H_8O_3$ M.W. 92.09, Liquid, d. 1.25	01292 00500 01292 02500	GB GB	500 ml 2.5 Lt	360 1465
Glycerol (For Molecular Biology) (Cas No. 56-81-5) (1,2,3-Propanetriol) (glycerol) Assay : Min. 99.5% $C_3H_8O_3$ M.W. 92.09	01293 00500	GB	500 ml	1343
Glycerol Mono Stearate (Cas No. 123-94-4) (G.M.S.) $C_{21}H_{42}O_4$ M.W. 358.56	01294 00500	GB	500 gm	320
Glycerol Triacetate (Cas No. 102-76-1) (triacetin) Assay : Min. 99% $C_9H_{14}O_6$ M.W. 218.21, Liquid, d. 1.16	01295 00500	GB	500 ml	640
Glycerol tributyrate See Tributyrin Page No. 184				
Glycine See Aminoacetic Acid Page No. 9				
Glycine Ethylester Hydrochloride (for synthesis) (Cas No. 623-33-6) Assay : Min. 99% $C_4H_9NO_2.HCL$ M.W. 139.6	01296 00100 01296 00500	PB PB	100 gm 500 gm	525 1970
Glycogen (from Oysters) Type II (for Molecular Biology) (Cas No. 9005-79-2) Assay : Min. 90% $(C_6H_{10}O_5)_n$	01297 00001 01297 00005	GB GB	1 gm 5 gm	820 2770
Glycolic Acid 70% (in water) (for synthesis) (Cas No. 79-14-1) Assay : Min. 70% $C_2H_4O_3$ M.W. 76.05, Liquid, d. 1.25	01298 00500	GB	500 ml	1990
Glycyl Glycine (for biochemistry) (Cas No. 556-50-3) (Gly-Gly, diglycine) useful pH range 7.5-8.9 Assay : Min. 99% $C_4H_8N_2O_3$ M.W. 132.12	01299 00010 01299 00025 01299 00100	GB PB PB	10 gm 25 gm 100 gm	690 1495 4565
Glyoxal (liquid) 40% (for synthesis) (Cas No. 107-22-2) Assay : Min. 40% $C_2H_2O_2$ M.W. 58.04, Liquid, d. 1.265	01300 00500	GB	500 ml	315
Glyoxal-Bis-(2-Hydroxyanil) See 1,2-bis (2-Hydroxyphenylimino) Ethane				
Gold AAS Standard Solution 1000mg/L in Hydrochloric Acid Liquid, d. 1.033	01300A 00125 01300A 00500	GB GB	125 ml 500 ml	4015 13035
Gold ICP Standard Solution 1000mg/L in hydrochloric Acid Liquid, d. 1.033	01300B 00125	GB	125 ml	6735
Gold Chloride See Auric Chloride				
Glyoxaline See Imidazole Page No. 94				
Gower's Solution (R.B.C. diluting fluid)	01301 00500	PB	500 ml	265
Gram's Iodine (For Microscopy) (Cas No. 12298-68-9)	01302 00025 01302 00100	GB GB	25 gm 100 gm	845 3150

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Gram's Iodine	01303 00125	GB	125 ml	180
Staining solution Liquid, d.1.027	01303 00500	GB	500 ml	590
Gram's Staining Kit (each 125 ml stain solution)	01304 KIT01	GB	Kit	815
Graphite Powder (Cas No. 7782-42-5)	01305 00500	PC	500 gm	245
Assay : Min. 99% C M.W. 12.01	01305 05000	GB	5 kg	1945
Groundnut Oil (Cas No. 8002-03-7) Liquid, d. 0.91	01305A 00500	GB	500 ml	765
Guaicol (liquid) (Cas No. 90-05-1) (o-methoxy phenol)	01306 00500	GB	500 ml	1495
Assay : Min. 99% C ₇ H ₈ O ₂ M.W. 124.14, Liquid, d. 1.129				
Guanidine Carbonate (Cas No. 593-85-1) (guanidinium carbonate)	01307 00500	PB	500 gm	2560
Assay : Min. 98% C ₃ H ₁₂ N ₆ O ₃ M.W. 180.17				
Guanidine Hydrochloride (for biochemistry) (Cas No. 50-01-1)	01308 00025	PB	25 gm	225
(guanidium chloride)	01308 00100	PB	100 gm	715
Assay : Min. 99% CH ₅ N ₃ .HCl M.W. 95.53	01308 00500	PB	500 gm	2870
Guanidine Nitrate (Cas No. 506-93-4) (guanidinium nitrate)	01309 00500	PB	500 gm	645
Assay : Min. 98% CH ₅ N ₃ .HNO ₃ M.W. 122.08				
Guanidine Thiocyanate (for molecular biology) (guanidinium rhodanide)	01310 00100	PB	100 gm	1770
Assay : Min. 99% CH ₅ N ₃ .CHNS M.W. 118.16 (Cas No. 593-84-0)	01310 00500	PB	500 gm	7195
Guanine (for Molecular Biology) (Cas No. 73-40-5)	01311 00005	GB	5 gm	175
Assay : Min. 98% C ₅ H ₅ N ₅ O M.W. 151.13	01311 00025	GB	25 gm	665
Guanine Hydrochloride (Cas No. 635-39-2)	01312 00005	GB	5 gm	240
Assay : Min. 99% C ₅ H ₅ N ₅ O.HCL M.W. 187.59	01312 00025	GB	25 gm	740
	01312 00100	GB	100 gm	2435
Guanosine (Cas No. 118-00-3)	01313 00005	GB	5 gm	310
(for biochemistry)	01313 00025	PB	25 gm	1245
Assay : Min. 99% C ₁₀ H ₁₃ N ₅ O ₅ M.W. 283.25	01313 00100	PB	100 gm	4455
Gum Acacia See Acacia Page No. 1				
Gum Ghatti Extra Pure (Cas No. 9000-28-6)	01314 00100	PB	100 gm	275
	01314 00500	PB	500 gm	1195
Gum Ghatti Solution	01315 00125	PB	125 ml	120
	01315 00500	PB	500 ml	360
Gum Guar Extra Pure (Cas NO. 9000-30-0)	01316 00500	PB	500 gm	1055
Gum Karaya Extra pure (Cas No. 9000-36-6)	01316A 00500	PB	500 gm	2535
(karaya gum)	01316A 02500	PB	2.5 kg	9935
Gum Locust Bean (Cas No. 9000-40-2)	01316B 00025	PB	25 gm	2255
(locust bean gum)	01316B 00100	PB	100 gm	7735
Gum Tragacanth (Cas No. 9000-65-1)	01317 00500	PB	500 gm	765
(tragacanth gum powder)	01317 05000	PC	5 kg	6050
Gum Xanthan Extra Pure (food grade) See Xanthan Gum Page No. 192				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
HABA for automatic analysis [2-(4-hydroxybenzeneazo) - (benzoic acid)]	01318 00005	GB	5 gm	1120
Assay : Min. 98% $C_{13}H_{10}N_2O_3$ M.W. 242.23 (Cas No. 1634-82-8)	01318 00025	GB	25 gm	5295
Haqer's Reagent				
HATU Extra Pure for Peptide Synthesis [O-(7-azobenzotriazol-1-YI)	01319 00001	GB	1 gm	1730
N,N,N'-Tetramethyluronium Hexafluorophosphate (Cas No. 148893-10-1)	01319 00005	GB	5 gm	6925
Assay : Min. 97% $C_{10}H_{15}F_6N_6OP$ M.W. 380.23 (Store at 2-8°C)				
Hayem's Solution	01320 00125	GB	125 ml	85
Liquid, d. 1.014	01320 00500	GB	500 ml	265
HBTU For Peptide Synthesis (Cas No. 94790-37-1) [O-(benzotriazol-1-YI)	01321 00100	GB	5 gm	835
N,N,N'-Tetramethyluronium Hexafluorophosphate	01321 00005	PB	25 gm	3330
Assay : Min. 97% $C_{11}H_{16}F_6N_5OP$ M.W. 379.2 (store at 2 – 80C)	01321 00025	PB	100 gm	9930
Hematoxylin Stain (certified) (Cas No. 517-28-2)	01323 00005	GB	5 gm	1870
(for microscopy) (C.I. No. 75290)	01323 00025	PB	25 gm	7650
Dye Content : Min. 95% $C_{16}H_{14}O_6 \cdot xH_2O$ M.W. 302.28 (anhys basis)	01323 00100	PB	100 gm	26780
Hematoxylin (Delafield) Staining solution	01324 00125	PB	125 ml	495
Liquid, d.1.00-1.04	01324 00500	PB	500 ml	1485
Hematoxylin (Ehrlich) Staining solution	01325 00125	PB	125 ml	355
Liquid, d.1.00-1.04	01325 00500	PB	500 ml	1075
Hematoxylin (Harris) staining solution (papanicolaous solution 1 a)	01326 00125	PB	125 ml	520
	01326 00500	PB	500 ml	1560
Hematoxylin (mayer's) staining solution (hemalum mayer's)	01327 00125	PB	125 ml	215
	01327 00500	PB	500 ml	485
Hemoglobin Powder (as protease substrate)	01328 00100	PB	100 gm	980
(Cas No. 9008-02-0)	01328 00500	PB	500 gm	4590
Heparin Sodium Extra Pure 20,000 IU/Vial (Cas No. 9041-08-1)	01329 VAL01	GB	Vial	1465
(store in refrigerator)				
Heparin Sodium Extra Pure 1,00,000 IU/Vial (Cas No. 9041-08-1)	01330 VAL01	GB	Vial	4685
(store in refrigerator)				
HEPES (For Molecular Biology) (Cas No. 7365-45-9)	01331 00005	GB	5 gm	305
(good zwitteruonic buffer substance)	01331 00025	PB	25 gm	925
[4-(2-hydroxyethyl)-1-Piperazineethanesulphonic Acid]	01331 00100	PB	100 gm	2650
Assay : Min. 99% $C_8H_{18}N_2O_4S$ M.W. 238.30	01331 00500	PB	500 gm	9360
HEPES Buffer Solution 1 M Solution in Water , Liquid.d.1.070	01332 00125	PB	125 ml	1240
	01332 00500	PB	500 ml	4840
Heptane 85% (fraction from petroleum) (Cas No. 142-82-5)	01333 00500	GB	500 ml	305
Assay : Min. 85% C_7H_{16} M.W. 100.20, Liquid, d. 0.685	01333 02500	GB	2.5 Lt	1150
n-Heptane 99% (for synthesis) (Cas No. 142-82-5)	01334 00500	GB	500 ml	795
Assay : Min. 99% C_7H_{16} M.W. 100.20, Liquid, d. 0.685	01334 02500	GB	2.5 Lt	3435
n-Heptane AR (Cas No. 142-82-5)	01335 00500	GB	500 ml	890
Assay : Min. 99% C_7H_{16} M.W. 100.20, Liquid, d. 0.685	01335 02500	GB	2.5 Lt	3990

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
n-Heptane HPLC & SPECTROSCOPY (Cas No. 142-82-5) Assay : Min. 99.5% C ₇ H ₁₆ M.W. 100.20, Liquid, d. 0.685	01336 01000	GB	1Lt	4400
1-Heptanesulphonic Acid Sodium Salt AR & HPLC (anhydrous) (sodium-1-heptansulphonate) (Cas No. 22767-50-6) Assay : Min. 99% C ₇ H ₁₅ O ₃ SNa M.W. 202.25	01337 00005 01337 00025 01337 00100	PB PB PB	5 gm 25 gm 100 gm	480 1635 6035
1-Heptanesulphonic Acid Sodium Salt AR & HPLC (monohydrate) (sodium-1-heptansulphonate) (Cas No. 207300-90-1) Assay : Min. 99% C ₇ H ₁₅ NaO ₃ S.H ₂ O M.W. 220.26	01338 00005 01338 00025 01338 00100	GB PB PB	5 gm 25 gm 100 gm	575 1695 6215
n-Heptanol (for synthesis) (Cas No. 111-70-6) (heptan-1-ol) (n-heptyl alcohol) Assay : Min. 99% C ₇ H ₁₆ O M.W. 116. 20, Liquid, d. 0.823	01339 00500 01339 02500	GB GB	500 ml 2.5 Lt	1340 4915
n-Heptanol AR (Cas No. 111-70-6) (heptan-1-ol) (n-heptyl alcohol) Assay : Min. 99.5% C ₇ H ₁₆ O M.W. 116. 20, Liquid, d. 0.823	01340 00500 01340 02500	GB GB	500 ml 2.5 Lt	1475 5985
1-Hexadecane Sulphonic Acid Sodium Salt AR & HPLC (Cas No.15015-81-3) (anhydrous) (sodium 1-hexadecanesulphonate) Assay : Min. 98% C ₁₆ H ₃₃ NaO ₃ S M.W. 328.49	01341 00005 01341 00025 01341 00100	GB PB PB	5 gm 25 gm 100 gm	945 3735 12160
1-Hexadecanol See Cetyl Alcohol Page No. 46				
Hexamethyldisilazane (Cas No. 999-97-3) (bis(trimethylsilyl)amine) Assay : Min. 98% C ₆ H ₁₉ NSi ₂ M.W. 161.39, Liquid, d. 0.774	01342 00100 01342 00500	GB GB	100 ml 500 ml	1375 4775
Hexamethyl Disiloxane (for synthesis) (Cas No. 107-46-0) Assay : Min. 99% (C ₆ H ₁₈ OSi ₂ M.W. 162.38, Liquid, d. 0.764	01343 00100 01343 00500	GB GB	100 ml 500 ml	835 3335
Hexamethylphosphoric Acid Triamide (Cas No. 680-31-9) (HMPA) Assay : Min. 98% [(CH ₃) ₂ N] ₃ PO M.W. 179.20, Liquid, d. 1.03	01344 00100 01344 00500	GB GB	100 ml 500 ml	1535 5765
Hexamine (Cas No. 100-97-0) (hexamethylene tetramine) Assay : Min. 99% C ₆ H ₁₂ N ₄ M.W. 140.19	01345 00500 01345 05000	PB PC	500 gm 5 kg	305 2615
Hexamine AR (Cas No. 100-97-0) (hexamethylene tetramine) Assay : Min. 99.5% C ₆ H ₁₂ N ₄ M.W. 140.19	01346 00500 01346 05000	PB PC	500 gm 5 kg	365 3060
Hexachloro Platinic Acid See Platinum Chloride Page No. 138				
Hexane 65-70oC (Cas No. 110-54-3) (fraction from petroleum) Assay : Min. 85% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01347 00500 01347 02500	GB GB	500 ml 2.5 Lt	230 890
Hexan 65-70oC AR (Cas No. 110-54-3) (fraction from petroleum) Assay : Min. 85% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659				
n-Hexane 95% (for synthesis) (Cas No. 110-54-3) Assay : Min. 95% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01348 00500 01348 02500	GB GB	500 ml 2.5 Lt	565 2340
n-Hexane (for synthesis) (Cas No. 110-54-3) Assay : Min. 99% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01349 00500 01349 02500	GB GB	500 ml 2.5 Lt	755 3230
n-Hexane AR (Cas No. 110-54-3) Assay : Min. 99% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01350 00500 01350 02500	GB GB	500 ml 2.5 Lt	810 3765
n-Hexane HPLC & SPECTROSCOPY (Cas No. 110-54-3) Assay : Min. 99.5% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01351 01000	GB	1 Lt	4290

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
1-Hexanesulphonic Acid Sodium Salt AR & HPLC (anhydrous)	01352 00005	GB	5 gm	530
(Cas No. 2832-45-3) (sodium-1-hexanesulphonate)	01352 00025	PB	25 gm	1690
Assay : Min. 98% $C_6H_{13}NaO_3S$ M.W. 188.22	01352 00100	PB	100 gm	5520
1-Hexanesulphonic Acid Sodium Salt AR & HPLC (Cas No. 207300-91-2)	01353 00005	GB	5 gm	485
(monohydrate) (sodium-1-hexanesulphonate)	01353 00025	PB	25 gm	1690
Assay : Min. 98% $C_6H_{13}NaO_3S.H_2O$ M.W. 206.24	01353 00100	PB	100 gm	5545
n-Hexanol (for synthesis) (hexan-1-ol) (n-hexyl alcohol)	01354 00005	PB	500 ml	1090
(Cas No. 111-27-3)	01354 00025	PB	2.5 Lt	4430
Assay : Min. 98% $C_6H_{14}O$ M.W. 102.18, Liquid, d. 0.814				
n-Hexanol AR (hexan-1-ol) (n-hexyl alcohol) (Cas No. 111-27-3)	01355 00500	GB	500 ml	1180
Assay : Min. 99% $C_6H_{14}O$ M.W. 102.18, Liquid, d. 0.814	01355 02500	GB	2.5 Lt	5460
Hexylene Glycol (for synthesis) (Cas No. 107-41-5) (2-methylpentane-2,4-diol)	01356 00500	GB	500ml	770
Assay : Min. 99% $C_6H_{14}O_2$ M.W. 118.17, Liquid, d. 0.925				
High Vacuum Silicon Grease See Silicone Grease Page No. 154				
Hippuric Acid (crystals) (Cas No. 495-69-2) (benzoylglycine)	01357 00100	PB	100 gm	510
Assay : Min. 99% $C_9H_9NO_3$ M.W. 179.18	01357 00500	PB	500 gm	1520
Hippuric Acid Sodium Salt (Cas No. 532-94-5)	01358 00025	PB	25 gm	1325
(sodium hippurate) (N-benzoylglycine sodium salt)	01358 00100	PB	100 gm	3835
Assay : Min. 99% $C_9H_8NNaO_3.xH_2O$ M.W. 201.15 (anhy basis)				
Histamine Dihydrochloride	01359 00001	GB	1 gm	1955
(Cas No. 56-92-8)	01359 00005	GB	5 gm	5875
Assay : Min. 99% $C_5H_9N_3.2HCl$ M.W. 184.07	01359 00025	GB	25 gm	17090
L-Histidine (Cas No. 71-00-1)	01360 00025	PB	25 gm	680
(for biochemistry)	01360 00100	PB	100 gm	2320
Assay : Min. 99% $C_6H_9N_3O_2$ M.W. 155.15	01360 00500	PB	500 gm	9980
L-Histidine Monohydrochloride (for biochemistry)	01361 00025	PB	25 gm	690
(Cas No. 5934-29-2)	01361 00100	PB	100 gm	2500
Assay : Min. 99% $C_6H_{10}ClN_3O_2.H_2O$ M.W. 209.63	01361 00500	PB	500 gm	8585
Holmium Oxide (Cas No. 12055-62-8) [holmium (III) oxide]	01362 00005	GB	5 gm	2765
Assay : Min. 99.9% Ho_2O_3 M.W. 377.88	01362 00025	GB	25 gm	9865
Humic Acid (Metal Chelator)	01363 00500	PB	500 gm	300
(Cas No. 1415-93-6)	01363 05000	PC	5 kg	2430
Hyamine 1622 (for tensile test) (Cas No. 121-54-0) (benzethonium chloride)	01364 00025	PB	25 gm	1595
Assay : Min. 99% $C_{27}H_{42}ClNO_2$ M.W. 448.08	01364 00100	PB	100 gm	4495
Hyamine 1622 Solution 0.004M	01365 00500	GB	500 ml	850
(store at 2 - 8°C) Liquid, d. 0.998	01363 01000	GB	1 Lt	1560
Hyamine 1622 Solution 0.004M (0.004N)	01366 00500	GB	500 ml	790
Standardized Solution (store at 2 - 8°C) Liquid, d.0.998				
Hydrazine Hydrate 80% (for synthesis) (Cas No. 7803-57-8)	01368 00500	GB	500 ml	795
Assay : Min. 80% $H_4N_2.H_2O$ M.W. 50.06, Liquid, d. 1.032	01368 02500	GB	2.5 Lt	3375

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Hydrazine Hydrate 80% AR (Cas No. 7803-57-8)	01369 00500	GB	500 ml	945
Assay : Min. 80% $H_4N_2 \cdot H_2O$ M.W. 50.06, Liquid, d. 1.032	01369 02500	GB	2.5 Lt	6505
Hydrazine Hydrate 99% (for synthesis) (Cas No. 7803-57-8)	01370 00500	GB	500 ml	985
Assay : Min. 99% $H_4N_2 \cdot H_2O$ M.W. 50.06, Liquid, d. 1.032				
Hydrazine Hydrate 99% AR (Cas No. 7803-57-8)	01371 00500	GB	500 ml	1240
Assay : Min. 99% $H_4N_2 \cdot H_2O$ M.W. 50.06, Liquid, d. 1.032				
Hydrazine Hydrochloride (hydrazine chloride) (hydrazinium chloride)	01372 00100	PB	100 gm	290
Assay : Min. 99% $N_2H_4 \cdot 2HCl$ M.W. 104.97 (Cas No. 5341-61-7)	01372 00500	PB	500 gm	1270
Hydrazine Sulphate (Cas No. 10034-93-2) (hydrazinium sulphate)	01373 00100	PB	100 gm	280
Assay : Min. 98% $N_2H_6 \cdot SO_4$ M.W. 130.12	01373 00500	PB	500 gm	975
Hydrazine Sulphate AR (Cas No. 10034-93-2) (hydrazinium sulphate)	01374 00100	PB	100 gm	325
Assay : Min. 99% $N_2H_6 \cdot SO_4$ M.W. 130.12	01374 00500	PB	500 gm	1145
Hydriodic Acid AR (about 57% HI)	01375 00100	GB	100 ml	2015
(Cas No. 10034-85-2) Assay : Min. 55-59% HI M.W. 127.91	01375 00250	GB	250 ml	3985
Liquid, d. 1.701	01375 00500	GB	500 ml	7600
HYDRO See Sodium Dithionite Page No. 161				
Hydrobromic Acid 48% (Cas No. 10035-10-6) (hydrogen bromide)	01376 00500	GB	500 ml	590
Assay : Min. 46-48% HBr M.W. 80.91, Liquid, d. 1.049	01376 02500	GB	2.5 Lt	2795
Hydrobromic Acid 48% AR (Cas No. 10035-10-6) (hydrogen bromide)	01377 00500	GB	500 ml	765
Assay : Min. 47-49% HBr M.W. 80.91, Liquid, d. 1.049	01377 02500	GB	2.5 Lt	3620
Hydrobromic Acid Solution (in glacial acetic acid 33% w/v HBr) Liquid, d. 1.040	01378 00500	GB	500 ml	885
Hydrochloric Acid 35-38%	01379 00500	GB	500 ml	155
(Cas No. 7647-01-0)	01379 02500	GB	2.5 Lt	435
Assay : Min. 35-38% HCl M.W. 36.46, Liquid, d. 1.2	01379 05000	PC	5 Lt	635
Hydrochloric Acid 35.4% AR	01380 00500	GB	500 ml	200
(Cas No. 7647-01-0)	01380 02500	GB	2.5 Lt	600
Assay : Min. 35.4% HCl M.W. 36.46, Liquid, d. 1.2	01380 05000	PC	5 Lt	820
Hydrochloric Acid N/10 (0.1N solution for volumetric analysis), Liquid, d.1.0	01380A 00500	PB	500 ml	120
Hydrochloric Acid 0.01M Solution Liquid, d.1.0	01381 00500	PB	500 ml	135
Hydrochloric Acid 0.5N Solution Liquid, d.1.01	01382 00500	PB	500 ml	135
Hydrochloric Acid 1N Solution Liquid, d.1.02	01383 00500	PB	500 ml	195
Hydrochloric Acid 0.05M (0.05N) Standardized Solution Liquid, d.1.0	01384 00500	PB	500 ml	305
Hydrochloric Acid 0.25M (0.25N) Standardized Solution Liquid, d.1.1	01385 00500	PB	500 ml	350
Hydrochloric Acid 0.2M (0.2N) Standardized Solution Liquid, d.1.005	01386 00500	PB	500 ml	310
Hydrochloric Acid 2M (2N) Standardized Solution Liquid, d.1.03	01387 00500	PB	500 ml	310
Hydrochloric Acid 5M (5N) Standardized Solution Liquid, d.1.1	01388 00500	PB	500 ml	310
Hydrochloric Acid 6M (6N) Standardized Solution	01389 00500	PB	500 ml	310
Hydrochloric Acid 0.1 mol/L (0.1N) For 500 ML Solution 2x2 Amps. of 14	02903 AMP	AMP	4 Amp.	285

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Hydrocortisone (Cas No. 50-23-07)	01390 00001	GB	1 gm	650
Assay : Min. 99% $C_{21}H_{32}O_5$ M.W. 362.46	01390 00005	GB	5 gm	2770
Hydrocortisone Acetate Extra pure (Cas No. 50-03-3)	01391 00001	GB	1 gm	990
Assay : Min. 97% $C_{23}H_{32}O_6$ M.W. 404.51	01391 00005	GB	5 gm	3820
Hydrofluoric Acid 40% (for glass etching) (Cas No. 7664-39-3) (d. 1.16)	01392 00500	PB	500 ml	400
Assay : Min. 39-43% HF M.W. 20.01, Liquid, d. 1.15				
Hydrofluoric Acid 48% AR (Cas No. 7664-39-3)	01393 00500	PB	500 ml	775
Assay : Min. 48% HF M.W. 20.01, Liquid, d. 1.15				
Hydrofluoric Acid 48% (electronic grade) (Cas No. 7664-39-3)	01394 00500	PB	500 ml	1075
Assay : Min. 60% HF M.W. 20.01, Liquid, d. 1.15				
Hydrogen Peroxide (20 Vol.) solution (6% w/v H ₂ O ₂) (Cas No. 7722-84-1)	01395 00500	PB	500 ml	105
Assay : Min. 6% H ₂ O ₂ M.W. 34.01, Liquid, d. 1.135-1.145	01395 05000	PC	5 Lt	870
Hydrogen Peroxide (100 Vol.) solution (30% w/v H ₂ O ₂) (Cas No. 7722-84-1)	01396 00500	PB	500 ml	265
Assay : Min. 30% H ₂ O ₂ M.W. 34.01, Liquid, d. 1.135-1.145				
Hydrogen Peroxide 50% W/W Solution (Cas No. 7722-84-1) (d. 1.20)	01396A 00500	PB	500 ml	375
Hydrogen Peroxide (100 Vol.) AR (30% w/v H ₂ O ₂) (Cas No. 7722-84-1)	01397 00500	PB	500 ml	380
Assay : Min. 30% H ₂ O ₂ M.W. 34.01, Liquid, d. 1.135-1.145				
Hydrogen Sulphide solution	01398 00500	GB	500 ml	560
Hydroquinone (for synthesis) (quinol) (Cas No. 123-31-9)	01399 00100	PB	100 gm	345
Assay : Min. 99-101% $C_6H_6O_2$ M.W. 110.11	01399 00500	PB	500 gm	1445
	01399 05000	PC	5 kg	12885
Hydroquinone AR (Cas No. 123-31-9) (quinol)	01400 00100	PB	100 gm	375
Assay : Min. 99% $C_6H_6O_2$ M.W. 110.11	01400 00500	PB	500 gm	1590
	01400 05000	PC	5 kg	12660
Hydroquinone Dimethyl Ether (for synthesis) (Cas No. 150-78-7) (1,4-dimethoxybenzene) Assay : Min. 99% $C_8H_{10}O_2$ M.W. 138.17	01401 00250	PB	250 gm	1060
	01401 01000	PB	1 kg	3155
Hydroquinone Monomethyl Ether (Cas No. 150-76-5) (MEHQ) (4-methoxyphenol) Assay : Min. 99% $C_7H_8O_2$ M.W. 124.14	01402 00100	PB	100 gm	970
	01402 00250	PB	250 gm	1985
m-Hydroxy Acetophenone (for synthesis) (3-hydroxyacetophenone) Assay : Min. 96% $C_8H_8O_2$ M.W. 136.15 (Cas No. 121-71-1)	01403 00025	PB	25 gm	745
	01403 00100	PB	100 gm	2135
o-Hydroxy Acetophenone (Cas No. 118-93-4) (2-hydroxyacetophenone) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.131	01404 00100	GB	100 ml	745
	01404 00500	GB	500 ml	3250
p-Hydroxy Acetophenone (For Synthesis) (Cas No. 99-93-4) (4-Hydroxy Acetophenone) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15	01405 00100	GB	100 ml	445
	01405 00500	GB	500 ml	1815
p-Hydroxy Azobenzene (Cas No. 1689-82-3) Assay : Min. 98% $C_{12}H_{10}N_2O$ M.W. 198.22	01406 00025	GB	25 gm	1600
o-Hydroxy Benzaldehyde See Salicylaldehyde Page No. 152				
p-Hydroxy Benzaldehyde (Cas No. 123-08-0) (4-hydroxy benzaldehyde) Assay : Min. 98% $C_7H_6O_2$ M.W. 122.12	01407 00100	PB	100 gm	445
	01407 00500	PB	250 gm	1795

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
p-Hydroxy Benzoic Acid (for synthesis) (4-hydroxy benzoic acid)	01408 00100	PB	100 gm	210
Assay : Min. 98% $C_7H_6O_3$ M.W. 138.12 (Cas No. 99-96-7)	01408 00500	PB	500 gm	750
1-Hydroxy Benzotriazole (anhydrous) (for synthesis) (Cas No. 2592-95-2)	01409 00100	PB	100 gm	1635
Assay : Min. 98% $C_6H_5N_3O$ M.W. 135.12	01409 00250	PB	250 gm	3835
p-Hydroxy Diphenyl (Cas No. 92-69-3)	01410 00100	PB	100 gm	810
Assay : Min. 97% $C_{12}H_{10}O$ M.W. 170.21	01410 00500	PB	500 gm	2610
Hydroxy Ethyl Cellulose (high viscosity) (for synthesis)	01411 00100	PB	100 gm	625
(Cas No. 9004-62-0) (ethyl hydroxyl cellulose)	01411 00500	PB	500 gm	1795
Hydroxy Ethyl Cellulose (Low Viscosity) (145 m Pas) (Cas No. 9004-62-0)	01412 00500	PB	500 gm	2020
2-Hydroxy Ethyl Methacrylate Extra Pure (Cas No. 868-77-9)	01413 00500	PB	500 ml	5245
Assay: Min. 96.5% $C_6H_{10}O_3$ M.W. 130.14, Liquid, d. 1.073 (Store at 2-8°C)				
2-Hydroxy-1-(2-Hydroxy-4-Sulpho-1-Naphthylazo)-3-Naphthoic Acid AR				
See Patton & Reeder's Reagent Page No. 131				
Hydroxylamine Hydrochloride (for synthesis) (Cas No. 5470-11-1)	01414 00100	PB	100 gm	260
(hydroxyl ammonium chloride)	01414 00500	PB	500 gm	1150
Assay : Min. 98% H_4ClNO M.W. 69.49	01414 05000	PC	5 kg	8700
Hydroxylamine Hydrochloride AR (hydroxyl ammonium chloride)	01415 00100	PB	100 gm	380
Assay : Min. 99% H_4ClNO M.W. 69.49 (Cas No. 5470-11-1)	01415 00500	PB	500 gm	1390
Hydroxylamine Sulphate (Cas No. 10039-54-0)	01416 00100	PB	100 gm	175
(hydroxyl ammonium sulphate)	01416 00500	PB	500 gm	615
Assay : Min. 99.% $H_8N_2O_6S$ M.W. 164.13	01416 05000	PC	5 kg	5135
Hydroxylamine Sulphate AR (Cas No. 10039-54-0)	01417 00100	PB	100 gm	190
(hydroxyl ammonium sulphate)	01417 00500	PB	500 gm	685
Assay : Min. 99.9% $H_8N_2O_6S$ M.W. 164.13	01417 05000	PC	5 kg	5955
4-Hydroxy-4-Methyl Pentan-2-One See Diacetone Alcohol Page No. 60				
Hydroxy Naphthol Blue (Cas No. 63451-35-4)	01418 00005	GB	5 gm	240
(indicator for calcium determination)	01418 00025	GB	25 gm	1015
$C_{20}H_{11}N_2Na_3O_{11}S_3$ M.W. 620.48	01418 00100	PB	100 gm	3645
2-Hydroxy-1-Nitroso-3, 6-Naphthalene Disulphonic Acid Sodium Salt AR See Nitroso R Salt Page No. 127				
L-Hydroxy Prolone (Cas No. 51-35-4)	01419 00005	GB	5 gm	355
(for biochemistry)	01419 00025	GB	25 gm	1335
Assay : Min. 99% $C_5H_9NO_3$ M.W. 131.13	01419 00100	PB	100 gm	4100
Hydroxy Propyl Methyl Cellulose (Cas No. 9004-65-3)	01420 00250	PB	1kg	2625
(HPMC) E 50 Lv Premium (Confirming to USP)				
Hydroxy Propyl Methyl Cellulose (Cas No. 9004-65-3) (HPMC)	01421 01000	PB	1kg	2625
E 15 Lv Premium (Confirming to USP)				
8-Hydroxyquinoline (Cas No. 148-24-3) (oxine)	01422 00100	PB	100 gm	675
Assay : Min. 98.5% C_9H_7NO M.W. 145.16	01422 00500	PB	500 gm	2975

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
8-Hydroxyquinoline AR (Cas No. 148-24-3) (oxine)	01423 00100	PB	100 gm	1180
Assay : Min. 99-101% C ₉ H ₇ NO M.W. 145.16	01423 00500	PB	500 gm	4480
n-Hydroxy Succinimide (Cas No. 6066-82-6)	01424 00025	PB	25 gm	815
(reagent for peptide synthesis) (1-hydroxy-2, 5-pyrrolidinedione)	01424 00100	PB	100 gm	4010
Assay : Min. 98% C ₄ H ₅ NO ₃ M.W. 115.09	01424 00500	Pb	500 gm	10150
Hyflo Super-Cel (filter aid)	01425 00500	PB	500 gm	210
Hypo See Sodium Thiosulphate Page No.169				
Hypo Bromide Solution Liquid, d. 3.37 (Sodium hypobromide solution)	01425A 00500	GB	500 ml	895
Hypo Bromite Solution Liquid, d. 1.0 (Sodium hypobromite Solution)	01425B 00500	GB	500 ml	995
Hypoiodide Solution Liquid, d. 0.8 (Sodium hypoiodide Solution)	01425B 00500	GB	500 ml	1095
Hypophosphorous Acid 30-32% (Cas No. 6303-21-5)	01426 00500	GB	500 ml	625
Assay : Min. 30-32% HPH ₂ O ₂ M.W. 66.0, Liquid, d.1.21-1.26				
Hypoxanthine (for biochemistry) (Cas No. 68-94-0)	01427 00005	GB	5 gm	205
Assay : Min. 99% C ₅ H ₄ N ₄ O M.W. 136.11	01427 00025	GB	25 gm	865

Imidazole (Cas No. 288-32-4) (glyoxaline)	01428 00100	PB	100 gm	335
Assay : Min. 99% C ₃ H ₄ N ₂ M.W. 68.08	01428 00500	PB	500 gm	1195
Imidazole AR (For Molecular Biology) (Cas No. 288-32-4) (glyoxaline)	01429 00500	PB	100 gm	495
Assay : Min. 99.5% C ₃ H ₄ N ₂ M.W. 68.08	01429 00500	PB	500 gm	1810
Iminodiacetic Acid (for synthesis) (Cas No. 142-73-4)	01430 00250	PB	250 gm	1954
Assay : Min. 98% C ₄ H ₇ NO ₄ M.W. 133.10	01430 00500	PB	500 gm	3570
Immersion Oil See Cedarwood Oil Page No. 44				
Indicator Paper pH 1-10 See Universal Indicator paper Page No. 189				
Indicator Paper (specific range) pH 2.0-4.5 (with colour scale)	01431 10Bks	CB	10 bks	195
Indicator Paper (specific range) pH 3.5-6.0 (with colour scale)	01432 10Bks	CB	10 bks	195
Indicator Paper (specific range) pH 5.0-7.5 (with colour scale)	01433 10Bks	CB	10 bks	195
Indicator Paper (specific range) pH 6.5-9.0 (with colour scale)	01434 10Bks	CB	10 bks	195
Indicator Paper (specific range) pH 8.0-10.5 (with colour scale)	01435 10Bks	CB	10 bks	195
Indicator Paper (wide range) pH 2.0-10.5 (with colour scale)	01436 10Bks	CB	10 bks	195
Indicator Paper (full range) pH 1.0-14.0 (with colour scale)	01437 10Bks	CB	10 bks	195
Indigo Carmine AR (Cas No. 860-22-0) (C.I. No. 73015)	01438 00025	PB	25 gm	255
C ₁₆ H ₈ N ₂ Na ₂ O ₈ S ₂ M.W. 466.35	01438 00100	PB	100 gm	740
	01438 00500	PB	500 gm	3225
Indigo Carmine staining solution	01439 00500	PB	125 ml	105
	01439 00500	PB	500 ml	325

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Indium AAS Standard Solution	01440 00500	PB	125 ml	620
1000mg/L in Nitric Acid, Liquid, d. 1.02	01440 00500	PB	500 ml	2365
Indium ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 10.14	01440A 00125	PB	125 ml	4735
Indole (crystalline) AR (Cas No. 120-72-9) (2, 3-benzopyrrole)	01441 00500	GB	10 gm	155
Assay : Min. 99% C ₈ H ₇ N M.W. 117.15	01441 00500	PB	100 gm	1220
Indole-3-Acetic Acid (IAA) (Cas No. 87-51-4) (plant growth hormone) (for biochemistry)	01442 00005	GB	5 gm	410
Assay : Min. 99% C ₁₀ H ₉ NO ₂ M.W. 175.19	01442 00025	PB	25 gm	1455
	01442 00100	PB	100 gm	5130
Indole-3-Butyric Acid (IBA) (Cas No. 133-32-4) (for biochemistry) (plant growth hormone)	01443 00005	GB	5 gm	410
Assay : Min. 99% C ₁₂ H ₁₃ NO ₂ M.W. 203.24	01443 00025	PB	25 gm	1735
	01443 00100	PB	100 gm	6125
Indole-3-Carboxylic Acid AR (for biochemistry) (Cas No. 771-50-6)	01444 00001	GB	1 gm	585
Assay : Min. 99% C ₉ H ₇ NO ₂ M.W. 161.16	01444 00005	GB	5 gm	1975
Inosine (for biochemistry) (Cas No. 58-63-9) (hypoxanthine-9-d-ribofurnoside)	01445 00005	GB	5 gm	295
Assay : Min. 99% C ₁₀ H ₁₂ N ₄ O ₅ M.W. 268.23	01445 00025	GB	25 gm	1325
Meso-Inositol (Cas No. 87-89-8) (myo-inositol)	01446 00025	PB	25 gm	420
Assay : Min. 99% C ₆ H ₁₂ O ₆ M.W. 180.16	01446 00100	PB	100 gm	1430
	01446 00500	PB	500 gm	5650
I.N.T. (For Molecular Biology) (Cas No. 146-68-9) [2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride]	01447 00001	GB	1 gm	930
Assay : Min. 95% C ₁₉ H ₁₃ ClIN ₅ O ₂ M.W. 505.70	01447 00005	GB	5 gm	4350
Inulin (for biochemistry) (Cas No. 9005-80-5) (C ₆ H ₁₀ O ₅) _n	01448 00025	PB	25 gm	1160
	01448 00100	PB	100 gm	3515
Iodic Acid AR (Cas No. 7782-68-5)	01449 00025	PB	25 gm	1530
Assay : Min. 99.5% HIO ₃ M.W. 175.91	01449 00100	PB	100 gm	4770
Iodine (crystals) (resublimed) (Cas No. 7553-56-2)	01450 00025	GB	25 gm	535
Assay : Min. 98.5% I ₂ M.W. 253.81	01450 00100	GB	100 gm	1640
	01450 00500	GB	500 gm	7450
Iodine AR (crystals) (resublimed) (Cas No. 7553-56-2)	01451 00025	GB	25 gm	570
Assay : Min. 99.5% I ₂ M.W. 253.81	01451 00100	GB	100 gm	1800
	01451 00500	GB	500 gm	7980
Iodine Solution See Gram's Iodine Solution Page No. 86				
Iodine N/10 Solution (iodine 0.1N solution), Liquid, d. 1.02	01452 00125	GB	125 ml	135
	01452 00500	GB	500 ml	420
Iodine 0.02365M (0.0473N) Standardized Solution,	01453 00125	GB	125 ml	140
	01453 00500	GB	500 ml	355
Iodine 0.5M (1N) Solution Standardized Solution, Liquid, d. 1.22	01454 00125	GB	125 ml	640
	01454 00500	GB	500 ml	1980

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Iodine 0.05 Mol/L (0.01N) Solution	01455 00125	GB	125 ml	185
Liquid, d. 1.22	01455 00500	GB	500 ml	585
Iodine 0.025 Mol/L (0.05N) Solution	01456 00125	GB	125 ml	180
Liquid, d. 1.02	01456 00500	GB	500 ml	590
Iodine 0.005 Mol/L (0.01N) Solution	01457 00125	GB	125 ml	185
Liquid, d. 1.03	01457 00500	GB	500 ml	590
Iodine 0.01 Normal Volumetric Solution	01458 00125	GB	125 ml	155
Liquid, d. 1.00	01458 00500	GB	500 ml	490
Iodine 1N (0.05M) Solution	01459 00125	GB	125 ml	790
Liquid, d. 1.22	01459 00500	GB	500 ml	2455
Iodine Solution 0.05 mol/L (0.1N) Solution (When diluted to 500 ml with water) (Concn. Of Soution in each ampoule is 1N) (2x2 amps. Of set in a box)	02917 AMP04	AMP	4 Amp	1730
Iodine Chloride See Iodine Monochloride Page No. 96				
Iodine Monochloride (for synthesis) (iodine chloride) (Cas No. 7790-99-0)	01460 00050	GB	50 gm	950
Assay : Min. 98% ICl M.W. 162.36	01460 00100	GB	100 gm	1570
Iodine Pentoxide AR (Cas No. 12029-98-0) Assay : Min. 99% I ₂ O ₅ M.W. 333.81	01461 00050	PB	50 gm	1640
	01461 00100	PB	100 gm	5185
Iodine Trichloride (for synthesis) (Cas No. 865-44-1) Assay : Min. 97% ICl ₃ M.W. 233.26	01462 00025	GB	25 gm	1620
	01462 00100	GB	100 gm	5485
Iodobenzene (for synthesis) (Cas No. 591-50-4) Assay : Min. 98% C ₆ H ₅ I M.W. 204.01	01463 00100	PB	100 gm	2225
	01463 00500	PB	500 gm	8895
2-Iodobenzoic Acid (Cas No. 88-67-5) (o-iodobenzoic acid) Assay : Min. 98% C ₇ H ₅ IO ₂ M.W. 248.02	01464 00025	PB	25 gm	1330
	01464 00100	PB	100 gm	4895
Iodoeosin See Erythrosine B Page No. 73				
Iodoethane See Ethyl Iodide Page No. 77				
Iodoform Extra Pure (Cas No. 75-47-8) Assay : Min. 99-100.5% CHI ₃ M.W. 393.73	01465 00025	PB	25 gm	855
	01465 00100	PB	100 gm	3055
	01465 00250	PB	250 gm	6905
	01465 00500	PB	500 gm	13230
Iodomethane See Methyl Iodide Page No. 116				
2-(4-Iodophenyl)-3-(4-Nitrophenyl)-(5-Phenyltetrazolim Chloride See I.N.T. Page No. 95				
Iodophor Liquid, d. 1.01	01466 05000	PC	5 Lt	3230
Iodosuccinimide (for synthesis) (Cas No. 516-12-1) Assay : Min. Page 95% C ₄ N ₄ INO ₂ M.W. 224.98	01467 00025	PB	25 gm	3230
	01467 00100	PB	100 gm	9690
Iridium Trichloride (iridium content approx. 46%) (Cas No. 10025-83-9) Assay (Ir) : Min. 46% IrCl ₃ M.W. 298.58	01468 00001	GB	1 gm	6335
	01468 00010	GB	10 gm	53875

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Iron AAS Standard Solution	01469 00125	GB	125 ml	625
1000 mg/L in Nitric Acid, Liquid, d. 1.015	01469 00500	GB	500 ml	2385
Iron ICP Standard Solution 1000 mg/L in Nitric Acid, Liquid, d. 1.015	01469A 00125	GB	125 ml	4635
Iron ICP Standard Solution 10000 mg/L in Nitric Acid, Liquid, d. 1.082	01469B 00125	GB	125 ml	6425
Iron (metal) Filling (small pieces) (Cas No. 7439-89-6)	01470 00500	PB	500 gm	240
Assay : Min. 99.5% Fe A.W. 55.85	01470 05000	PC	5 Kg	1965
Iron (metal) Powder (Cas No 7439-89-6) (electrolytic grade, 250-300 mesh)	01471 00500	PB	500 gm	335
Assay : Min. 99% Fe A.W. 55.85	01471 05000	PC	5 Kg	2775
Iron Allum See Ammonium Ferric Sulphate Page No. 13				
Iron OxidIron Oxide See Ferric Oxide				
Iron Sulphide See Ferrous Sulphide Page No. 80				
Iron (II) Sulphate 0.1M (0.1N) Standardized Solution,Liquid .d. 1.30	01472 00500	PB	500 ml	625
Isatin AR (Cas NO. 91-56-5)	01473 00025	PB	25 gm	740
Assay : Min. 98% C ₈ H ₅ NO ₂ M.W. 147.14	01473 00100	PB	100 gm	2640
Iso butyraldehyde (for synthesis) (Cas NO. 78-84-2) (2-methyl propanal)	01474 00100	GB	100 ml	475
Assay : Min. 99% C ₄ H ₈ O M.W. 72.10, Liquid, d. 0.79	01474 00500	GB	500 ml	1770
Isoniazide (Cas No. 54-85-3) (isonicotinic acid hydrazide)	01475 00100	PB	100 gm	535
Assay : Min. 99% C ₆ H ₇ N ₃ O M.W. 137.14	01475 00500	PB	500 gm	2575
Isophorone (for synthesis) (3,5,5-trimethyl-2-cyclohexane-1-one)	01476 00500	GB	500 ml	630
Assay : Min. 99% C ₉ H ₁₄ O M.W. 138.21, Liquid, d. 0.923 (Cas No. 78-59-1)	01476 02500	GB	2.5 Lt	2610
Isophthalaldehyde (for synthesis) (Cas No. 626-19-7)	01477 00100	PB	100 gm	9930
Assay : Min. 98% C ₈ H ₆ O ₂ M.W. 134.13				
Iso Propyl Alcohol See iso-Propyl Alcohol Page No. 146				
Isopropylamine See iso-Propylamine Page No. 147				
Isopropyl Ether See Di-Isopropyl Ether Page No. 65				
Iso Propyl Myristate See iso-propyl Myristate Page No. 147				
Iso Propyl b-D-1Thiogalactopyranoside (IPTG) (Cas NO. 367-93-1)	01478 0250M	GB	25 mg	480
(for molecular biology) non metabolizable galactose analog	01478 00001	GB	1 gm	1495
Assay : Min. 99% C ₉ H ₁₈ O ₅ S M.W. 238.30	01478 00005	GB	05 gm	5745
Iso Valeraldehyde (For Synthesis)	01479 00100	GB	100 ml	1255
(Cas No. 590-86-3)	01479 00500	GB	500 ml	4465
Assay : Min. 98% C ₅ H ₁₀ O M.W. 86.13, Liquid, d. 0.803	01479 02500	GB	2.5 Lt	17855
Isovaniline Pure (Cas No. 621-59-0)	01480 00025	PB	25 gm	1840
Assay : Min. 98% C ₈ H ₈ O ₃ M.W. 152.2	01480 00100	PB	100 gm	5860
Itaconic Acid (for synthesis) (Cas No. 97-65-4)	01481 00500	PB	500 gm	1040
(methylene succinic acid)				
Assay : Min. 99% C ₅ H ₆ O ₄ M.W. 130.10				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Jack Bean Meal (Cas No. 9002-13-5) (urease active meal)	01482 00100 01482 00500	PB PB	100 gm 500 gm	275 1200
Jam Rosa Oil Extra Pure Liquid, d. 0.870	01482A 00500	GB	500 ml	4600
Janus Green B (M.S.) (Cas No. 2869-83-2) (C.I. No. 11050)	01483 00005 01483 00010	GB GB	25 gm 100 gm	910 1385
Dye Content : Min. 65% $C_{30}H_{31}ClN_6$ M.W. 511.06	01483 00025	GB	500 gm	2795
Janus Green B Solution Liquid, d. 1.0	01483A 00125 01483A 00500	PB PB	125 ml 500 ml	275 820
Jasmine Oil Extra Pure (Cas No. 8022-96-6) Liquid, d. 0.947	01483B 00500	GB	500 ml	3335
Jenner's Stain (for Microscopy) (Cas No. 62851-42-7)0	02904 00025	PB	25 gm	545
Jojoba Oil (Cas No. 61789-91-1) Liquid, d. 0.947	02904A 00500	GB	500 ml	4125
J.S.B. Stain Solution 1	02904B 00125 02904B 00500	PB PB	125 ml 500 ml	115 315
J.S.B. Stain Solution 2	02904C 00125 02904C 00500	PB PB	125 ml 500 ml	120 415
Juniper Berry Oil Extra Pure (Cas No. 8002-68-4) Liquid, d. 0.863	02904D 00500	GB	500 ml	4955

***** **K**

Kalignost AR (Cas no. 143-66-8) (sodium tetra phenyl boron) (sodium tetra phenyl borate)	01484 00010 01484 00025	GB GB	10 gm 25 gm	780 1765
Assay : Min. 99.5% $C_{24}H_{20}BNa$ M.W. 342.23	01484 00100	GB	100 gm	6895
Kaolin Extra Pure (heavy powder) (Cas No. 1332-58-7)	01485 00500 01485 05000	PB PC	500 gm 5 kg	200 1700
Kaolin Extra Pure (light powder) (Cas No. 1332-58-7)	01486 05000 01486 05000	PB PC	500 gm 5 kg	215 1800
Karanja Oil , Liquid, d. 0.980	01486 00500	GB	500 ml	1655
Karaya Gum See Gum Karaya				
Karl Fischer Reagent (pyridine free, single solution), Liquid, d. 0.93	01487 05000	GB	2x250ml	1820
a-Ketoglutaric Acid (Cas no. 328-50-7) (2-oxoglutaric acid) Store at 2 - 8°C	01488 00025 01488 00100	PB PB	25 gm 100 gm	435 1590
Assay : Min. 99% $C_5H_6O_5$ M.W. 146.10	01488 00500	PB	500 gm	7235
Kieselguhr (purified white)	01489 00500	PB	500 gm	320
Kinetine AR (Cas no. 525-79-1) (6-furfuryl aminopurine)	01490 00001 01490 00010	GB GB	1 gm 10 gm	435 4185
Assay : Min. 99.5% $C_{10}H_9N_5O$ M.W. 215.21	01490 00025	GB	25 gm	8830
Kovac's Indole Reagent (Cas No. 100-10-7)	01490 00125	GB	125 ml	150

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Lab Lemco See Beef Extract Page No. 23				
Lacmoid (pH indicator) (Cas No. 33869-21-5) $C_{24}H_{16}N_2O_6$ M.W. 428.39	01492 00005	GB	5 gm	830
Lactic Acid	01493 00500	GB	500 ml	560
(Cas no. 50-21-5) (DL-lactic acid)	01493 02500	GB	2.5 Lt	2340
Assay : Min. 88% $C_3H_6O_3$ M.W. 90.08, Liquid, d. 1.209	01493 05000	PC	5 Lt	4330
Lactic Acid AR (Cas no. 50-21-5) (DL-lactic acid)	01494 00500	GB	500 ml	620
Assay : Min. 88% $C_3H_6O_3$ M.W. 90.08, Liquid, d. 1.209	01494 02500	GB	2.5 Lt	2520
Lactic Acid 0.1N Solution	01495 00125	PB	125 ml	95
Liquid, d. 1.00	01495 00500	PB	500 ml	205
Lactic Acid Lithium Salt See Lithium Lactate Page No. 104				
Lactophenol solution	01496 00125	PB	125 ml	95
(for microscopy)	01496 00500	PB	500 ml	300
Lactophenol Picric Acid solution	01497 00125	PB	125 ml	170
(for microscopy)	01497 00500	PB	500 ml	430
Lactose Extra Pure (Cas No. 64044-51-5)(monohydrate)	01498 00500	PB	500 gm	420
Assay : Min. 98% $C_{12}H_{22}O_{11} \cdot H_2O$ M.W. 360.31	01498 05000	PC	5 Kg	3310
Lactose AR (Cas No. 64044-51-5)(monohydrate) Lanette Wax	01499 00500	PB	500 gm	455
Assay : Min. 98.5% $C_{12}H_{22}O_{11} \cdot H_2O$ M.W. 360.31	01499 05000	PC	5 Kg	3870
Lanette Wax Extra Pure (Cas No. 8038-90-2)	01499A 00500	PB	500 gm	995
Lanolin (anhydrous) (Cas No. 8006-54-0) (wool fat)	01500 00500	PB	500 gm	1800
Lanthanum AAS Standard Solution	01501 00125	GB	125 ml	615
1000mg/L in Nitric Acid, Liquid, d. 1.013	01501 00500	GB	500 ml	2005
Lanthanu ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.013	01501A 00125	GB	125 ml	4635
Lanthanum Carbonate AR (hydrate) (Cas No. 54451-24-0)	01502 00025	GB	25 gm	1105
Assay : Min. 99.5% $C_3La_2O_9 \cdot xH_2O$ M.W. 457.94 (anhy basis)	01502 00100	GB	100 gm	4165
Lanthanum Chloride AR (CAS No. 10025-84-0)	01503 00025	PB	25 gm	635
(heptahydrate)	01503 00100	PB	100 gm	2130
Assay : Min. 99% $LaCl_3 \cdot 7H_2O$ M.W. 371.37	01503 00500	PB	500 gm	8740
Lanthanum Nitrate 99% Purified	01503A 00025	PB	25 gm	930
(hexahydrate)	01503A 00100	PB	100 gm	2625
Assay : Min. 99% $LaN_3O_9 \cdot 6H_2O$ M.W. 433.02	01503A 00500	PB	500 gm	11105
Lanthanum Nitrate AR	01504 00025	PB	25 gm	985
(hexahydrate)	01504 00100	PB	100 gm	2910
Assay : Min. 99.9% $LaN_3O_9 \cdot 6H_2O$ M.W.433.02	01504 00500	PB	500 gm	12995
Lanthanum Oxide (Cas No. 1312-81-8)	01504A 00025	PB	25 gm	705
(lanthanum (III) oxide)	01504A 00100	PB	100 gm	2005
Assay : Min. 99.5% La_2O_3 M.W. 325.81	01504A 00500	PB	500 gm	7040
Lanthanum Oxide AR (CAS No. 1312-81-8)	01505 00025	PB	25 gm	885
(lanthanum (III) oxide)	01505 00100	PB	100 gm	2375
Assay : Min. 99.9% La_2O_3 M.W. 325.81	01505 00500	PB	500 gm	10015

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Lauric Acid (CAS No. 143-07-7) (N-dodecanoic acid) Assay : Min 99% $C_{12}H_{24}O_2$ M.W. 200.32	01506 00500	PB	500 gm	395
Lauryl Alcohol (CAS No. 112-53-8) (Dodecyl Alcohol) Assay : Min. 98% $C_{12}H_{26}O$ M.W. 186.33, Liquid, d. 0.833	01507 00500	PB	500 ml	705
Lavender Oil Extra Pure (Cas No. 8000-28-0) Liquid, d. 0.879	01507A 00500	GB	500 ml	2620
Lead AAS Standard Solution Liquid, d. 1.02 1000 mg / L in Nitric Acid	01508 00125 01508 00500	GB GB	125 ml 500 ml	610 1990
Lead ICP Standard Solution Liquid, d. 1.02 1000 mg / L in Nitric Acid	01508A 00125	GB	125 ml	3660
Lead (metal) Foil AR (CAS No. 7439-92-1) Pb A.W. 207.2	01510 00250 01510 00500	PB PB	250 gm 500 gm	3320 6230
Lead (metal) Granulars (CAS NO. 7439-92-1) Assay : Min. 99.5% Pb. A.W. 207.2	01511 00500	PB	500 gm	680
Lead (metal) Powder (CAS No. 7439-92-1) Assay : Min. 99.5% Pb A.W. 207.2	01512 00500	PB	500 gm	640
Lead (metal) Shots (CAS NO. 7439-92-1) Assay : Min. 99.9% Pb A.W. 207.2	01513 00500	PB	500 gm	755
Lead Acetate (trihydrate crystals) (CAS No. 6080-56-4) (lead (II) acetate) Assay : Min. 99% $C_4H_6O_4Pb_3H_2O$ M.W.379.33	01514 00500 01514 05000	PB PC	500 gm 5 kg	415 3205
Lead Acetate AR (trihydrate crystal) (CAS No. 6080-56-4) (lead (II) acetate) Assay : Min. 99.5% $C_4H_6O_4Pb_3H_2O$ M.W.379.33	01515 00500 01515 05000	PB PC	500 gm 5 kg	465 3750
Lead Acetate (basic) (for sugar analysis by Horne method) (CAS No. 51404-69-4) (anhydrous) (lead subacetate) Assay : Min. 99.8% $(CH_3COO)_2Pb.Pb.(OH)_2$ M.W. 566.50	01516 00500 01516 02500 01516 05000	PB PB PC	500 gm 2.5 kg 5 kg	570 2405 4565
Lead Acetate Solution Liquid, d. 1.05	01517 00500	PB	500 ml	160
Lead Bromide (for synthesis) (CAS No. 10031-22-8) Assay : Min. 98% $PbBr_2$ M.W. 367.01	01518 00500	PB	500 gm	2285
Lead Bromide AR (CAS No. 10031-22-8) Assay : Min. 99% $PbBr_2$ M.W. 367.01	01518A 00500	PB	500 gm	2890
Lead Carbonate (basic) (CAS No. 598-63-0) (lead (II) carbonate basic) Assay : Min. 98% $PbCO_3$ M.W. 267.21	01519 00500 01519 05000	PB PC	500 gm 5 kg	790 6680
Lead Carbonate AR (CAS No. 598-63-0) (lead (II) carbonate basic) Assay : Min. 99% $PbCO_3$ M.W. 267.21	01520 00500	PB	500 gm	5055
Lead Chloride (anhydrous) (CAS NO. 7758-95-4) (lead (II) chloride) Assay : Min . 98% $PbCl_2$ M.W. 278.11	01521 00500 01521 00500	PB PC	500 gm 5 kg	685 5585
Lead Chloride AR (anhydrous) (CAS NO. 7758-95-4) (lead (II) chloride) Assay : Min . 99% $PbCl_2$ M.W. 278.11	01521A 00500	PB	500 gm	895
Lead Chromate (CAS NO. 7758-97-6) (lead (II) chromate) Assay : Min. 98% CrO_4Pb M.W. 323.18	01522 00500	PB	500 gm	685

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Lead Chromate AR (CAS No. 7758-97-6) (lead (II) chromate)	01523 00100	PB	100 gm	755
Assay : Min. 99% CrO ₄ Pb M.W. 323.18	01523 00250	PB	250 gm	1600
Lead Dioxide (CAS NO. 1309-60-0) (lead peroxide) (lead (IV) oxide)	01524 00500	PB	500 gm	990
Assay : Min. 95% PbO ₂ M.W.239.20	01524 05000	PC	5 kg	8445
Lead Dioxide AR (CAS NO. 1309-60-0) (lead peroxide) (lead (IV) oxide)	01525 00250	PB	250 gm	3400
Assay : Min. 97% PbO ₂ M.W. 239.20				
Lead Fluoborate (49%) (CAS NO. 13814-96-5)	01526 00250	PB	500 gm	280
Assay : Min. 49% B ₂ F ₈ Pb M.W. 380.80, Liquid, d. 1.615				
Lead Monoxide (CAS NO. 1317-36-8) (litharge) (lead oxide yellow)	01527 00500	PB	500 gm	480
Assay : Min. 99-100.5% PbO M.W. 223.20	01527 05000	PC	5 kg	3890
Lead Monoxide AR (CAS NO. 1317-36-8) (litharge) (lead oxide yellow)	01528 00250	PB	250 gm	2905
Assay : Min. 99.9% PbO M.W. 223.20				
Lead Nitrate (Lead (II) Nitrate) (Cas No. 10099-74-8)	01529 00500	PB	500 gm	425
Assay : Min. 99% N ₂ O ₆ Pb M.W. 331.21	01529 05000	PC	5 kg	3625
Lead Nitrate AR (Lead (II) Nitrate) (Cas No. 10099-74-8)	01530 00500	PB	500 gm	545
Assay : Min. 99.5% N ₂ O ₆ Pb M.W. 331.21	01530 05000	PC	5 kg	4650
Lead (ii) Nitrate 0.01M (0.02N) Standardized Solution traceable to NIST	01531 00500	PB	500 ml	307
Lead (ii) Nitrate 0.5M (1N) Standardized Solution traceable to NIST	01532 00500	PB	500 ml	290
Lead Oxide Red (CAS NO. 1314-41-6)	01533 00500	PB	500 gm	565
(red lead) (lead (II, IV) oxide)	01533 05000	PC	5 kg	4705
Assay : Min. 95% Pb ₃ O ₄ M.W.685.60				
Lead Peroxide See Lead Dioxide Page No. 101				
Lead Stearate (anhydrous) (Cas No. 1072-35-1) (C ₁₈ H ₃₅ O ₂) ₂	01534 00500	PB	500 gm	375
Lead Sulphate (CAS NO. 7446-14-2)	01535 00500	PB	500 gm	485
Assay : Min 98.5% PbSO ₄ M.W. 303.26	01535 05000	PC	5 Kg	4025
Lead Sulphate AR (CAS NO. 7446-14-2)	01535A 00500	PB	500 gm	1305
Assay : Min 98.5% PbSO ₄ M.W. 303.26				
Lead Thiocyanate (CAS NO. 592-87-0)	01536 00500	PB	500 gm	3950
Assay : Min. 98% C ₂ N ₂ PbS ₂ M.W. 323.36				
Leishman's Stain	01536A 00025	PB	25 gm	330
(Cas no. 12627-53-1)	01536A 00100	PB	100 gm	1105
(for microscopy) (eosin methylene blue compound)	01536A 00500	PB	500 gm	5035
Leishman's Stain solution	01537 00125	GB	125 ml	95
(Liquid, d. 0.79)	01537 00500	GB	500 ml	165
Lemongrass Oil Extra Pure (Cas No. 8007-02-1) Liquid, d. 0.887	01537A 00500	GB	500 ml	2780
Lemon Oil Extra Pure (Cas No. 8008-56-8) Liquid, d. 0.850	01537B 00500	GB	500 ml	1340
L-iso-leucine (for biochemistry) (CAS No. 73-32-5)	01538 00025	GB	25 gm	375
L-Leucine (for bioche mixing)				
Assay : Min. 99% C ₆ H ₁₃ NO ₂ M.W. 131.18				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
L-Leucine (for biochemistry) (Cas No. 61-90-5) Assay : Min. 99% $C_6H_{13}NO_2$ M.W. 131.18	01538A 00025	GB	25 gm	265
DI-nor-leucine (for biochemistry) (CAS No. 616-06-8) Assay : Min. 99% $C_6H_{13}NO_2$ M.W.131.17	01539 00010 01539 00025	GB GB	10 gm 25 gm	2150 4186
Light Green (for microscopy) (C.I. No. 42095) (CAS No. 5141-20-8) (light green SF yellowish) Dye Content Min. 80% $C_{37}H_{34}N_2Na_2O_9S_3$ M.W.792.85	01540 00025 01540 00100 01540 00500	PB PB PB	25 gm 100 gm 500 gm	995 3690 15680
Light Green Solutions 0.1%	01541 00125 01541 00500	PB PB	125 ml 500 ml	105 315
Lime Oil Extra Pure (Cas No. 8008-26-2) Liquid, d. 0.861	01541A 00500	GB	500 ml	3985
Lime Water (for testing carbonates)	01542 00500 01542 05000	PB PC	500 ml 5 Lt	95 720
Linseed Oil Extra Pure	01542A 00500	GB	500 ml	755
Liquid Paraffin See Paraffin Liquid Page No. 130				
Liquor Ammonia See Ammonia Solution Page No. 11				
Lissamine Green B (C.I.NO. 44090) (CAS NO. 3087-16-9) Dye Content : Min. 60% $C_{27}H_{25}N_2NaO_7S_2$ M.W. 576.62	01543 00025	GB	25 gm	815
Litharge See Lead Monoxide Page No. 102				
Lithium Aas Standard Solution 1000 mg / L in Nitric Acid	01544 00100 01544 00500	PB PB	125 ml 500 ml	1350 2250
Lithium (metal) 99% (coated) (CAS No. 7439-93-2) Assay : Min. 99% Li M.W. 6.94	01545 00100	GB	100 gm	5250
Lithium Acetate (dihydrate) (CAS No. 6108-17-4) (acetic acid lithium salt) Assay : Min. 97.5% $C_2H_3LiO_2 \cdot 2H_2O$ M.W. 102.02	01546 00250	PB	250 gm	1450
Lithium Acetate AR (dihydrate) (CAS No. 6108-17-4) (acetic acid lithium salt) Assay : Min. 98% $C_2H_3LiO_2 \cdot 2H_2O$ M.W. 102.02	01547 00250	PB	250 gm	20500
Lithium Aluminium Hydride (for synthesis) (CAS No. 16853-85-3) Assay : Min. 96% $LiAlH_4$ M.W. 37.95	01548 00100	PB	100 gm	9950
Lithium Bromide (Anhydrous) (Cas No. 7550-35-8) Assay : Min. 99% LiBr M.W. 86.85	01549 00500	PB	500 gm	3250
Lithium Carbonate Extra pure (CAS No. 554-13-2) Assay : Min. 98.5% Li_2CO_3 M.W. 73.89	01549 00250 01549 00500	PB PB	250 gm 500 gm	1750 3350
Lithium Carbonate AR (CAS No. 554-13-2) Assay : Min. 99.5% Li_2CO_3 M.W. 73.89	01550 00100 01550 00250	PB PB	100 gm 250 gm	975 2150
Lithium Chloride (anhydrous) (CAS No. 7447-41-8) Assay : Min. 98% LiCl M.W. 42.39	01551 00250 01551 00500	GB GB	250 gm 500 gm	2250 4350
Lithium Chloride AR (anhydrous) (CAS No. 7447-41-8) Assay : Min. 99% LiCl M.W. 42.39	01552 00100 01552 00250	GB GB	100 gm 250 gm	1250 2650

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Tri Lithium Citrate AR (tetrahydrate) (CAS No.6080-58-6)	01553 00100	PB	100 gm	950
Assay : Min. 99% $C_6H_5Li_3O_7 \cdot 4H_2O$ M.W. 281.99	01553 00250	PB	250 gm	1850
Lithium Fluoride (CAS No.7789-29-4)	01554 00500	PB	500 gm	4250
Assay : Min. 98% LiF M.W. 25.94				
Lithium Hydroxide (monohydrate) (CAS No.1310-66-3)	01555 00100	PB	100 gm	1250
Assay : Min. 99% $LiOH \cdot H_2O$ M.W. 41.96	01555 00500	PB	500 gm	6650
Lithium Hydroxide AR (monohydrate) (CAS No.1310-66-3)	01556 00500	PB	500 gm	7800
Assay : Min. 99.5% $LiOH \cdot H_2O$ M.W. 41.96				
Lithium Iodide (for Synthesis) (CAS No. 10377-51-2)	01557 00100	PB	100 gm	5517
Assay : Min. 99% LiI M.W. 133.85	01557 00100	PB	500 gm	20068
Lithium Lactate (CAS No.867-55-0) (lactic acid lithium salt)	01558 00100	PB	100 gm	600
Assay : Min. 98% $C_3H_5LiO_3$ M.W. 96.01	01558 00500	PB	500 gm	2450
Lithium Nitrate (anhydrous) (CAS No.7790-69-4)	01559 00500	PB	500 gm	3750
Assay : Min. 98% $LiNO_3$ M.W. 68.95				
Lithium Oxalate (CAS No.553-91-3)	01560 00100	PB	100 gm	1805
Assay : Min. 99% $C_2O_4Li_2$ M.W. 101.90				
Lithium Perchlorate AR (trihydrate) (CAS No.13453-78-6)	01561 00025	GB	25 gm	2025
Assay: Min. 99% $LiClO_4 \cdot 3H_2O$ M.W. 160.44	01561 00100	PB	100 gm	7895
Lithium Sulphate (monohydrate) (CAS No.10102-25-7)	01562 00250	PB	250 gm	1625
Assay : Min. 98% $Li_2SO_4 \cdot H_2O$ M.W. 127.96	01562 00500	PB	500 gm	2850
Lithium Sulphate AR (monohydrate) (CAS No.10102-25-7)	01563 00100	PB	100 gm	1885
Assay : Min. 99% $Li_2SO_4 \cdot H_2O$ M.W. 127.96				
Litmus Blue indicator papers	01564 001PK	CB	Pkt	80
(one pkt contains 100 leaves)	01564 024PK	CB	24 Pkt	1545
Litmus Red indicator papers	01565 001PK	CB	Pkt	80
(one pkt contains 100 leaves)	01565 024PK	CB	24 Pkt	1550
Litmus Blue	01565A 00125	PB	125 ml	95
Indicator Solution	01565A 00500	PB	500 ml	275
Litmus Red	01565B 00125	PB	125 ml	95
Indicator Solution	01565B 00500	PB	500 ml	275
Liver Extract Powder (for bacteriology)	01566 00500	PB	500 gm	1365
Liver Extract Powder (for bacteriology)	01567 00500	PB	500 gm	1225
Lucas Reagent solution	01568 001PK	PB	100 ml	135
	01568 024PK	PB	500 ml	420
Lugol's Iodine indicator solution	01569 00125	GB	125 ml	245
	01569 00500	GB	500 ml	705
Luminol (for synthesis) (CAS No.521-31-3)	01570 00005	GB	5 gm	1210
Assay : Min. 97% $C_8H_7N_3O_2$ M.W. 177.16	01570 00025	GB	25 gm	4855
2,3-lutidine (for synthesis) (CAS No.583-61-9)	01571 00005	GB	250 ml	4465
Assay : Min. 99% C_7H_9N M.W. 107.15, Liquid, d. 0.945				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
2,6-lutidine (CAS No.108-48-5) (2,6-dimethylpyridine)	01572 00100	GB	100 ml	935
Assay : Min. 98% C ₇ H ₉ N M.W.107.15, Liquid, d. 0.92	01572 00500	GB	500 ml	3445
3,4-lutidine (for synthesis) (CAS No.583-58-4)	01573 00250	GB	250 ml	4435
Assay : Min. 97.5% C ₇ H ₉ N M.W. 107.15, Liquid, d. 0.954				
3,5-lutidine (CAS No.591-22-0) (3,5-dimethylpyridine)	01574 00100	GB	100 ml	3940
Assay : Min. 99% C ₇ H ₉ N M.W.107.15, Liquid, d. 0.939	01574 00500	GB	500 ml	16290
L-Lysine (Base) Monohydrate Extra Pure (Cas No. 39665-12-8)	01575 00010	PB	10 gm	905
Assay : Min. 99% C ₆ H ₁₄ N ₂ O ₂ ·H ₂ O M.W. 164.21	01575 00025	PB	25 gm	2155
(Store at 2-80C)	01575 00100	PB	100 gm	7705
L-lysine Monohydrochloride (CAS No. 657-27-2)	01576 00100	PB	100 gm	285
(for biochemistry)	01576 00500	PB	500gm	1170
Assay : Min. 99% C ₆ H ₁₄ N ₂ O ₂ ·HCL M.W. 182.65	01576 05000	PC	5 kg	9860
Lysol (cresol soap solution) (CAS No. 12772-68-8), Liquid d. 0.748	01577 005000	PB	500 ml	345

***** M

Mace Oil (Cas No. 8007-12-3) Liquid.d.0.88	01577A 00500	GB	500 ml	8790
Magnesium AAS Standard Solution	01578 00125	GB	125 ml	620
1000mg/L in Nitric Acid	01578 00500	GB	500 ml	2375
Magnesium ICP Standard Solution 1000mg/L in Nitric Acid 1.058	01578A 00125	GB	125 ml	4635
Magnesium ICP Standard Solution 1000mg/L in Nitric Acid 1.058	01578B 00125	GB	125 ml	6420
Magnesium (metal) Powder (Cas No. 7439-95-4)	01579 00100	PB	100 gm	260
Assay : Min. 99% Mg M.W. 24.31	01579 00500	PB	500 gm	985
Magnesium (metal) Ribbion (Cas No. 7439-95-4)	01580 00025	PB	25 gm	185
Assay : Min. 99.5% Mg M.W. 24.31	01580 00625	PG	25 gmx25	4305
Magnesium Acetate (tetrahydrate) (CAS No.16674-78-5)	01581 00500	PB	500 gm	510
Assay : Min. 98-102% C ₄ H ₆ MgO ₄ ·4H ₂ O M.W. 214.45	01581 05000	PG	5 kg	3960
Magnesium Acetate AR (tetrahydrate) (CAS No.16674-78-5)	01582 00500	PB	500 gm	2245
Assay : Min. 99.5-102% C ₄ H ₆ MgO ₄ ·4H ₂ O M.W. 214.45				
Magnesium Acetate (tetrahydrate) (For Molecure Biology) (CAS No16674-78-5)	01583 00100	PB	100 gm	1305
Assay : Min. 99% C ₄ H ₆ MgO ₄ ·4H ₂ O M.W. 214.45	01583 00500	PB	500 gm	4745
Magnesium Bromide (CAS No.13446-53-2)	01584 00500	PB	500 gm	745
Assay: Min. 99% MgBr ₂ ·6H ₂ O M.W. 292.20				
Magnesium Bromide AR (CAS No.13446-53-2)	01585 00500	PB	500 gm	1935
Assay: Min. 99.5% MgBr ₂ ·6H ₂ O M.W. 292.20				
Magnesium Carbonate (light) (CAS No.39409-82-0)	01586 00250	PB	250 gm	490
(magnesium hydroxide carbonate)	01586 00500	PB	500 gm	880
Assay : Min. 40-50% MgCO ₃ M.W. 84.31	01586 02500	PC	2.5 kg	3360
Magnesium Carbonate AR (light) (CAS No.39409-82-0)	01587 00250	PB	250 gm	680
(magnesium hydroxide carbonate) Assay : Min. 24% MgCO ₃ M.W. 84.31	01587 00500	PB	500 gm	1270

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Magnesium Carbonate purified (heavy) (CAS No.39409-82-0)	01588 00500	PB	500 gm	485
(magnesium hydroxide carbonate)	01588 05000	PC	5 kg	3905
Assay (as MgO) : Min. 40-50% MgCO ₃ M.W 84.31				
Magnesium Chloride (Crystals) (hexahydrate) (CAS No.7791-18-6)	01589 00500	PB	500 gm	170
Assay: Min. 98% MgCl ₂ .6H ₂ O M.W. 203.30	01589 05000	PC	5 kg	1150
Magnesium Chloride AR (Crystals) (hexahydrate) (CAS No.7791-18-6)	01590 00500	PB	500 gm	290
Assay: Min. 99% MgCl ₂ .6H ₂ O M.W. 203.30	01590 05000	PC	5 kg	1410
Magnesium Chloride (hexahydrate) (for molecular biology) (CAS No.7791-18-6)	01591 00100	PB	100 gm	615
Assay: Min. 99.5% MgCl ₂ .6H ₂ O M.W. 203.30	01591 00500	PB	500 gm	1130
Magnesium Chloride 0.01M(0.02N) Standard Solution	01592 00500	PB	500 ml	330
Magnesium Citrate (14-hydrate) (CAS No. 3344-18-1)	01593 00500	PB	500 gm	1185
Assay (Mg): Min. 14.5-16.4% C ₁₂ H ₁₀ Mg ₃ O ₁₄ M.W. 451.11				
Magnesium Fluoride (CAS NO.7783-40-6)	01594 00500	PB	500 gm	640
Assay : Min. 97% MgF ₂ M.W. 62.30				
Magnesium Hydroxide Extra Pure (CAS No.1309-42-8)	01595 00500	PB	500 gm	240
Assay : Min. 95% Mg(OH) ₂ M.W. 58.32	01595 05000	PC	5 kg	1935
Magnesium Nitrate (hexahydrate) (CAS No.13446-18-9)	01596 00500	PB	500 gm	165
Assay: Min. 98% Mg(NO ₃) ₂ .6H ₂ O M.W. 256.41	01596 05000	PC	5 kg	1325
Magnesium Nitrate AR (hexahydrate) (CAS No.13446-18-9)	01597 00500	PB	500 gm	215
Assay: Min. 99% Mg(NO ₃) ₂ .6H ₂ O M.W. 256.41	01597 05000	PC	2.5 kg	1745
Magnesium Oxide (light) (CAS No.1309-48-4)	01598 00500	PB	500 gm	620
Assay : Min. 97% MgO M.W. 40.30	01598 02500	PC	2.5 kg	2510
Magnesium Oxide AR (light) (CAS No.1309-48-4)	01599 00500	PB	500 gm	1190
Assay : Min. 98% MgO M.W. 40.30				
Magnesium Oxide (heavy) Extra pure (CAS No.1309-48-4)	01600 00500	PB	500 gm	845
Assay: Min. 98% MgO M.W. 40.30	01600 05000	PC	5 kg	6945
Magnesium Phosphate (dibasic, trihydrate) (CAS No.7782-75-4)	01601 00500	PB	500 gm	520
Assay: Min. 98-102% MgHPO ₄ .3H ₂ O M.W. 174.33				
Magnesium Stearate (CAS No.557-04-0) (precipitated)	01602 00500	PB	500 gm	360
Assay: Min. 4-5% C ₃₆ H ₇₀ MgO ₄ M.W. 591.24	01602 05000	PC	5 kg	2810
Magnesium Sulphate (CAS No.10034-99-8) (heptahydrate)	01603 00500	PB	500 gm	140
Assay: Min. 99% MgSO ₄ .7H ₂ O M.W. 246.47	01603 05000	PC	5 kg	810
Magnesium Sulphate AR (CAS No.10034-99-8) (heptahydrate)	01604 00500	PB	500 gm	215
Assay: Min. 99.5% MgSO ₄ .7H ₂ O M.W. 246.47	01604 05000	PC	5 kg	1375
Magnesium Sulphate (heptahydrate) (For molecular biology)	01605 00500	PB	500 gm	2690
Assay : min. 99% MgSO ₄ .7H ₂ O M.W. 246.47 (CAS No.10034-99-8)				
Magnesium Sulphate (dried) (CAS No.7487-88-9)	01606 00500	PB	500 gm	290
Assay: Min. 99.5% MgSO ₄ M.W. 120.37				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Magnesium Trisilicate (Hydrate) (Powder) (Cas No. 14987-04-3)	01607 00500	PB	500 gm	190
Assay : Min. 20% (MgO), 45% (SiO ₂)	01607 05000	PC	5 kg	1485
2MgO.3SiO ₂ .aq M.W. 260.86 (Anhy Basis)				
Magneson I AR	01608 00500	GB	25 gm	290
(CAS No.74-39-5) [4-(4-nitrophenylazo) resorcinol]	01608 05000	PB	100 gm	970
Dye Content: Min. 90% C ₁₂ H ₉ N ₃ O ₄ M.W. 259.22	01608 25000	PB	500 gm	4130
Magneson II AR (CAS No. 5290-62-0)	01609 00025	PB	25 gm	430
(reagent for magnesium) [4-(4-nitrophenylazo)-1-naphthol]	01609 00100	PB	100 gm	1415
C ₁₆ H ₁₁ N ₃ O ₃ M.W. 293.28	01609 00500	PB	500 gm	5815
Malachite Green (M.S.)	01610 00025	PB	25 gm	140
(C.I.NO. 42000) (CAS NO. 2437-29-8)	01610 00100	PB	100 gm	410
(malachite green oxalate) C ₅₂ H ₅₄ N ₄ O ₁₂ M.W. 927.02	01610 00500	PB	500 gm	1795
Malachite Green indicator solution	01611 00125	PB	125 ml	115
	01611 00500	PB	500 ml	345
Maleic Acid (for synthesis) (CAS NO. 110-16-7)	01612 00500	PB	500 gm	435
Assay : Min.99% C ₄ H ₄ O ₄ M.W. 116.07	01612 05000	PC	5 kg	3910
Maleic Acid AR (CAS NO. 110-16-7)	01613 00100	PB	100 gm	230
Assay : Min.99.5% C ₄ H ₄ O ₄ M.W. 116.07	01613 00500	PB	500 gm	945
Maleic Anhydride (CAS NO. 108-31-6)	01614 00500	PB	500 gm	445
Assay : Min. 95% C ₄ H ₂ O ₃ M.W. 98.06				
Maleic Hydrazide (CAS NO. 123-33-1)	02919 00100	PB	100 gm	340
Assay : Min. 98% C ₄ H ₄ N ₂ O ₂ M.W. 112.09	02919 00500	PB	500 gm	1355
Malonic Acid AR (CAS NO. 141-82-2)	02920 00100	PB	100 gm	530
Assay : Min. 99% C ₃ H ₄ O ₄ M.W. 104.06	02920 00250	PB	250 gm	1080
	02920 00500	PB	500 gm	1790
Malononitrile (for synthesis) (CAS NO.109-77-3) (dicyanomethane)	02921 00100	GB	100 gm	695
Assay : Min. 98% C ₃ H ₂ N ₂ M.W. 66.06	02921 00500	GB	500 gm	2560
Malt Extract Powder (For Bacteriology) (Cas No. 8002-48-0)	01615 00500	PB	500 gm	710
Malto Dextrine Powder	01616 00500	PB	500 gm	225
(CAS NO.9050-36-6)	01616 02500	PB	2.5 kg	860
Maltose (monohydrate) (CAS NO.6363-53-7)	01617 00100	PB	100 gm	225
(for bacteriology & biochemistry)	01617 00500	PB	500 gm	790
Assay : Min. 95% C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W. 360.32	01617 05000	PC	5 kg	6730
Maltose AR (monohydrate) (CAS NO.6363-53-7)	01618 00100	PB	100 gm	350
(NRC grade for Vaccine production)	01618 00500	PB	500 gm	1640
C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W. 360.32	01618 05000	PC	5 kg	13980
DI-mandelic Acid (for synthesis) (CAS NO.90-64-2)	01619 00500	PB	500 gm	2695
Assay : Min. 99% C ₈ H ₈ O ₃ M.W. 152.15				
R(-) Mandelic Acid (CAS NO.611-71-2)	01620 00100	PB	100 gm	2975
Assay : Min. 99% C ₈ H ₈ O ₃ M.W. 152.15				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
S (+) Mandelic Acid (CAS NO.17199-29-0) Assay: Min. 99% $C_8H_8O_3$ M.W. 152.15	01621 00100	PB	100 gm	2885
Manganese AAS Standard Solution 1000mg/L in nitric Acid (Liquid, d.1.014)	01622 00125 01622 00500	GB GB	125 ml 500 ml	625 1865
Manganese ICP Standard Solution 1000mg/L in Nitric acid Liquid, d. 1.014	01622A 00125	GB	125 ml	4635
Manganese ICP Standard Solution 10000mg/L in Nitric acid Liquid, d. 1.036	01622B 00125	GB	125 ml	6425
Manganese (metal) FLAKES (CAS No.7439-96-5) Assay: Min. 99% Mn M.W. 54.94	01623 00500	GB	500 gm	1420
Manganese (metal) Powder (CAS No.7439-96-5) Assay: Min. 99% Mn M.W. 54.94	01624 00500	PB	500 gm	2995
Manganese (II) Acetate (tetrahydrate) (manganous acetate) Assay : Min. 99% $(CH_3COO)_2$ Mn.4H ₂ O M.W. 245.09 (CAS No.6156-78-1)	01625 00500 01625 05000	PB PC	500 gm 5 kg	250 2025
Manganese (II) Acetate AR (tetrahydrate) (CAS No.6156-78-1) (manganous acetate) Assay : Min. 99.5% $(CH_3COO)_2$ Mn.4H ₂ O M.W. 245.09	01626 00500 01626 05000	PB PC	500 gm 5 kg	380 3195
Manganese (II) Carbonate (hydrate) (CAS No.34156-69-9) Assay (Mn) : Min. 43-46% $MnCO_3 \cdot xH_2O$ M.W. 114.95	01627 00500 01627 05000	PB PC	500 gm 5 kg	295 2390
Manganese (II) Chloride (tetrahydrate) (CAS No.13446-34-9) (manganous chloride) Assay: Min. 97% $MnCl_2 \cdot 4H_2O$ M.W. 197.90	01628 00500 01628 05000	PB PC	500 gm 5 kg	335 2890
Manganese (II) Chloride AR (tetrahydrate) (CAS No.13446-34-9) (manganous chloride) Assay: Min. 98% $MnCl_2 \cdot 4H_2O$ M.W. 197.90	01629 00500 01629 05000	PB PC	500 gm 5 kg	365 3085
Manganese Dioxide extra pure(precipitated) (CAS No.1313-13-9) [manganese(IV) oxide] Assay: Min. 80% MnO_2 M.W. 86.94	01630 00500 01630 05000	PB PC	500 gm 5 kg	185 1535
Manganese Dioxide AR (CAS No.1313-13-9) [manganese(IV) oxide] Assay: Min. 80% MnO_2 M.W. 86.94	01631 00500 01631 05000	PB PC	500 gm 5 kg	865 6795
Manganese (II) Nitrate Solution (45-50%) (Solution in dilute Nitric Acid) (Cas No. 10377-66-9) $Mn(NO_3)_2$ M.W. 178.95, Liquid, d. 1.536	01632 00500	GB	500 gm	445
Manganese (II) Sulphate (monohydrate) (CAS No.10034-96-5) (manganous sulphate) Assay: Min. 98% $MnSO_4 \cdot H_2O$ M.W. 169.02	01633 00500 01633 05000	PB PC	500 gm 5 kg	315 2525
Manganese (II) Sulphate AR (monohydrate) (CAS No.10034-96-5) (manganous sulphate) Assay: Min. 99% $MnSO_4 \cdot H_2O$ M.W. 169.02	01634 00500 01634 05000	PB PC	500 gm 5 kg	560 5490
D (-) Mannitol (CAS No.69-65-8) (for biochemistry) Assay: Min. 99% $C_6H_{14}O_6$ M.W. 182.17	01635 00500 01635 05000 01635 05000	PB PB PC	250 gm 500 gm 5 kg	425 905 9895
D (-) Mannitol AR (for Molecular Biology) (CAS No.69-65-8) Assay: Min. 99.5% $C_6H_{14}O_6$ M.W. 182.17	01636 00500 01636 05000	PB PC	500 gm 5 kg	835 7895

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
D (+) Mannose AR (for Molecular Biology)	01637 00010	GB	10 gm	445
(CAS No.3458-28-4) (for biochemistry)	01637 00025	PB	25 gm	1035
Assay: Min. 99% $C_6H_{12}O_6$ M.W. 180.16	01637 00100	PB	100 gm	3610
Manoxol OT see Diocetyl Sodium Sulphosuccinate Page No. 61				
Martius Yellow (M.S) (C.I.No.10315) (CAS No.605-69-6)	01638 00025	GB	25 gm	695
Dye Content: Min. 85% $C_{10}H_6N_2O_5$ M.W. 234.17	01638 00100	PB	100 gm	2390
Mayer's Reagent Indicator solution	01639 00125	PB	125 ml	205
	01639 00500	PB	500 ml	625
May And Grunwald's Stain	01640 00025	PB	25 gm	385
(CAS No.68988-92-1)	01640 00100	PB	100 gm	1280
(for microscopy)	01640 00500	PB	500 gm	5760
May And Grunwald's Solution (microscopical Solution)	01640A 00125	PB	125 ml	155
Liquid, d. 0.79	01640A 00500	PB	500 ml	480
Meat Extract powder (for bacteriology)	01641 00500	PB	500 gm	1230
Meat Extract Paste (for bacteriology)	01642 00500	PB	500 gm	920
Melamine (CAS No.108-78-1)	01643 00500	PB	500 gm	295
Assay: Min. 99% $C_3H_6N_6$ M.W. 126.12				
D (+) Melibiose (for bacteriology) (CAS No.66009-10-7)	01644 00005	GB	5 gm	4955
Assay: Min. 98% $C_{12}H_{22}O_{11}$ M.W. 342.30	01644 00025	GB	25 gm	19985
Menadione (CAS No.58-27-5)(vitamin K)	01645 00025	PB	25 gm	1060
Assay: Min. 98.5-101% $C_{11}H_8O_2$ M.W. 172.19	01645 00100	PB	100 gm	3375
Menadione Sodium Bisulphite (trihydrate) (CAS No.130-37-0)	01646 00025	PB	25 gm	725
Assay: Min. 95% $C_{11}H_9NaO_5S$ M.W. 276.24	01646 00100	PB	100 gm	2545
(vitamin K3 sodium bisulphite)				
Mentha Citrata Oil Extra Pure (Cas No. 68917-15-7), Liquid, d. 0.916	01646A 00500	GB	500 ml	5915
Mentha Pepprita Oil Extra Pure (CAS No.8006-90-4), Liquid,d.0898	01646B 00500	GB	500 ml	3560
Menthol (crystals)	01648 00100	PB	100 gm	990
(CAS NO.2216-51-5) (natural white)	01648 00500	PB	500 gm	3885
Assay: Min. 99% $C_{10}H_{20}O$ M.W. 156.27	01648 02500	PC	2.5 kg	17530
2-mercaptobenzimidazole (for synthesis) (CAS No.583-39-1)	01649 00250	PB	250 gm	845
(benzimidazole-2-thiol) Min. 99% $C_7H_6N_2S$ M.W 154.20	01649 01000	PB	1 kg	2995
2-mercaptobenzoic Acid AR (CAS No.147-93-3) (thiosalicylic acid)	01650 00100	PB	100 gm	990
Assay: Min. 99% $C_7H_6O_2S$ M.W 154.20	01650 00500	PB	500 gm	3905
2-mercaptobenzothiazole AR (CAS No.149-30-4)	01651 00100	PB	100 gm	760
Assay: Min. 99% $C_7H_5NS_2$ M.W 167.125				
2-mercapto Ethanol (CAS No.60-24-2)	01652 00100	GB	100 ml	445
Assay: Min. 98% $HS.CH_2CH_2OH$ M.W 78.13, Liquid.d.1.114	01652 00500	GB	500 ml	1775
2-mercapto Ethanol AR (for molecular biology)(CAS No.60-24-2)	01653 00100	GB	100 ml	740
Assay: Min. 99% $HS.CH_2CH_2OH$ M.W 78.13, Liquid.d.1.114	01653 00500	GB	500 ml	1465

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Mercury Aas Standard Solution	01654 00125	GB	125 ml	720
1000mg/L in Nitric Acid, Liquid, d. 1.054	01654 00500	GB	500 ml	2705
Mercury ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.054	01654 00125	GB	125 ml	5235
Mercury (metal) Extra Pure (CAS No.7439-97-6)	01655 00100	PB	100 gm	2785
Assay: Min. 99% Hg A.W. 200.59,	01655 00250	PB	250 gm	5910
Liquid, d. 13.55	01655 00500	PB	500 gm	11220
Mercury (metal) AR (CAS No.7439-97-6)	01656 00100	PB	100 gm	2885
(triple distilled) (for polarography)	01656 00250	PB	250 gm	6470
Assay: Min. 99.5% Hg A.W. 200.59, Liquid.d.13.55	01656 00500	PB	500 gm	12280
Mercury Acetate	01657 00025	PB	25 gm	800
(CAS No.1600-27-7) ([MERCURY (II) acetate]	01657 00100	PB	100 gm	2770
Assay: Min. 98.5% (CH ₃ COO) ₂ Hg M.W. 318.68	01657 00500	PB	500 gm	12430
Mercury Acetate AR (CAS No.1600-27-7)	01658 00025	PB	25 gm	905
([MERCURY (II) acetate]	01658 00100	PB	100 gm	3130
Assay: Min. 99% (CH ₃ COO) ₂ Hg M.W. 318.68	01658 00500	PB	500 gm	14030
Mercuric Ammonium Chloride (CAS No.10124-48-8) (ammoniated mercury)	01659 00025	PB	25 gm	1750
(ammonium mercuric chloride) (mercury (II) amido chloride)	01659 00100	PB	100 gm	4870
Assay: Min. 98.3-100% HgNH ₂ Cl M.W. 252.07	01659 00500	PB	500 gm	20650
Mercuric Ammonium Thiocyanate [mercury (II) ammonium thiocyanate]	01659A 00025	PB	25 gm	1195
(ammonium mercury thiocyanate solution)	01659A 00100	PB	100 gm	2660
Mercuric Ammonium Thiocyanate solution	01660 00500	PB	500 ml	2065
Mercuric Bromide Extra Pure (Cas No. 7789-47-1)	01660A 00025	GB	25 gm	1310
[mercury (II) bromide] Assay : Min. 98% HgBr ₂ M.W. 360.40	01660A 00100	GB	100 gm	4030
Mercuric Bromide AR (CAS No.7789-47-1)	01661 00025	PB	25 gm	2460
[mercury (II) bromide]	01661 00100	PB	100 gm	8200
Assay: Min. 98% HgBr ₂ M.W. 360.40	01661 00250	PB	250 gm	18450
Mercuric Chloride	01662 00025	PB	25 gm	740
(CAS No.7487-94-7)	01662 00100	PB	100 gm	2550
[mercury (II) Chloride]	01662 00250	PB	250 gm	5430
Assay: Min. 99% HgCl ₂ M.W. 271.50	01662 00500	PB	500 gm	9745
Mercuric Chloride AR (CAS No.7487-94-7)	01663 00025	GB	25 gm	835
(reagent for zinc)[mercury (II) chloride]	01663 00100	GB	100 gm	2615
Assay: Min. 99.5% HgCl ₂ M.W. 271.50	01663 00250	GB	250 gm	6020
Mercuric Chloride 5% Solution	01663A 00125	PB	125 ml	265
	01663A 00500	PB	500 ml	785
Mercuric Iodide Red (CAS No.7774-29-0)	01664 00025	PB	25 gm	950
[mercury (II) iodide red]	01664 00100	PB	100 gm	2820
Assay: Min. 99-100.5% HgI ₂ M.W. 454.40	01664 00500	PB	500 gm	12835
Mercuric Iodide Red AR (CAS No.7774-29-0)	01665 00025	PB	25 gm	1015
[mercury (II) iodide red]	01665 00100	PB	100 gm	2915
Assay: Min. 99% HgI ₂ M.W. 454.40	01665 00500	PB	500 gm	13455

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Mercuric Nitrate (monohydrate)	01666 00025	PB	25 gm	900
(CAS No.7783-34-8)	01666 00100	PB	100 gm	2995
[mercury (II) nitrate]	01666 00250	PB	250 gm	6940
Assay: Min. 98 % Hg(NO ₃) ₂ .H ₂ O M.W. 342.62	01666 00500	PB	500 gm	13205
Mercuric Nitrate AR (monohydrate) (CAS No.7783-34-8)	01667 00025	PB	25 gm	995
[mercury (II) nitrate]	01667 00100	PB	100 gm	3290
Assay: Min. 98.5 % Hg(NO ₃) ₂ .H ₂ O M.W. 342.62	01667 00500	PB	500 gm	14000
Mercuric Nitrate 0.01M (0.02N) Standardized Solution	01668 00500	PB	500 ml	335
Mercuric Nitrate 0.05M (0.1N) Standardized Solution	01669 00500	PB	500 ml	345
Mercuric Oxide Red	01670 00025	PB	25 gm	925
(CAS No.21908-53-2) mercury (II)oxide red]	01670 00100	PB	100 gm	2610
Assay: Min. 99 % HgO M.W. 216.59	01670 00500	PB	500 gm	12765
Mercuric Oxide Red AR (CAS No.21908-53-2)	01671 00025	PB	25 gm	1015
[mercury (II)oxide red]	01671 00100	PB	100 gm	3018
Assay: Min. 99 -100.5% HgO M.W. 216.59	01671 00500	PB	500 gm	13955
Mercuric Oxide Yellow (CAS No.21908-53-2)	01672 00025	PB	25 gm	960
[mercury (II)oxide yellow]	01672 00100	PB	100 gm	2805
Assay: Min. 99 % HgO M.W. 216.59	01672 00500	PB	500 gm	12760
Mercuric Oxide Yellow AR (CAS No.21908-53-2)	01673 00025	PB	25 gm	1010
[mercury (II)oxide yellow]	01673 00100	PB	100 gm	3020
Assay: Min. 99.3-100.5 % HgO M.W. 216.59	01673 00500	PB	500 gm	13955
Mercuric Potassium Iodide Extra Pure (Cas No. 7783-33-7)	01673A 00025	GB	25 gm	2350
(Potassium mercuric iodide) (Potassium tetraiodo mercurate)	01673A 00100	GB	100 gm	7030
Hg ₄ K ₂ M.W. 786.40				
Mercuric Potassium Iodide Solution	01673B 00125	PB	125 ml	625
(potassium mercuric iodide solution)	01673B 00500	PB	500 ml	1760
Mercuric Phenyl Acetate (for synthesis) (Phenyl Mercuric Acetate)	01674 00025	GB	25 gm	2585
Assay: Min. 98 % C ₈ H ₈ HgO ₂ M.W. 336.74 (CAS No.62-38-4)	01674 00100	GB	100 gm	9900
Mercuric Sulphate AR (CAS No.7783-35-9)	01675 00025	PB	25 gm	935
[mercury (II) sulphate]	01675 00100	PB	100 gm	2975
Assay: Min. 99-100% HgSO ₄ M.W. 296.65	01675 00250	PB	250 gm	6990
Mercuric Thiocyanate (Cas No. 592-85-8)	01675A 00025	PB	25 gm	1185
[Mercury (II) thiocyanate]	01675A 00100	PB	100 gm	3860
Assay : Min. 97% Hg(SCN) ₂ M.W. 316.75	01675A 00500	PB	500 gm	14470
Mercuric Thiocyanate AR (CAS No.592-85-8)	01677 00025	PB	25 gm	1705
[mercury (II) thiocyanate]	01677 00100	PB	100 gm	4905
Assay: Min. 99% Hg(SCN) ₂ M.W. 316.75	01677 00500	PB	500 gm	19595
Mercurochrome (granular) (CAS No.129-16-8) (mercury dibromofluorescein)	01678 00025	GB	25 gm	670
Assay: Min. 97.5% C ₂₀ H ₈ Br ₂ HgNa ₂ O ₆ .3H ₂ O M.W. 804.75	01678 00100	GB	100 gm	2205

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Mercurous Chloride (anhydrous) (CAS No.10112-91-1)	01679 00025	PB	25 gm	915
[mercury (I)chloride] (calomel)	01679 00100	PB	100 gm	3105
Assay: Min. 99% Hg_2Cl_2 M.W. 472.09	01679 00500	PB	500 gm	13170
Mercurous Chloride AR (anhydrous) (CAS No.10112-91-1)	01680 00025	PB	25 gm	1220
[mercury (I)chloride] (calomel)	01680 00100	PB	100 gm	3230
Assay: Min. 99.5% Hg_2Cl_2 M.W. 472.09	01680 00500	PB	500 gm	13945
Mercurous Nitrate (dihydrate) (CAS No.14836-60-3)	01681 00025	PB	25 gm	1125
[mercury (I) nitrate]	01681 00100	PB	100 gm	2985
Assay: Min. 95% $Hg_2(NO_3)_2 \cdot 2H_2O$ M.W. 561.22	01681 00500	PB	500 gm	13770
Mercuric Nitrate AR (dihydrate) (CAS No.14836-60-3)	01682 00025	PB	25 gm	1220
[mercury (II) nitrate]	01682 00100	PB	100 gm	3215
Assay: Min. 98% $Hg_2(NO_3)_2 \cdot 2H_2O$ M.W. 561.22	01682 00500	PB	500 gm	14765
Mercurous Nitrate 0.1M (0.1N) Standardized Solution	01683 00500	PB	500 ml	1485
Mesitylene (for synthesis) (CAS No.108-67-8) (1,3,5-trimethyl benzene)	01684 00500	GB	500 ml	2620
Assay: Min. 98% C_9H_{12} M.W. 120.20, Liquid,d.0.864	01684 02500	GB	2.5 lt	7845
Meso-inositol see meso- Inositol Page No. 83				
Metanilic Acid (CAS No.121-47-1)	01685 00250	PB	250 gm	420
Assay: Min. 97% $C_6H_7NO_3S$ M.W. 173.19				
Metanil Yellow AR (CAS No.587-98-4)	01686 00025	PB	25 gm	105
(C.I.No.13065)	01686 00100	PB	100 gm	255
Dye Content: Min. 70% $C_{18}H_{14}N_3NaO_3S$ M.W. 375.38	01686 00500	PB	500 gm	1035
Metanil Yellow solution	01687 00125	PB	125 ml	85
Indicator solution	01687 00500	PB	500 ml	260
Metaphosphoric Acid see meta-phosphoric Acid Page No. 136				
Methacrylic Acid (for synthesis) (CAS No.79-41-4) (2-methyl propanoic acid)	01688 00500	GB	500 ml	745
Assay: Min.99% $C_4H_6O_2$ M.W. 86.09, liquid,d.1.1015	01688 02500	GB	2.5 lt	2990
Methane Sulphonic Acid (CAS No.75-75-2)	01689 00500	GB	500 ml	1185
Assay: Min.98% CH_3O_3S M.W. 96.11, liquid,d.1.481				
Methane Sulphonic Acid Sodium Salt AR & HPLC (CAS No. 2386-57-4)	01691 00005	GB	5 gm	665
(sodium methane sulphonate)	01691 00025	GB	25 gm	2595
Assay : Min. 98% $CH_3SO_3 Na$ M.W. 118.09	01691 00100	GB	100 gm	8985
Methane Sulphonyl Chloride (CAS No. 124-63-0) (mesyl chloride)	01692 00500	PB	500 ml	1740
Assay : Min. 98% $CH_3ClO_2 S$ M.W.114.55, Liquid, d. 1.48				
Methanol Extra Pure	01693 00500	PB	500 ml	160
(CAS NO. 67-56-1)(methyl alcohol)	01693 02500	PB	2.5 lt	490
Assay : Min. 99% CH_3OH M.W. 32.04 Liquid, d. 0.791	01693 05000	PC	5 lt	770
Methanol AR	01694 00500	GB	500 ml	185
(CAS No. 67-56-1) (methyl alcohol)	01694 02500	GB	2.5 lt	585
Assay : Min. 99.9% CH_3OH M.W. 32.04,vLiquid, d. 0.791	01694 05000	GB	5 lt	995

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Methanol Hplc & Spectroscopy (CAS No. 67-56-1) (methyl alcohol)	01695 00500	GB	500 ml	225
Assay : Min. 99.9% CH ₂ OH M.W. 32.04, Liquid, d. 0.791	01695 02500	GB	2.5 lt	780
Methanol (For Molecular Biology) (CAS No. 67-56-1) (methyl alcohol)	01696 00100	GB	100 ml	250
Assay : Min. 99.8% CH ₃ OH M.W. 32.04, Liquid, d. 0.791	01696 00500	GB	500 ml	780
DL-Methionine (For Biochemistry) (Cas No. 59-51-8)	01697 00100	PB	100 gm	390
Assay : Min. 99% C ₅ H ₁₁ NO ₂ S M.W. 149.21	01697 00500	PB	500 gm	1350
L-methionine (for biochemistry)	01698 00025	PB	25 gm	275
(CAS No. 63-68-3)	01698 00100	PB	100 gm	965
Assay Min 98% C ₅ H ₁₁ NO ₂ S M.W. 149.21	01698 00500	PB	500 gm	4575
3-methoxyaniline 2-methoxyaniline See o-Anisidine Page No. 18				
4-methoxyaniline See p-Anisidine Page No. 18				
4-methoxy Benzaldehyde See p-Anisaldehyde Page No. 17				
2-Methoxyethanol (Cas No. 109-86-4)	01699 00500	GB	500 ml	425
(Ethylene Glycol Monomethyl Ether) (Methyl Cellosolve)	01699 02500	GB	2.5 lt	1735
Assay : Min. 99% C ₃ H ₈ O ₂ M.W. 76.09, Liquid, d. 0.965				
2-Methoxyethanol AR (Cas No. 109-86-4)	01700 00500	GB	500 ml	475
(Ethylene Glycol Monomethyl Ether) (Methyl Cellosolve)	01700 02500	GB	2.5 lt	1990
Assay : Min. 99.9% C ₃ H ₈ O ₂ M.W. 76.09, Liquid, d. 0.965				
o-Methoxy Phenol See Guaiacol (Liquid) Page No. 86				
Methyl Acetate (For Synthesis) (Cas No. 79-20-9)	01701 00500	GB	500 ml	490
(Acetic Acid Methyl Ester)	01701 02500	GB	2.5 lt	3130
Assay : Min. 99% C ₃ H ₆ O ₂ M.W. 74.08, Liquid, d. 0.93	01701 05000	PC	5 lt	2980
Methyl Acetate AR (For Synthesis) (cas No. 79-20-9) (Acetic Acid Methyl Ester)	01702 00500	GB	500 ml	540
Assay : Min. 99.9% C ₃ H ₆ O ₂ M.W. 74.08, Liquid, d. 0.93	01702 02500	GB	2.5 lt	2205
Methyl Acetoacetate (Cas No. 105-45-3) (Acetoacetic Ester Methyl)	01703 00500	GB	500 ml	365
Assay : Min. 98% C ₅ H ₈ O ₃ M.W. 116.12, Liquid, d. 1.076	01703 02500	GB	2.5 lt	1685
Methyl Acrylate (For Synthesis) (Cas No. 96-33-3) (d. 0.95)	01704 00500	GB	500 ml	570
Assay : Min. 99% C ₄ H ₆ O ₂ M.W. 86.09, Liquid, d. 0.956				
Methyl Alcohol See Methanol Page No. 113				
Methylamine Solution (di) 40% (Cas No. 124-40-3)	01705 00500	GB	500 ml	210
(Dimethylamine)	01705 02500	GB	2.5 lt	830
Assay : Min. 40% C ₂ H ₇ N M.W. 45.08, Liquid, d. 0.89	01705 05000	PC	5 lt	1500
Methylamine Solution (Mono) 40% (Cas No. 74-89-5) (Monomethylamine)	01706 00500	GB	500 ml	155
Assay : Min. 40% CH ₅ N M.W. 31.06, Liquid, d. 0.897	01706 02500	GB	2.5 lt	695
Methylamine Solution (Tri) 30% (Cas No. 75-50-3) (Trimethylamine)	01707 00500	GB	500 ml	185
Assay : Min. 30% C ₃ H ₉ N M.W. 59.11 Liquid, d. 0.932				
Methylamine Hydrochloride (Cas No. 593-51-1) (Methylammonium Chloride)	01708 00250	PB	250 gm	245
Assay : 99% CH ₆ ClN M.W. 67.52	01708 00500	GB	500 gm	420
2-(Methylamino) Ethanol (For Synthesis) (N-Methylethanolamine)	01709 00500	GB	500 ml	560
Assay : Min. 98% C ₃ H ₉ NO M.W. 75.11, Liquid, d. 0.935 (Cas No. 109-83-1)	01709 02500	GB	2.5 lt	2500

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
4-(Methylamino) Phenol Sulphate See Metol Page No. 118				
Methylammonium Chloride See Methylamine Hydrochloride Page No. 115				
Methyl Aniline (Mono) (Cas No. 100-61-8) (N-Methyl Aniline)	01710 00500	GB	500 ml	590
Assay : Min. 98% C ₇ H ₉ N M.W. 107.16, Liquid, d. 0.989	01710 02500	GB	2.5 lt	2715
Methyl Anthranilate (For Synthesis) (Cas No. 134-20-3)	01711 00500	GB	500 gm	935
Assay : Min. 98% C ₈ H ₉ NO ₂ M.W. 151.16, Liquid, d. 1.168				
Methyl Benzoate (Cas No. 93-58-3)	01712 00500	GB	500 ml	725
Assay : Min. 98% C ₈ H ₈ O ₂ M.W. 136.15, Liquid, d. 1.088				
3-Methylbenzoic Acid See m-Toluic Acid Page No. 183				
2-methylbenzoic Acid See o-Toluic Acid Page No. 183				
4-methylbenzoic Acid See p-Toluic Acid Page No. 183				
4-methyl Benzyl Amine 97%	01713 00005	GB	5 gm	1615
Assay : Min. 97% C ₈ H ₁₁ N M.W. 121.18 Liquid, d. 0.952	01713 00025	PB	25 gm	6015
Methyl Blue (CAS No. 28983-56-4)	01714 00025	PB	25 gm	405
(C.L.No. 42780)	01714 00100	PB	100 gm	1325
C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ M.W. 799.80	01714 00500	PB	500 gm	5580
Methyl Blue stain solution	01715 00125	PB	125 ml	110
	01715 00500	PB	500 ml	330
Methyl Tert-butyl Ether see tert-Butyl Methyl Ether Page No. 36				
Methyl Carbitol See Diethylene Glycol Mono Methyl Ether Page No. 64				
Methyl Cellulosolve See 2-Methoxyethanol Page No. 114				
Methyl Cellulose (CAS No. 9004-67-5)	01716 00250	PB	250 gm	1225
(methoxy contents 28.32%)	01716 00500	PB	500 gm	2265
Methyl Chloro Formate (CAS No. 79-22-1)	01717 00500	GB	500 ml	1215
Assay : Min. 99% C ₂ H ₃ ClO ₂ M.W. 94.50, Liquid, d. 1.223				
Methyl Cyclohexane (for synthesis) (CAS No. 108-87-2)	01718 00500	GB	500 ml	545
Assay : Min. 99% C ₇ H ₁₄ M.W. 98.19, Liquid, d. 0.77	01718 02500	GB	2.5 Lt	2400
Methyl Digol See Diethylene Glycol Mono Methyl Ether Page No. 64				
N, N-methylene Bisacrylamide AR (CAS No. 110-26-9)	01719 00025	PB	25 gm	520
(for electrophoresis) (For Molecular biology)	01719 00100	PB	100 gm	1530
Assay : Min. 99% C ₇ H ₁₀ N ₂ O ₂ M.W. 154.17	01719 00250	PB	250 gm	3435
Methylene Blue (M.S.) (Cas No. 61-73-4)	01720 00025	PB	25 gm	285
(C.I. No. 52015)	01720 00100	PB	100 gm	970
Dye Content : Min. 82% C ₁₆ H ₁₈ ClN ₃ .xH ₂ O M.W. 319.85 (Anhydr. basis)	01720 00500	PB	500 gm	4450
Methylene Blue AR (M.S.) (Cas No. 61-73-4) (C.I. No. 52015)	01721 00025	PB	25 gm	340
Dye Content : Min. 95 - 101% C ₁₆ H ₁₈ ClN ₃ .xH ₂ O M.W. 319.85	01721 00100	PB	100 gm	1140
(Anhydr. basis)	01721 00500	PB	500 gm	4760
Methylene Blue (Alkaline)	01722 00125	PB	125 ml	125
(Loeffler's Staining Solution) Liquid, d. 0.930	01722 00500	PB	500 ml	355

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Methylene Blue (Aqueous)	01723 00125	PB	125 ml	95
(Staining Solution) Liquid, d. 0.970	01723 00500	PB	500 ml	355
Methylene Blue Solution 0.5%	01724 00125	PB	125 ml	60
(For Microscopy)	01724 00500	PB	500 ml	160
Methylene Blue Polychrome (For Microscopy)	01725 00025	GB	25 gm	485
Methylene Blue Tablets (For Milk Testing)	01726 050TB	PB	50 tab	1490
Methylene Chloride See Dichloro Methane Page No. 62				
Methyle Iodide See Diiodomethane Page No. 65				
Methyl Ethyl Ketone See Ethyl Methyl Ketone Page No. 77				
Methyl Eugenol (For Synthesis) (Cas No. 93-15-2)	01727 00100	PB	100 gm	1530
Assay : Min. 98% $C_{11}H_{14}O_2$ M.W. 178.23	01727 00500	PB	500 gm	6705
Methyl Formate (Cas No. 107-31-3)	01728 00500	GB	500 ml	625
Assay : Min. 97% $C_2H_4O_2$ M.W. 60.05, Liquid, d. 0.974				
Methyl Green (M.S.) (Cas No. 7114-03-6)	01729 00005	GB	5 gm	625
(C.I. No. 42590)	01729 00025	PB	25 gm	2690
Dye Content : Min. 65% $C_{27}H_{35}BrClN_3ZnCl_2$ M.W. 653.24	01729 00100	PB	100 gm	9900
Methyl Green Stain Solution	01730 00125	PB	125 ml	195
	01730 00500	PB	500 ml	585
Methyl-P-Hydroxy Benzoate See Methyl Paraben Page No. 101				
2-Methylimidazole (Cas No. 693-98-1)	01731 00100	PB	100 gm	345
Assay : Min. 98% $C_4H_6N_2$ M.W. 82.10	01731 00500	PB	500 gm	1440
Methyl Iodide (Cas No. 74-88-4)	01732 00100	GB	100 ml	2370
(For Synthesis) (Iodomethane)	01732 00250	GB	250 ml	5680
Assay : Min. 99% CH_3I M.W. 141.94, Liquid, d. 2.28	01732 02500	GB	2.5 lt	51170
Methyl Methacrylate (monomer) (CAS No. 80-62-6)	01733 00500	GB	500 ml	550
Assay : Min.99% $C_5H_8O_2$ M.W.100.12, Liquid, d. 0.944				
N-methyl Morpholine Extra Pure (CAS No. 109-02-4)	01734 00500	GB	500 ml	1540
Assay : Min.98% $C_5H_{11}NO$ M.W.101.15, Liquid, d. 0.92	01734 02500	GB	2.5 lt	6800
Methyl Orange pH indicator (CAS No. 547-58-0)	01735 00025	PB	25 gm	145
(C.I. No. 13025)	01735 00100	PB	100 gm	430
Dye Content : Min. 95% $C_{14}H_{14}N_3NaO_3S$ M.W. 327.33	01735 00500	PB	500 gm	1610
Methyl Orange indicator solution	01736 00125	PB	125 ml	90
Liquid, d.1.000	01736 00500	PB	500 ml	250
Methyl Paraben (CAS No. 99-76-3)	01737 00500	PB	500 gm	805
(methyl-p-hydroxy benzoate) (nipagin M)	01737 05000	PC	5 kg	7485
Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15				
Methyl Paraben Sodium Salt (CAS No. 5026-62-0)	02905 00500	PB	500 gm	935
(methyl-p-hydroxy benzoate sodium salt)	02905 05000	PC	5 Kg	8075
Assay : Min. 97.5% $C_8H_7NaO_3$ M.W. 174.13				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
N-Methylphenazonium Methosulphate (CAS No. 299-11-6)	01738 00001	GB	1 gm	660
(For Molecular Biology) (PMS) (phenazine methosulphate)	01738 00005	GB	5 gm	2510
Assay : Min. 90% $C_{14}H_{14}N_2O_4S$ M.W. 306.34				
1-methyl Piperazine (for synthesis) (CAS No. 109-01-3)	01739 00100	GB	100 ml	845
Assay : Min. 99% $C_5H_{12}N_2$ M.W. 100.16, Liquid, d.0.903	01739 00500	GB	500 ml	3655
Methyl Purple pH indicator (purple green) (CAS No. 1340-02-9)	01740 00005	GB	5 gm	1610
$C_{67}H_{62}N_8Na_4O_{14}S_3$ M.W. 1391.41	01740 00025	GB	25 gm	6600
Methyl Purple pH indicator solution	01741 00125	PB	125 ml	225
(0.1% indicator solution) Liquid,d.1.001	01741 00250	PB	250 ml	370
2- Methyl Pyridine See 2- Picoline Page No. 137				
3- Methyl Pyridine See 3- Picoline Page No. 137				
4- Methyl Pyridine See 4- Picoline Page No. 137				
N-methyl-2-pyrrolidone (CAS No. 872-50-4) (N-methyl pyrrolidone)	01742 00500	GB	500 ml	875
Assay : Min, 99% C_5H_9NO M.W. 99.13, Liquid, d. 1.028	01742 02500	GB	2.5 lt	3695
Methyl Red indicator AR	01743 00025	PB	25 gm	220
(acid base indicator) (CAS No. 493-52-7) (C.I. No. 13020)	01743 00100	PB	100 gm	740
$C_{15}H_{15}N_3O_2$ M.W. 269.31	01743 00500	PB	500 gm	2870
Methyl Red indicator solution	01744 00125	PB	125 ml	90
	01744 00500	PB	500 ml	260
Methyl Red Sodium Salt (Water Soluble) (CAS. No. 845-10-3)	01745 00025	PB	25 gm	285
Dye Content : Min. 95% $C_{15}H_{14}N_3NaO_2$ M.W. 291.29	01745 01000	PB	1 kg	9435
Methyl Salicylate (for synthesis) (CAS No. 119-36-8) (wintergreen oil)	01746 00500	GB	500 ml	565
Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15, Liquid, d. 1.174				
2- Methyltetrahydrofuran (for synthesis) (CAS.No. 96-47-9)	01747 00100	PB	100 ml	580
Assay : Mi. 99% $C_5H_{10}O$ M.W. 86.13, Liquid, d. 0.86	01747 00500	PB	500 ml	2630
Methyl Thymol Blue Complexone (CAS. No.1945-77-3)	01748 00001	GB	1 gm	915
(methyl thymol blue sodium salt) (indicator for metal titration)	01748 00005	GB	5 gm	3715
Dye Content : Min. 70% $C_{37}H_{40}N_2Na_4O_{13}S$ M.W. 844.76				
Methyl Violet (M.S.) (CAS No. 8004-87-3)	01749 00025	PB	25 gm	140
(C.I. No. 42535)	01749 00100	PB	100 gm	420
Dye Content : Min. 75% $C_{24}H_{27}N_3HCl$ M.W. 393.96	01749 00500	PB	500 gm	1130
Methyl Violet Indicator Solution	01750 00125	PB	125 ml	90
	01750 00500	PB	500 ml	285
Metol (photographic grade) (p-methylaminophenol sulphate) (CAS No 55-55-0)	01751 00100	PB	100 gm	745
Assay: Min. 99% $C_{14}H_{20}N_2O_6S$ M.W.344.39	01752 00500	PB	500 gm	3165
Miller's Reagent (For Fluorine)	01753 00125	PB	125 ml	915
	01753 00500	PB	500 ml	2745
Million's Reagent (reagent for protein test)	01754 00125	GB	125 ml	835
	01754 00500	GB	500 ml	2570

Mineral Oil See **Paraffin Liquid** page No. 130

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Molecular Sieves 3A x 1.5 mm (Cas No. 1327-44-2) (Potassium Alumino Silicate)	01755 00250	PB	250 gm	465
Molecular Sieves 5A x 1.5 mm (Cas No. 1327-39-5) (Calcium Alumino Silicate)	01757 00250	PB	250 gm	455
Molecular Sieves 13X x 1.5 mm (Cas No. 63231-69-6) (Sodium Alumino Silicate)	01758 00250	PB	250 gm	445
Molish Reagent	01759 00125	GB	125 ml	255
	01759 00500	GB	500 ml	635
Molybdenum AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d.1.000	01760 00125	GB	125 ml	880
	01760 00500	GB	500 ml	2740
Molybdenum ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.000	01760A 00125	GB	125 ml	4630
Molybdenum Disulphide Extra Pure (powder) (CAS No. 1317-33-5) Assay : Min. 98% MoS ₂ M.W. 160.06	01761 00100	PB	100 gm	1220
	01761 00500	PB	500 gm	5585
Molybdenum Trioxide (CAS No. 1313-27-5) (molybdic anhydride) Assay : Min. 99% MoO ₃ M.W.143.94	01762 00100	PB	100 gm	1990
	01762 00500	PB	500 gm	7420
Molybdenum Trioxide AR (CAS No. 1313-27-5) (molybdic anhydride) Assay : Min. 99.5% MoO ₃ M.W. 143.94	01763 00100	PB	100 gm	2185
	01763 00500	PB	500 gm	8560
Molybdic Acid Extra Pure (CAS No. 7782-91-4) Assay : Min. 85%	01764 00100	PB	100 gm	1110
	01764 00500	PB	500 gm	4310
	01764 02500	PB	2.5 kg	18215
Molybdic Acid AR (cas No. 7782-91-4) Assay : Min. 85%	01765 00100	PB	100 gm	1270
	01765 00500	PB	500 gm	4955
Molybdic Anhydride See Molybdenum Trioxide Page No. 118				
Monochloro Acetic Acid See Chloro Acetic Acid (mono) Page No. 47				
Monochlorobenzene See Chlorobenzene (mono) Page No. 47				
Monoethanolamine See Ethanolamine (mono) Page No. 73				
Monoethylamine See Ethylamine solution 70% page No. 74				
Monomethylamine See Methylamine solution (mono) 40% Page No. 114				
Monothioglycerol (CAS No. 96-27-5) (1-thioglycerol) (3-mercapto-1,2-propaneddiol) Assay : Min. 98% C ₃ H ₆ O ₂ S M.W. 108.16, Liquid, d, 1.25	01766 00100	GB	100 ml	2115
	01766 00250	GB	250 ml	4725
Montan Wax (Cas No. 8002-53-7)	01766A 00500	PB	500 gm	960
Mopso Buffer (For Molecular Biology) (CAS No. 68399-77-9) 3-Morpholino-2-hydroxypropane sulphonic acid) Assay: Min. 99% C ₇ H ₁₅ NO ₅ S M.W. 225.26	01767 00025	GB	25 gm	2115
	01767 00050	GB	50 gm	4725
Mordant Black 11 See Eriochrome Black T Page No. 73				
Morin (Hydrate) AR (Cas No. 654055-01-3) Assay : Min. 85% C ₁₅ H ₁₀ O ₇ .xH ₂ O M.W. 302.24 (Anhydr. Basis)	01768 00001	GB	1 gm	910
	01768 00005	GB	5 gm	3860
Mormer's Requent Solution	01768A 00500	GB	500 ml	935
Morpholine (For synthesis) (CAS No. 110-91-8) Assay : Min. 98.5% C ₄ H ₉ NO M.W. 87.12, Liquid, d. 1.01	01769 00500	GB	500 ml	555
	01769 02500	GB	2.5 lt	2405

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Morpholinoethane Sulphonic Acid (MES) (For Molecular Biology) (monohydrate) (CAS No. 145224-94-8) Assay : Min. 99% $C_6H_{13}NO_4S.H_2O$ M.W. 213.25	01770 00025 01770 00100	GB GB	25 gm 100 gm	1045 3390
Morpholinopropane Sulphonic Acid (MOPS) (For Molecular Biology) (CAS No.1132-61-2) Assay : Min. 99% $C_7H_{15}NO_4S$ M.W.209.26	01771 00025 01771 00100 01771 00500	PB PB PB	25 gm 100 gm 500 gm	1310 3320 15205
M.t.t Tetrazolium AR (FOR Molecular Biology) (CAS No. 298-93-1) (Assay : Min. 99% $C_{18}H_{16}BrN_5S$ M.W.414.32	01772 0100M 01772 0250M 01772 00001	GB GB GB	100 mg 250 mg 1 gm	770 1760 5257
Mucicarmine (Mayer) Staining Solution	01773 00125 01773 00500	PB PB	125 ml 500 ml	215 645
Mustard Oil (Cas No. 8007-40-7) Liquid, d. 1.013	01773A 00250 01773A 00500	GB GB	250 ml 500 ml	3450 6350
Murexide See Ammonium Purpurate Page No. 15				
Myristic Acid (for synthesis) (tetra decanoic acid) Assay : Min. 98% $C_{14}H_{28}O_2$ M.W. 228.37	01774 00500	PB	500 gm	480
***** N				
Nad, Dpn See Nicotinamide Adenine Dinucleotide Page No. 123				
Nadh, Dpnh See Nicotinamide Adenine Dinucleotide Disodium Salt Page No. 123				
Nadp, Tpn See Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt Page No. 123				
Nagarmotha Oil (Cas No. 91771-62-9) Liquid d.1.013	01774A 00500	GB	500 ml	14575
Naphthalene Balls (For Synthesis) (Cas No. 91-20-3) Assay : Min. 99% $C_{10}H_8$ M.W. 128.17	01775 00500 01775 05000	PB PB	500 gm 5 kg	320 2620
Naphthalene Flakes (For Synthesis) (Cas No. 91-20-3) Assay : Min. 99.7% $C_{10}H_8$ M.W. 128.17	01776 00500 01776 05000	PB PB	500 gm 5 kg	360 2990
Naphthalene Acetic Acid See a-Naphthyl Acetic Acid Page No. 121				
Naphthalene Black 12B See Amido Black 10B Page No. 9				
a-Naphthol (for synthesis) (CAS No. 90-15-3) (1-naphthol) Assay : Min. 98% $C_{10}H_8O$ M.W. 144.17	01777 00100 01777 00500	PB PB	100 gm 500 gm	305 1105
a-Naphthol AR (CAS No. 90-15-3) (1-naphthol) Assay : Min. 99% $C_{10}H_8O$ M.W. 144.17	01778 00100 01778 00500	PB PB	100 gm 500 gm	420 1620
b-Naphthol (for synthesis) (CAS No. 135-19-32) (2-naphthol) Assay : Min. 98% $C_{10}H_8O$ M.W. 144.17	01779 00500	PB	500 gm	590
b-Naphthol AR (CAS No. 135-19-3) (2-naphthol) Assay : Min. 99% $C_{10}H_8O$ M.W.144.17	01780 00100 01780 00500	PB PB	100 gm 500 gm	220 905
a-Naphtholbenzein (pH indicator) (CAS No. 145-50-6) $C_{27}H_{18}O_2$ M.W. 374.43	01781 00005 01781 00025	GB GB	5 gm 25 gm	680 3050

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
a-Naphtholbenzein Indicator Solution	01781A 00125	GB	125 ml	250
	01781A 00500	GB	500 ml	740
Naphthol Blue Black See Amido Black 10B Page No. 9				
Naphthol Green B (M.S) (CAS No. 19381-50-1) C.I. No. 10020) (water soluble)	01782 00025	PB	25 gm	210
	01782 00100	PB	100 gm	635
$C_{30}H_{15}FeN_3Na_3O_{15}S_3$ M.W. 878.46	01782 00500	PB	500 gm	2570
a-Naphtholphthalein (Cas No. 596-01-0)	01782A 00001	GB	1 gm	690
(1-naphtholphthalein) $C_{28}H_{18}O_4$ M.W. 418.45	01782A 00005	GB	5 gm	2750
a-Naphtholphthalein Reagent solution	01783 00125	PB	125 ml	260
(1-naphtholphthalein reagent solution)	01783 00500	PB	500 ml	795
1,2-Naphthoquinone-4-sulphonic Acid Sodium Salt AR (CAS No. 521-24-4)	01784 00005	GB	5 gm	440
Assay : Min. 97% $C_{10}H_6NaO_3S$ M.W. 260.20	01784 00025	GB	25 gm	1670
Naphthoresorcinol AR (CAS No. 132-86-5) (1, 3-dihydrooxy naphthalene)	01785 00001	GB	1 gm	440
Assay : Min. 98% $C_{10}H_8O_2$ M.W. 160.17	01785 00005	GB	5 gm	1670
2-Naphthoxyacetic Acid (for synthesis) (CAS No. 120-23-0)	01786 00025	GB	25 gm	370
(b-naphthoxyacetic acid) Assay : Min. 97% $C_{12}H_{10}O_3$ M.W. 202.21	01786 00100	GB	100 gm	1365
1-Naphthylacetate AR (CAS No. 830-81-9)	01787 00010	PB	10 gm	1390
Assay : Min. 99.5% $C_{12}H_{10}O_2$ M.W. 186.21	01787 00025	PB	25 gm	2765
a-Naphthyl Acetic Acid (CAS No. 86-87-3)	01788 00025	PB	25 gm	180
(naphthalene acetic acid)	01788 00100	PB	100 gm	520
Assay : Min. 95% $C_{12}H_{10}O_2$ M.W.186.21	01788 00500	PB	500 gm	2200
a-Naphthylamine (for synthesis) (CAS No. 134-32-7) (1-naphthylamine)	01789 00500	PB	500 gm	935
Assay : Min. 98% $C_{10}H_9N$ M.W. 143.19				
a-Naphthylamine AR (CAS No.134-32-7) (1-naphthylamine)	01790 00100	PB	100 gm	1390
Assay : Min. 99% $C_{10}H_9N$ M.W. 143.19	01790 00500	PB	500 gm	4905
a-Naphthylamine Hydrochloride (CAS No. 552-46-5)	01791 00025	GB	25 gm	945
(1-naphthylamine hydrochloride)	01791 00100	GB	100 gm	2400
Assay : Min. 98% $C_{10}H_{10}ClN$ M.W.179.65				
N-1-Naphthyl Ethylene Diamine Dihydrochloride AR (CAS NO. 1465-25-4)	01792 00005	GB	5 gm	610
(Reagent for nitrate)	01792 00010	GB	10 gm	1040
Assay : Min. 98% $C_{12}H_{14}N_2 \cdot 2HCl$ M.W. 259.17	01792 00025	GB	25 gm	2040
1-Naphthyl Phosphate Sodium Salt (CAS No. 81012-89-7)	01793 00005	GB	5 gm	2460
(sodium-1-naphthyl phosphate) (monohydrate)	01793 00025	GB	25 gm	9865
Assay : Min. 98% $C_{10}H_8NaO_4P \cdot H_2O$ M.W. 264.15				
Neem Seed Oil (Cas No. 8002-65-1), Liquid, 0.922 Liquid,d.0.922	01793A 00500	GB	500 ml	1340
Neocuproine AR (2,9-dimethyl-1,10-phenanthroline)	01794 00001	GB	1 gm	1080
(CAS No. 484-11-7) Assay : Min. 99% $C_{14}H_{12}N_2$ M.W. 208.26	01794 00005	GB	5 gm	4990
Neocuproine Hydrochloride AR (Cas No. 303136-82-5)	01795 00001	GB	1 gm	1160
(2,9-dimethyl-1, 10-Phenanthroline Hydrochloride)	01795 00005	GB	5 gm	5320
Assay : Min. 99% $C_{14}H_{12}N_2 \cdot HCl \cdot H_2O$ M.W. 262.73				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Neodymium Oxide AR (CAS No.1313-97-9)	01796 00010	GB	10 gm	855
Assay : Min. 99.9% Nd ₂ O ₃ M.W. 336.48	01796 00025	GB	25 gm	1930
Neomycin Sulphate (for bacteriology) (CAS No. 1405-10-3)	01797 00005	GB	5 gm	130
C ₂₃ H ₄₆ N ₆ O ₁₃ ·3H ₂ SO ₄ ·XH ₂ O M.W. 908.88 (anhydrobasis)	01797 00025	GB	25 gm	530
Neopentyl Glycol (for synthesis) (CAS No. 126-30-7)	01798 00500	PB	500 gm	640
Assay : Min. 98% C ₅ H ₁₂ O ₂ M.W. 104.15				
Neotetrazolium Chloride AR (CAS No. 298-95-3)	01799 00001	GB	1 gm	1950
4,4'-biphenyl di (2,5-diphenyl tetrazolium chloride)GT]	01799 00005	GB	5 gm	8530
Assay : Min. 97% C ₃₈ H ₂₈ N ₈ C ₁₂ M.W. 667.60				
Neothorine AR See Arsenazo Page No. 19				
Neroli Oil Extra Pure (Cas No. 8016-38-4)	01799A 00100	GB	100 ml	1315
Liquid, d. 0.868	01799A 00500	GB	500 ml	5355
Nessler's Reagent (for ammonia)	01800 00100	GB	100 ml	205
(Solution for testing ammonium salts) Liquid, d. 1.097	01800 00500	GB	500 ml	715
Nessler's Reagent (King's)	01801 00100	GB	100 ml	220
(For testing serum urea nitrogen) Liquid, d 1.16	01801 00500	GB	500 ml	740
Neutral Red indicator AR (CAS No. 553-24-2)	01802 00010	GB	10 gm	270
(Neutral red chloride)	01802 00025	PB	25 gm	610
(C.I .No. 50040)	01802 00100	PB	100 gm	1530
Dye content : Min. 90% C ₁₅ H ₁₇ ClN ₄ M.W. 288.78	01802 00500	PB	500 gm	6645
Neutral Red indicator solution	01803 00125	GB	125 ml	95
	01803 00500	GB	500 ml	285
New Fuchsin (M.S) (C.I. No. 42520)	01804 00025	PB	25 gm	175
(CAS No. 3248-91-7)	01804 00100	PB	100 gm	535
C ₂₂ H ₂₄ ClN M.W.365.91				
Newman's Stain Solution Liquid, d.1.15	01805 00100	PB	100 ml	80
(For bacteria and bovine cell in milk)	01805 00500	PB	500 ml	240
Niacin See Nicotinic Acid Page No. 123				
Niacinamide See Nicotinamide Page No. 123				
Nickel AAS Standard Solution 1000mg/L in Nitric Acid, Liquid d. 1.04	01806 00125	GB	125 ml	635
	01806 00500	GB	500 ml	2385
Nickel ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.014	01806A 00125	GB	125 ml	4740
Nickel (Metal) Powder (150-200 mesh)	01807 00100	PB	100 gm	1405
(Cas No. 7440-02-0)	01807 00500	PB	500 gm	4960
Assay : Min. 99.8% Ni M.W. 58.69				
Nickel (Metal) Foil (Cas No. 7440-02-0)	01808 00250	PB	250 gm	5990
Assay : Min. 99.9% Ni M.W. 58.71				
Nickel Acetate (Tetrahydrate) (Cas No. 6018-89-9)	01809 00500	PB	500 gm	1990
Assay : Min. 98% C ₄ H ₆ NiO ₄ ·4H ₂ O M.W. 248.84				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Nickel Aluminium Alloy Powder (Cas No. 12635-27-7) (Raney Nickel Catalyst alloy) (Aluminium Nickel alloy Powder) Assay : 50% (Ex Ni), 50% (Ex Al)	01810 00500	PB	500 gm	2555
Nickel Ammonium Sulphate See Ammonium Nickel Sulphate Page No. 14				
Nickel Carbonate (Basic) (Hydrate) (Cas No. 39430-27-8) (Nickel Hydroxide Carbonate) Assay : Min. 41-49% $\text{NiCO}_3 \cdot 2\text{Ni}(\text{OH})_2 \cdot x\text{H}_2\text{O}$ M.W. 304.12	01811 00500	PB	500 gm	2380
	01811 05000	PC	5 kg	19440
Nickel Carbonate AR (Basic) (Hydrate) (Nickel Hydroxide Carbonate) Assay : Min. 99.9% $\text{NiCO}_3 \cdot 2\text{Ni}(\text{OH})_2 \cdot x\text{H}_2\text{O}$ M.W. 304.12 (Cas No. 39430-27-8)	01812 00250	PB	250 gm	2530
	01812 00500	PB	500 gm	4560
Nickel Chloride (Hexahydrate) (Cas No. 7791-20-0) Assay : Min. 97% $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ M.W. 237.69	01813 00500	PB	500 gm	1565
	01813 05000	PC	5 kg	12375
Nickel Chloride AR (Hexahydrate) (Cas No. 7791-20-0) Assay : Min. 98% $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ M.W. 237.69	01814 00500	PB	500 gm	2385
	01814 05000	PC	5 kg	19705
Nickel Hydroxide Carbonate See Nickel Carbonate Page No. 122				
Nickel Nitrate (Hexahydrate) (Cas No. 13478-00-7) Assay : Min. 98% $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.W. 290.80	01815 00500	PB	500 gm	1235
	01815 05000	PC	5 kg	10215
Nickel Nitrate AR (Hexahydrate) (Cas No. 13478-00-7) Assay : Min. 99% $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.W. 290.80	01816 00500	GB	500 gm	1715
	01816 05000	PC	5 kg	14372
Nickel Oxide Black (Cas No. 1314-06-3) Assay : Min. 70% NiO M.W. 74.69	01817 00250	PB	250 gm	2405
	01817 00500	PC	500 gm	4550
Nickel Oxide Green (Cas No. 1313-99-1) Assay : Min. 70% NiO M.W. 74.69	01818 00250	PB	250 gm	3530
	01818 00500	PB	500 gm	5975
Nickel Sulphamate Solution (Cas No. 13770-89-3) Assay : Min. 10-11.0% $\text{Ni}(\text{SO}_3\text{NH}_2)_2$ M.W. 250.87, Liquid, d. 1.55	01819 00500	GB	500 ml	805
Nickel Sulphate (Hexahydrate) (Cas No. 10101-97-0) Assay : Min. 98% $\text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 262.85	01820 00500	PB	500 gm	1108
	01820 05000	PC	5 kg	9338
Nickel Sulphate AR (Hexahydrate) (Cas No. 10101-97-0) Assay : Min. 99% $\text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 262.85	01821 00500	PB	500 gm	2426
	01821 05000	PC	5 kg	20580
Nicotinamide (for Biochemistry) (Cas No. 98-92-0) (Niacinamide) Assay : Min. 99.5% $\text{C}_6\text{H}_6\text{N}_2\text{O}$ M.W. 122.12	02906 00100	PB	100 gm	345
	02906 00500	PB	500 gm	1700
Nicotinamide Adenine Dinucleotide (Trihydrate) (Cas No. 53-84-9) (For Biochemistry) (NAD, DPN) Assay : Min. 95% $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2$ M.W. 663.43	01822 0100M	GB	100 mg	235
	01822 00001	GB	1 gm	1200
	01822 00005	GB	5 gm	4910
Nicotinamide Adenine Dinucleotide Disodium Salt (Cas No. 606-68-8) (NADH, DPNH) (Reduced) Assay : Min. 97% $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2\text{Na}_2 \cdot x\text{H}_2\text{O}$ M.W. 709.40	01823 00100	GB	100 gm	505
	01823 00001	GB	1 gm	3405
	01823 00005	GB	5 gm	14615
Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt (Cas No. 24292-60-2) (For Biochemistry) (NADP, TPN) Assay : Min. 95% $\text{C}_{21}\text{H}_{26}\text{N}_7\text{Na}_2\text{O}_{17}\text{P}_3$ M.W. 787.37	01824 0025M	GB	25 mg	595
	01824 0100M	GB	100 mg	1025
	01824 00001	GB	1 gm	6375

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Nicotinic Acid (Cas No. 59-67-6)	01825 00100	PB	100 gm	325
(Niacin)	01825 00500	PB	500 gm	1190
Assay : Min. 99.5% $C_6H_5NO_2$ M.W. 123.11	01825 05000	PC	5 kg	10120
Nigrosine (C.I. No. 50415)	01826 00025	PB	25 gm	150
(Cas No. 11099-03-9)	01826 00100	PB	100 gm	450
(Spirit Soluble) (Solvent Black 5)	01826 00500	PB	500 gm	1765
Nigrosine (C.I. No. 50420)	01827 00025	PB	25 gm	150
(Cas No. 8005-03-6)	01827 00100	PB	100 gm	450
(Water Soluble)	01827 00500	PB	500 gm	1765
Nigrosine Stain 10% w/v	01828 00125	PB	125 ml	120
(Solution for Negative Staining)	01828 00500	PB	500 ml	495
Nile Blue Chloride (C.I. No. 51180) (Cas No. 2381-85-3)	01829 00025	GB	25 gm	1120
Dye Content : Min. 90% $C_{20}H_{20}ClN_3O$ M.W. 353.85				
Nile Blue Sulphate (M.S.) (C.I. No. 51180) (Cas No. 3625-57-8) (Nile Blue A)	01830 00010	GB	10 gm	575
Dye Content : Min. 90% $C_{40}H_{40}N_6O_6S$ M.W. 732.85	01830 00030	GB	25 gm	1200
Ninhydrin AR	01831 00010	PB	10 gm	525
(CAS No. 485-47-2)	01831 00025	PB	25 gm	1150
(indanetrione hydrate)	01831 00100	PB	100 gm	3340
Assay : Min. 99% $C_9H_6O_4$ M.W.178.14	01831 00250	PB	250 gm	7510
Ninhydrin solution	01832 00125	GB	125 ml	235
Liquid d. D.79	01832 00500	GB	500 ml	755
Niobium ICP Standard Solution 1000 mg/L in Water, Liquid, d. 1.00	01832A 00125	GB	125 ml	4035
Niobium Pentoxide AR (CAS No. 1313-96-8)	01833 00010	PB	10 gm	555
Niobium (V) oxide]	01833 00025	PB	25 gm	1410
Assay : Min. 99.9% Nb_2O_5 M.W. 265.81	01833 00100	PB	100 gm	3790
Nitrazine Yellow used as indicator (C.I No. 14890) (CAS No. 5423-07-4)	01834 00005	GB	5 gm	4680
$C_{16}H_8N_4Na_2O_{11}S_2$ M.W. 542.36	01834 00025	GB	25 gm	18135
Nitric Acid 69-72% (CAS NO. 7697-37-2)	01835 00500	GB	500 ml	210
(Sp. gr. 1.41-1.42)	01835 02500	GB	2.5 lt	675
Assay : Min. 69-72% HNO_3 M.W. 63.01, Liquid, d. 1.41				
Nitric Acid 69-72% AR (sp.gr. 1.41) (CAS NO. 7697-37-2)	01836 00500	GB	500 ml	255
Assay : Min. 69-72% HNO_3 M.W. 63.01, Liquid, d. 1.41	01836 02500	GB	2.5 lt	785
Nitric Acid N/10 solution (0.1 Mol/L) (0.1N) Liquid d. 1.004	01837 00500	PB	500 ml	135
Nitric Acid 0.01M (0.01N) Standardized Solution to MIST Liquid d. 1.38	01838 00500	PB	500 ml	300
Nitric Acid 1M (1N) Standardized Solution	01839 00500	PB	500 ml	300
Nitric Acid 2M (2N) Standardized Solution	01840 00500	PB	500 ml	300
Nitric Acid 4M (4N) Standardized Solution	01841 00500	PB	500 ml	300
Nitric Acid 8M (8N) Standardized Solution	01842 00500	PB	500 ml	300

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Nitrilo Triacetic Acid (CAS NO. 139-13-9) (NTA)	01843 00100	PB	100 gm	175
(Complexometric indicator and reagent)	01843 00500	PB	500 gm	600
Assay : Min. 99% $C_6H_9NO_6$ M.W. 191.14	01843 05000	PC	5 kg	5075
m-Nitro Acetophenone (for synthesis) (3-nitro acetophenone)	01844 00100	PB	100 gm	630
Assay : Min. 98% $C_8H_7NO_3$ M.W.165.15 (CAS No.121-89-1)	01844 00500	PB	500 gm	2730
p-Nitro Acetophenone (for synthesis) (CAS No.100-19-6)	01845 00250	PB	250 gm	795
(4-nitro acetophenone)	01845 00500	PB	500 gm	1645
Assay : Min. 98% $C_8H_7NO_3$ M.W.165.15				
m-Nitro Aniline (CAS No. 99-09-2) (3-nitro aniline)	01846 00250	GB	250 gm	575
Assay : Min. 98% $C_6H_6N_2O_2$ M.W. 138.12	01846 00500	GB	500 gm	1085
o-Nitro Aniline (CAS No. 88-74-4) (2-nitro aniline)	01847 00250	GB	250 gm	580
Assay : Min. 98% $C_6H_6N_2O_2$ M.W. 138.12	01847 00500	GB	500 gm	1070
p-Nitro Aniline (CAS No. 100-01-6) (4-nitro aniline)	01848 00250	GB	250 gm	460
Assay : Min. 98.5% $C_6H_6N_2O_2$ M.W. 138.12	01848 00500	GB	500 gm	770
p-Nitro Aniline AR (4-nitro aniline)	01849 00025	GB	25 gm	190
(CAS No. 100-01-6)	01849 00100	GB	100 gm	585
Assay : Min. 99% $C_6H_6N_2O_2$ M.W. 138.12	01849 00500	GB	500 gm	2505
2-Nitroanisole (For Synthesis) (Cas No. 91-23-6) (2-Methoxynitrobenzene)	01850 00500	GB	500 ml	1335
Assay : Min. 98% $C_7H_7NO_3$ M.W. 153.14, Liquid, d.1.254	01850 02500	GB	2.5 lt	5230
m-Nitro Benzaldehyde (Cas No. 99-61-6) (3-Nitro Benzaldehyde)	01851 00100	PB	100 gm	585
Assay : Min. 99% $C_7H_5NO_3$ M.W. 151.12	01851 00500	PB	500 gm	2570
o-Nitro Benzaldehyde (Cas No. 552-89-6) (2-Nitro Benzaldehyde)	01852 00010	GB	10 gm	290
Assay : Min. 99% $C_7H_5NO_3$ M.W. 151.12	01852 00025	GB	25 gm	650
p-Nitro Benzaldehyde (for Synthesis) (4-Nitro Benzaldehyde)	01853 00025	GB	25 gm	1250
Assay : Min. 99% $C_7H_5NO_3$ M.W. 151.12 (Cas No. 555-16-8)	01853 00100	GB	100 gm	2785
Nitrobenzene (Cas No. 98-95-3)	01854 00500	GB	500 ml	365
(For Synthesis)	01854 02500	GB	2.5 lt	1445
Assay : Min. 98% $C_6H_5NO_2$ M.W. 123.11, Liquid, d. 1.196	01854 05000	PC	5 lt	3670
Nitrobenzene AR (Cas No. 98-95-3)	01855 00500	GB	500 ml	405
Assay : Min. 99% $C_6H_5NO_2$ M.W. 123.11, Liquid, d. 1.196	01855 02500	GB	2.5 lt	1610
m-Nitro Benzoic Acid (For Synthesis) (Cas No. 121-92-6) (3-Nitrobenzoic Acid)	01856 00100	PB	100 gm	385
Assay : Min. 98% $C_7H_5NO_4$ M.W. 167.12	01856 00250	PB	250 gm	895
p-Nitro Benzoic Acid (For Synthesis) (Cas No. 62-23-7) (4-Nitrobenzoic Acid)	01857 00500	PB	500 gm	630
Assay : Min. 99% $C_7H_5NO_4$ M.W. 167.12				
4-(4-Nitrobenzyl) Pyridine AR (Cas No. 1083-48-3)	01858 00005	GB	5 gm	1270
Assay : Min. 98% $C_{12}H_{10}N_2O_2$ M.W. 214.22	01858 00025	GB	25 gm	4995
Nitro B.T. AR (M.S.) (For Molecular Biology)	01859 0100M	GB	100 mg	635
(Cas No. 298-83-9)	01859 0250M	GB	250 mg	1145
(Nitro Blue Tetrazolium Chloride)	01859 00001	GB	1 gm	2568
Assay : Min. 98% $C_{40}H_{30}N_{10}O_6Cl_2$ M.W. 817.65				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
4-Nitrocatechol AR (Cas No. 3316-09-4) (3,4-dihydroxynitrobenzene) Assay : Min. 97% $C_6H_5NO_4$ M.W. 155.11	01860 00005	GB	5 gm	1780
o-Nitro Chlorobenzene See 1-Chloro-2-Nitrobenzene Page No. 49				
p-Nitro Chlorobenzene See 1-Chloro-4-Nitrobenzene Page No. 49				
Nitromethane (Cas No. 75-52-5) Assay : Min. 98% CH_3NO_2 M.W. 61.04, Liquid, d.1.130	01861 00500	GB	500 ml	845
	01861 02500	GB	2.5 lt	3365
m-Nitrophenol AR (pH indicator) (Cas No. 554-84-7) (3-nitrophenol) Assay : Min. 99% $C_6H_5NO_3$ M.W. 139.11	01862 00025	GB	25 gm	1220
	01862 00100	GB	100 gm	4840
o-Nitrophenol (Cas No. 88-75-5) (2-nitrophenol) Assay : Min. 99% $C_6H_5NO_3$ M.W. 139.11	01863 00500	GB	500 gm	9
p-Nitrophenol (Cas No. 100-02-7)(4-nitrophenol) Assay : Min. 98% $C_6H_5NO_3$ M.W. 139.11	01864 00500	GB	500 gm	595
p-Nitrophenol AR (pH indicator) (Cas No. 100-02-7)(4-nitrophenol) Assay : Min. 99.5% $C_6H_5NO_3$ M.W. 139.11	01865 00025	GB	25 gm	245
	01865 00100	GB	100 gm	765
4-(4-Nitrophenylazo)1-Naphthol See Magneson II Page No. 107				
4-(4-Nitrophenylazo)Resorcinol See Magneson I Page No. 107				
p-Nitro Phenyl Hydrazine (Cas No. 100-16-3)(4-nitro phenyl hydrazine) Assay : Min. 96% $C_6H_7N_3O_2$ M.W. 153.14	01866 00025	PB	25 gm	1920
	01866 00100	PB	100 gm	5805
p-Nitro Phenyl Hydrazine AR (Cas No. 100-16-3)(4-nitro phenyl hydrazine) Assay : Min. 98.5% $C_6H_7N_3O_2$ M.W. 153.14	01867 00010	GB	10 gm	835
	01867 00025	GB	25 gm	1985
3-Nitrophthalic Acid (for synthesis) (Cas No. 603-11-2) Assay : Min. 98% $C_8H_5NO_6$ M.W. 211.13	01868 00100	PB	100 gm	1005
	01868 00500	PB	500 gm	4415
4-Nitrophthalic Acid (for synthesis) (Cas No. 610-27-5) Assay : Min. 80% $C_8H_5NO_6$ M.W. 211.13	01869 00100	PB	100 gm	2745
	01869 00500	PB	500 gm	6745
1-Nitroso-2-Naphthol (Cas No. 131-91-9) (a-nitroso-b-naphthol) Assay : Min. 97% $C_{10}H_7NO_2$ M.W. 173.17	01870 00100	PB	100 gm	895
	0187	PB	50	3140
1-Nitroso-2-Naphthol AR (Cas No. 131-91-9) (a-nitroso-b-naphthol) Assay : Min. 98% $C_{10}H_7NO_2$ M.W. 173.17	01871 00025	PB	25 gm	1205
	01871 00100	PB	100 gm	4320
2-Nitroso-1-Naphthol AR (Cas No. 132-53-6)(b-nitroso-a-naphthol) Assay : Min. 98% $C_{10}H_7NO_2$ M.W. 173.17	01872 00005	PB	5 gm	685
	01872 00025	PB	25 gm	2595
Nitroso-R-Salt AR (Cas No. 525-05-3) (2-hydroxy-1-nitroso-3,6-naphthalene disulphonic acid disodium salt) Assay : Min. 90% $C_{10}H_5O_8NS_2Na_2$ M.W. 377.26	01873 00025	PB	25 gm	265
	01873 00100	PB	100 gm	815
	01873 00500	PB	500 gm	3245
m-Nitro Toluene (for synthesis) (Cas No. 99-08-1) (3-nitro toluene) Assay : Min 99% $C_7H_7NO_2$ M.W. 137.14, Liquid, d. 1.157	01874 00500	GB	500 ml	435
o-Nitro Toluene (for synthesis) (Cas No. 88-72-2) (2-nitro toluene) Assay : Min 99% $C_7H_7NO_2$ M.W. 137.14, Liquid, d. 1.163	01875 00500	GB	500 ml	435
p-Nitro Toluene (for synthesis) (Cas No. 99-99-0) (4-nitro toluene) Assay : Min 98% $C_7H_7NO_2$ M.W. 137.14 Liequid d, d.1.286	01876 00500	GB	500 gm	340

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Nonidet P40 (Cas No. 9002-93-1) (Nonyl Phenyl Polyethylene Glycol) Liquid, d. 1.06	01877 00100 01877 00500	GB GB	100 ml 500 ml	955 3925
Nonyl Phenol Ethoxylate (9.5 moles) (Cas No. 104-40-5)	01878 00500 01878 02500	GB GB	500 ml 2.5 lt	560 2250
Nutmeg Oil Extra Pure (Cas No. 8008-45-5) Liquid, d. 0.89	01878A 00500	GB	500 ml	3850
Nylendeis Reagent Liquid,d.1.14	01878B 00125 01878B 00500	PB PB	125 ml 500 ml	145 450

***** O

iso-Octane (Cas No. 540-84-1) (2,2,4-trimethylpentane) Assay : Min. 99.5% C ₈ H ₁₈ M.W. 114.23 Liquid. d.0.692	01879 00500 01879 02500	GB GB	500 ml 2.5 Lt	700 3340
n-Octane (for synthesis) (Cas No. 111-65-9) Assay : Min. 98% C ₈ H ₁₈ M.W. 114.23, Liquid, d. 0.703	01880 00100 01880 00500	GB GB	100 ml 500 ml	1310 4185
n-Octane AR (Cas No. 111-65-9) Assay : Min. 98% C ₈ H ₁₈ M.W. 114.23, Liquid, d. 0.703	01881 00100	GB	100 ml	1635
1-Octanesulphonic Acis Sodium Salt AR & HPLC (anhydrous) (Cas No. 5324-84-5) (Sodium-1-octanesulphonate) Assay : Min. 99% C ₈ H ₁₇ NaO ₃ S M.W. 216.28	01882 00005 01882 00025 01882 00100	GB PB PB	5 gm 25 gm 100 gm	695 1415 4520
1-Octanesulphonic Acis Sodium Salt AR & HPLC (Cas No. 5324-84-5) (monohydrate) (Sodium-1-octane sulphate) Assay : Min. 99% C ₈ H ₁₇ NaO ₃ S.H ₂ O M.W. 234.29	01883 00005 01883 00025 01883 00100	GB PB PB	5 gm 25 gm 100 gm	680 1415 4520
iso-Octanol (Cas No. 123-96-6) (2-ethyl hexanol) Assay : Min. 97% C ₈ H ₁₈ O M.W. 130.23, Liquid, d. 0.819	01884 00500 01884 02500	GB GB	500 ml 2.5 Lt	380 1595
n-Octyl Alcohol (Cas No. 111-87-5)(n-octanol) (Octan-1-OL, capry alcohol) Assay : Min. 99% C ₈ H ₁₈ O M.W. 130.23, Liquid, d. 0.827	01885 00500	GB	500 ml	775
n-Octyl Bromide (for synthesis) (Cas No. 111-83-1) (1-bromo octane) Assay : Min. 99% C ₈ H ₁₇ Br M.W. 193.12, Liquid, d. 1.112	01886 00100 01886 00500	GB GB	100 ml 500 ml	780 2800
4-Ter-Octylphenol (for synthesis) (Cas No. 140-66-9) Assay : Min. 97% C ₁₄ H ₂₂ O M.W. 206.33	01887 00500	PB	500 gm	1435
Oil Red O (for electrophoresis) (C.I.No. 26125) (Cas No. 1320-06-5) Dye Content: Min. 75% C ₂₆ H ₂₄ N ₄ O M.W. 408.49 liquid, d. 2.07	01888 00010 01888 00025	GB GB	10 gm 25 gm	160 330
Oleic Acid (Cas No. 112-80-1) Assay : Min. 99% C ₁₇ H ₃₃ .COOH M.W. 282.46 Liquid , d. 0.897	01889 00500 01889 02500	GB PC	500 ml 2.5 lt	360 2590
Olive Oil Extra Pure (Cas No. 8001-25-0) Liquid, d. 0.91	01890 00500	GB	500 ml	1940
Oracet Blue 2R (C.I. 61110) (Cas No. 4395-65-7) C ₂₀ H ₁₄ CN ₂ O ₂ M.W. 314.34 (Indicator for titration in Non-Aqueous Solvent)	01891 00005	GB	5 gm	6700
Orange G (M.S.) (Cas No. 1936-15-8) (C.I.No. 16230) Dye Content : Min. 80% C ₁₆ H ₁₀ .N ₂ Na ₂ O ₇ S ₂ M.W. 452.37	01892 00025 01892 00100 01892 00500	PB PB PB	25 gm 100 gm 500 gm	150 530 2500

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Orange G (For Molecular Biology) (C.I. No. 16230) (Cas No. 1936-15-8)	01893 00010	GB	10 gm	1840
Dye Content : Min : 80% $C_{16}H_{10}.N_2Na_2O_7S_2$ N.W. 452.37	01893 00050	GB	50 gm	5235
Orange G (OG 6 Solution)	01894 00125	PB	125 ml	185
aqueous solution Liquid, d. 0.83	01894 00500	PB	500 ml	590
Orange Oil Extra Pure (Cas No. 8008-57-9), Liquid, d. 0.843	01894A 00500	GB	500 ml	1480
Orcein (for microscopy)	01895 00005	GB	5 gm	2303
(Cas No. 1400-62-0)	01895 00010	GB	10 gm	4407
Orcinol (monohydrate) (Cas No. 6153-39-5)	01896 00010	GB	10 gm	930
(3,5-dihydroxytoluene)	01896 00025	PB	25 gm	2122
Assay : Min. 99% $C_7H_8O_2.H_2O$ M.W. 142.16	01896 00100	PB	100 gm	5288
L-Ornithine Monohydrochloride (Cas No. 3184-13-2)	01897 00005	GB	5 gm	195
(for biochemistry)	01897 00025	PB	25 gm	575
Assay : Min. 99% $C_5H_{13}ClN_2O_2$ M.W. 168.62	01897 00100	PB	100 gm	2160
Orthophosphoric Acid See Phosphoric Acid (ortho) Page No. 135				
Osmic Acid AR (Cas No. 20816-12-0)(osmium tetroxide)	01898 00001	GB	1 gm	6380
Assay : Min. 99.9% OsO_4 M.W. 254.23	01898 00010	GB	10 gm	56430
Osmic Acid Solution 2% w/v (for microscopy)	01899 00005	GB	5 ml	2985
Liquid , d. 1.01	01899 00010	GB	10 ml	4125
Oxalic Acid (Cas No. 6153-56-6) (ethanedioic acid)	01900 00500	PB	500 gm	245
Assay : Min. 99% $C_2H_2O_4.2H_2O$ M.W. 126.07	01900 05000	PC	5 kg	1975
Oxalic Acid AR (Cas No. 6153-56-6) (ethanedioic acid)	01901 00500	PB	500 gm	290
Assay : Min. 99.5% $C_2H_2O_4.2H_2O$ M.W. 126.07	01901 05000	PC	5 kg	2480
Oxalic Acid dihydrate (For Molecular Biology) (Cas No. 6153-56-6)	01902 01000	PB	1 kg	795
Assay : Min. 99% $C_2H_2O_4.2H_2O$ M.W. 126.07				
Oxalic Acid 0.1N (N/10) Solution , Liquid, d.0.99	01903 00500	PB	500 ml	130
Oxalic Acid 0.025M (0.05N) Standardized Solution , Liquid d.1.00	01904 00500	PB	500 ml	385
Oxalic Acid 0.5M (1N) Standardized Solution , Liquid d. 1.00	01905 00500	PB	500 ml	385
Oxalic Acid Dihydrazide (Cas No. 996-98-5) (oxalyl dihydrazide)	01906 00025	GB	25 gm	1515
Assay : Min. 98% $C_2H_6N_4O_2$ M.W. 118.09				
Ox-Bile Dried Powder (for microbiology)	01907 00100	PB	100 gm	700
Assay : Min. 45%	01907 00500	PB	500 gm	2390
Ox Gall powder (bacteriological grade)	01908 00100	PB	100 gm	940
Cas No.8008-63-7)	01908 00500	PB	500 gm	3350
Oxine See 8-Hydroxyquinoline Page No. 94				
Oxone Extra Pure (Cas No. 70693-62-8) (Potassium Peroxy Monosulphate)	01909 00250	PB	250 gm	2415
$HKO_5.S.O.5HKO_4.S.0.5K_2O_4S$ M.W. 307.38	01909 01000	PB	1 kg	7625
Ozokerite Wax	01909A 00100	PB	100 gm	870
(Cas No. 8021-55-4)	01909A 00500	PB	500 gm	2790

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Palladium AAS Standard Solution , Liquid, d. 1.025 1000mg/L in Hydrochloric Acid	01910 00125	GB	125 ml	3665
	01910 00500	GB	500 ml	13875
Palladium ICP Standard Solution , Liquid, d. 1.032 1000mg/L in Hydrochloric Acid	01910A 00125	GB	125 ml	7575
Palladium (metal) Powder AR (Cas No. 7440-05-3) Assay : Min. 99% Pd M.W. 106.42	01911 00001	GB	1 gm	4352
Palladium 5% On Charcoal Assay (as Pd) : 5%	01912 00010	GB	10 gm	2910
Palladium 10% On Charcoal Assay (as Pd) : 10%	02922 00010	GB	10 gm	5865
Palladium 5% On Asbestos Palladium Content :- 5%	02922A 00010	GB	10 gm	2935
Palladium 10% On Asbestos Palladium Content :- 5%	02922B 00010	GB	10 gm	5965
Palladium Chloride (purified) (Pd 59-60%) (Cas No. 7647-10-1) Pd content : 59-60% PdCl ₂ M.W. 177.33	01913 00001	GB	1 gm	3750
	01913 00005	GB	5 gm	17770
Palladium Oxide (Cas No. 1314-08-5) Assay : Min. 98% OPd M.W. 122.42	01914 00001	GB	1 gm	5910
Palmarosa Oil Extra pure (Cas No. 8014-19-5) Liquid, d. 0.887	01914A 00500	GB	500 ml	5935
Palmitic Acid (for synthesis) (hexa- decanoic acid) Assay : Min. 98% C ₁₆ H ₃₂ O ₂ M.W.256.42 (Cas No. 57-10-3)	01915 00500	PB	500 gm	345
Palmitic Acid (purified) (for biochemistry) (Cas No. 57-10-3) (hexa-decanoic acid) Assay : Min. 99% C ₁₆ H ₃₂ O ₂ M.W. 256.42	01916 00025	PB	25 gm	1230
	01916 00100	PB	100 gm	3230
Palm Oil (Cas No. 8002-75-3), Liquid, d. 0.8875	01916A 00500	GB	500 ml	3935
Pancreatin (for Pig pancreas) (Cas No. 8049-47-6) activity equivalent to N.F.	01917 00100	PB	100 gm	620
	01917 00500	PB	500 gm	2505
Panday's Reagent Solution (Saturated phenol solution)	01918 00125	PB	125 ml	75
	01918 00500	PB	500 ml	235
Pan indicator AR (Cas No. 85-85-8) [1-(2-pyridylazo)-2-naphthol] Assay : Min. 99% C ₁₅ H ₁₁ N ₃ O M.W. 249.27	01919 00001	GB	1 gm	1095
	01919 00005	GB	5 gm	4785
	01919 00025	GB	25 gm	19940
Papain (purified powder) (Cas No. 9001-73-4) (from Papaya Latex)	01920 00100	PB	100 gm	245
	01920 00500	PB	500 gm	795
	01920 05000	PC	5 kg	6615
Papanicolaous Solution 1a See Hematoxylin (harris) solution Page No. 88				
Papanicolaous Solution 2b Liquid , d.0.83 (orange II solution for cytological cancer and cycle diagnosis)	01921 00125	PB	125 ml	185
	01921 00500	PB	500 ml	565
Papanicolaous Solution 3b Liquid , d.0.82 (Polychromatic solution EA 50 for cytological cancer and cycle diagnosis)	01922 00125	PB	125 ml	360
	01922 00500	PB	500 ml	1085
Par indicator AR (Cas No. 16593-81-0) [4-(2-pyridylazo)-resorcinol monosodium salt] Assay : Min. 99% C ₁₁ H ₈ N ₃ NaO ₂ .H ₂ O M.W. 237.19	01923 00001	GB	1 gm	700
	01923 00005	GB	5 gm	2960
	01923 00025	GB	25 gm	12080

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Paracetamol Extra Pure (Cas No. 103-90-2)	01923A 00100	PB	100 gm	655
(N-Acetyl-p-Aminophenol) (4-acetamidophenol, acetaminophen)	01923A 00500	PB	500 gm	2415
Assay : Min. 98% $C_8H_9NO_2$ M.W. 151.16				
Paraffin Liquid (heavy) (Cas No. 8012-95-1)	01924 00500	PB	500 ml	345
(mineral oil white heavy) (Colourless)	01924 02500	PB	2.5 lt	1420
(liquid paraffin heavy) (mineral oil white heavy) Liquid, d.0.860-0.890	01924 05000	PC	5 lt	2690
Paraffin Liquid (light) (Cas No. 8012-95-1)	01925 00500	PB	500 ml	250
(Colourless)	01925 02500	PB	2.5 lt	1025
(liquid paraffin light) (mineral oil white light) Liquid, d.0.830-0.860	01925 05000	PC	5 lt	1895
Paraffin Oil (for IR Spectroscopy) (Cas No. 8012-95-1)	01926 00100	GB	100 ml	350
Liquid, d.0.88	01926 00500	GB	500 ml	1055
Paraffin Soft See Vaseline Page No. 190				
Paraffin Wax with Ceresin (Cas No. 8002-74-2) (congealing point about 600C)	01927 00500	PB	500 gm	485
Paraffin Wax Hard (Cas No. 8002-74-2)	01928 00500	PB	500 gm	370
(hard Paraffin (caking type small pieces))	01928 05000	PB	5 kg	3260
Paraffin Wax 56-58°C For Histology	01929 00500	PB	500 gm	385
(Cas No. 8002-74-2)	01929 01000	PB	1 kg	740
Paraffin Wax 58-60°C (non caking) (Cas No. 8002-74-2)	01930 00500	PB	500 gm	390
Paraffin Wax 60-62°C (non caking) (Cas No. 8002-74-2)	01931 00500	PB	500 gm	390
Paraformaldehyde (Cas No. 30525-89-4)	01932 00500	PB	500 gm	255
Assay : Min. 95% $HO(CH_2O)_nH$ M.W. 30.03 (as monomer)	01932 05000	PB	5 kg	2200
Paraldehyde (for synthesis) (Cas no. 123-63-7)	01933 00500	GB	500 ml	1990
Assay : Min. 95% $C_6H_{12}O_3$ M.W. 132.16, Liquid, d.0.994				
Pararosaniline (base) See p-Rosaniline(base) Page No. 151				
Patchouli Oil (Cas No. 8014-09-3) Liquid, d.0.963	01934 00500	GB	500 ml	8945
Patent Blue V (VF) (C.I. No. 42045) (Cas No. 129-17-9) (acid blue V)	01935 00025	PB	25 gm	505
Dye Content : Min. 50% $C_{27}H_{31}N_2NaO_6S_2$ M.W. 566.66	01935 00100	PB	100 gm	1795
Patton & Reeder's Reagent AR (Cas No. 3737-95-9) (calcon carboxylic acid)	01936 00005	GB	5 gm	195
[2-hydroxy-(2-hydroxy-4-sulpho-1-naphthylazo)-3naphthoic acid]	01936 00025	PB	25 gm	805
$C_{21}H_{14}N_2O_7S$ M.W. 438.41	01936 00100	PB	100 gm	2490
PC Klean (Neutral) Pale Yellow Clear Syrupy Liquid	01937 00500	PB	500 ml	210
Assay : Min. 18.0-20.0%	01937 05000	PC	5 lt	1340
PC Klean (Alkaline)	01938 00500	PB	500 ml	215
pH (5% Solution) 6.5-7.5	01938 05000	PC	5 lt	1345
PC Klean (Alkal Phosphate Free)	01939 00500	PB	500 ml	415
pH (5% Solution) 11.0-12.0	01939 05000	PC	5 lt	1540
Pectin Extra Pure	01940 00100	PB	100 gm	540
(Cas No. 9000-69-5)	01940 00500	PB	500 gm	2420
	01940 05000	PC	5 kg	20595

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Pentaerythritol (for synthesis) (Cas no. 115-77-5) [2,2-bis(hydroxymethyl)-1,3-propane diol] Assay : Min. 98% $C_5H_{12}O_4$ M.W. 136.15	01941 00500	PB	500 gm	685
iso-Pentane (Cas No. 78-78-4) (2-methyl butane) Assay : Min. 99% C_5H_{12} M.W. 72.15, Liquid, d. 0.62	01942 00500 01942 02500	GB GB	500 ml 2.5 lt	1050 4870
n-Pentane (for synthesis) (Cas No. 109-66-0) Assay : Min. 99% C_5H_{12} M.W. 72.15, Liquid, d. 0.626	01943 00500 01943 02500	GB GB	500 ml 2.5 lt	595 2775
n-Pentane AR (Cas No. 109-66-0) Assay : Min. 99% C_5H_{12} M.W. 72.15, Liquid, d. 0.626	01944 00500	GB	500 ml	695
n-Pentane Sulphonic Acid Sodium Salt AR & HPLC (anhydrous) (Cas No. 22767-49-3) (sodium-1-pentane sulphonate) Assay : Min. 99% $C_5H_{11}O_3Na$ M.W. 179.19	01945 00005 01945 00025 01945 00100	GB PB PB	5 gm 25 gm 100 gm	415 1315 4420
n-Pentane Sulphonic Acid Sodium Salt AR & HPLC (Cas No. 207605-40-1) (monohydrate) (sodium-1-pentane sulphonate) Assay : Min. 99% $CH_3(CH_2)_4SO_3Na.H_2O$ M.W. 192.21	01946 00005 01946 00025 01946 00100	GB PB PB	5 gm 25 gm 100 gm	620 1390 4340
n-Pentanol See n-amyl Alcohol Page No. 17				
3-Pentanone (Cas No. 96-22-0) (diethyl ketone) Assay : Min. 99% $C_5H_{10}O$ M.W. 86.13, Liquid, d. 0.817	01947 00100 01947 00500	GB GB	100 ml 500 ml	1995 7545
n-Pentyl Bromide See 1-Bromo Pentane Page No. 32				
Pentylene tetrazole (for lab use) (Cas No. 54-95-5) (pentetrazole, penta methylene tetrazole) Assay : Min 99% $C_6H_{10}N_4$ M.W. 138.17	01948 00005 01948 00025	GB GB	5 gm 25 gm	1735 5540
Peppermint Oil Extra Pure (Cas No. 8006-90-4), Liquid, d. 0.898	01949 00500	GB	500 ml	2410
Pepsin 1:3000 (from hog stomach) (Cas No. 9001-75-6)	01950 00100 01950 00500	PB PB	100 gm 500 gm	1540 7220
Pepsin 1:10000 (for vaccine production) (Cas No. 9001-75-6)	01951 00025 01951 00100	PB PB	25 gm 100 gm	2885 7715
Peptone (bacteriological) (obtained from enzymatic digestion of meat)	01952 00500 01952 05000	PB PC	500 gm 5 kg	1045 9265
Peptone (for microbiology) (Granular) (Cas No. 73049-73-7)	01953 00500 01953 05000	PB PC	500 gm 5 kg	1120 9065
Perchloric Acid 20% AR (Cas No. 7601-90-3) Assay : Min. 20% $HClO_4$ M.W. 100.46, Liquid, d. 1.664	01953A 00500 01953A 02500	GB GB	500 ml 2.5 Lt	725 2975
Perchloric Acid 60% AR (Cas No. 7601-90-3) Assay : Min. 60-62% $HClO_4$ M.W. 100.46, Liquid, d 1.664	01954 00500 01954 02500	GB GB	500 ml 2.5 lt	975 4705
Perchloric Acid 60% (Cas No. 7601-90-3) (For Molecular Biology) Assay : Min. 60% $HClO_4$ M.W. 100.46, Liquid, d 1.664	01955 00500	GB	500 ml	3535
Perchloric Acid 70% AR (Cas No. 7601-90-3) Assay : Min. 69-70% $HClO_4$ M.W. 100.46, Liquid, d 1.664	01956 00500 01956 02500	GB GB	500 ml 2.5 lt	1350 6000

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Perchloric Acid 0.1N solution (in acetic acid glacial)	01957 00100	GB	100 ml	250
	01957 00500	GB	500 ml	680
Perchloric Acid 0.1M (0.1N) Standardized Solution	01958 01000	GB	500 ml	425
Perchloric Acid 1M (1N) Standardized Solution	01959 01000	GB	500 ml	425
Perchloroethylene (Cas No. 127-18-4) (tetrachloroethylene) Assay : Min. 99% $\text{CCl}_2:\text{CCl}_2$ M.W. 165.83, Liquid, d. 1.623	01960 00500	GB	500 ml	485
	01960 02500	GB	2.5 lt	2210
Perchloroethylene AR (Cas No. 127-18-4) (tetrachloroethylene) Assay : Min. 99.8% CCl_2CCl_2 M.W. 165.83, Liquid, d. 1.126	01961 00500	GB	500 ml	665
	01961 02500	GB	2.5 lt	2805
Periodic Acid (Cas No. 10450-60-9) (for synthesis) Assay : Min. 99% H_5IO_6 M.W. 227.94	01962 00025	GB	25 gm	840
	01962 00100	GB	100 gm	2680
	01962 00500	GB	500 gm	11660
Periodic Acid AR (Cas No. 10450-60-9) Assay : Min. 99.5% H_5IO_6 M.W. 227.94	01963 00025	GB	25 gm	1130
	01963 00100	GB	100 gm	4100
Periodic Acid 1% Solution (for staining of cell polysaccharides schiff's (Pas) method)	01964 00100	PB	100 ml	505
	01964 00500	PB	500 ml	1705
Petroleum Ether See Ether Petroleum Page No. 66				
Petroleum Jelly See Vaseline Page No. 171				
Phenacyl Bromide (Cas No. 70-11-1) Assy : Min 98% $\text{C}_8\text{H}_7\text{BRO}$ N.W. 199.04	01965 00100	GB	100 gm	4945
	01965 00250	GB	250 gm	9980
1,10-Phenanthroline (monohydrate) AR (For Molecular Biology) (Cas no. 5144-89-8) (redox indicator) (o-phenanthroline) Assay : Min. 99.5% $\text{C}_{12}\text{H}_8\text{N}_2\cdot\text{H}_2\text{O}$ M.W. 198.23	01966 00005	GB	5 gm	450
	01966 00025	PB	25 gm	1705
	01966 00100	PB	100 gm	5375
1,10-Phenanthroline Hydrochloride AR (Cas No. 18851-33-7) Assay : Min. 97% $\text{C}_{12}\text{H}_9\text{ClN}_2\cdot\text{H}_2\text{O}$ M.W. 234.69	01967 00005	GB	5 gm	700
	01967 00025	GB	25 gm	2765
Phenazine Methosulphate See N-Methylphenazonium Methosulphate Page No. 106				
Phenazone See Antipyrin Page No. 19				
Phenol (crystals) (Cas No. 108-95-2) (Hydroxybenzene) (Carbolic Acid) Assay : Min. 99% $\text{C}_6\text{H}_6\text{O}$ M.W. 94.11	01968 00500	GB	500 gm	390
	01968 05000	GB	5 kg	3340
Phenol (crystals) AR (Cas No. 108-95-2) (Hydroxybenzene) (Carbolic Acid) Assay : Min. 99.5% $\text{C}_6\text{H}_6\text{O}$ M.W. 94.11	01969 00500	GB	500 gm	435
Phenol (crystals) (For Molecular Biology) (Hydroxybenzene) Assay : Min. 99% $\text{C}_6\text{H}_6\text{O}$ M.W. 94.11 Store at 2 - 80C (Cas No. 108-95-2)	01970 00100	GB	100 gm	1640
	01970 00500	GB	500 gm	2095
Phenol (liquid) (Cas No. 108-95-2) (Carbolic Acid liquid) Assay : Min. 89% $\text{C}_6\text{H}_6\text{O}$ M.W. 94.11, Liquid, d. 1.07	01971 00500	GB	500 ml	365
Phenol Disulphonic Acid (Cas No 96-77-5) (25% souldtion w/v in sulphuric acid)	01972 00500	GB	500 ml	1730
Phenolphthaleine (indicator) Powder (Cas No. 77-09-8) $\text{C}_{20}\text{H}_{14}\text{O}_4$ M.W. 318.32	01973 00050	PB	50 gm	260
	01973 00100	PB	100 gm	510
	01973 00500	PB	500 gm	2250

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Phenolphthaleine (indicator) Solution	01974 00125	PB	125 ml	95
Liquid, d . 0.900	01973 00500	PB	500 ml	285
Phenolphthaleine (indicator) Papers	01975 001 pk	CB	pkt	155
Phenol Reagent See Folin & Ciocalteu's Phenol Reagent Page No. 71				
Phenol Red (indicator) AR (Cas No. 143-74-8)	01976 00025	PB	25 gm	385
(phenolsulphonaphthalenein)	01976 00100	PB	100 gm	1445
C ₉ H ₁₄ O ₅ S M.W. 354.38	01976 00500	PB	500 gm	6160
Phenol Red indicator solution	01977 00125	PB	125 ml	100
Liquid, d. 1.0	01977 00500	PB	500 ml	305
Phenol Red Sodium Salt (Cas No. 34487-61-1)	01978 00005	GB	5 gm	170
pH 6.4-8.2 yellow to red (phenol red water soluble)	01978 00025	GB	25 gm	465
Dye content : Min. 90% C ₁₉ H ₁₃ NaO ₅ S M.W. 376.36				
Phenosafranine AR (C.I. No. 50200) (Cas No. 81-93-6)	01979 00005	GB	5 gm	9265
Dye Content : Min 80% C ₁₈ H ₁₅ ClN ₄ M.W. 322.79	01979 00025	GB	25 gm	36135
Phenoxy Acetic Acid (for synthesis) (Cas No. 122-59-8)	01980 00500	PB	500 gm	945
Assay : Min. 98% C ₈ H ₈ O ₃ M.W. 152.15				
2-Phenoxy Ethanol (Cas No. 122-99-6) (phenyl cellosolve)	01981 00500	PB	500 ml	1020
Assay : Min. 98% C ₈ H ₁₀ O ₂ M.W. 138.16, Liquid, d. 1.107				
Phenyl Acetic Acid (Cas No. 103-82-2)	01982 00500	PB	500 gm	625
Assay : Min. 99% C ₈ H ₈ O ₂ M.W. 136.14				
Phenylacetoneitrile See Benzyl Cyanide Page No. 24				
L-Phenylalanine (Cas No. 63-91-2)	01983 00025	PB	25 gm	285
(for biochemistry)	01983 00100	PB	100 gm	875
Assay : Min. 98% C ₉ H ₁₁ NO ₂ M.W. 165.19	01983 00500	PB	500 gm	3130
DL-Phenylalanine (Cas No. 150-30-1)	01984 00025	PB	25 gm	790
(for biochemistry)	01984 00100	PB	100 gm	2495
Assay : Min. 98.5% C ₉ H ₁₁ NO ₂ M.W. 165.19	01984 00500	PB	500 gm	9955
N-Phenyl Anthranilic Acid AR (Cas No. 91-40-7)	01985 00025	PB	25 gm	700
(redox indicator)	01985 00100	PB	100 gm	2520
Assay : Min. 98% C ₁₃ H ₁₁ NO ₂ M.W. 213.24	01985 00500	PB	500 gm	9020
Phenylarsonic Acid AR (Cas No.98-05-5)	01986 00025	GB	25 gm	930
Assay : Min. 98.5% C ₆ H ₅ ASO(OH) ₂ M.W. 202.04	01986 00100	GB	100 gm	3160
Phenyl Chloroformate (for synthesis) (Cas No. 1885-14-9)	01987 00100	GB	100 ml	640
(chloroformic acid phenyl ester)	01987 00500	GB	500 ml	2580
Assay : Min. 98% C ₇ H ₅ ClO ₃ M.W.156.57	01987 02500	GB	2.5 lt	11230
Phenyl Cyanide See Benzointrile Page No. 23				
m-Phenylenediamine (for synthesis) (Cas No. 108-45-2)	01988 00250	GB	250 gm	980
Assay : Min. 98% C ₆ H ₄ (NH ₂) ₂ M.W. 108.14	01988 00500	GB	500 gm	1855
m-Phenylenediamine Dihydrochloride (Purified) (Cas No. 541-69-5)	01989 00100	GB	100 gm	1733
Assay : Min. 99% C ₆ H ₈ N ₂ .2HCl M.W. 181.07	01989 00250	GB	250 gm	3615

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
o- Phenylenediamine (Cas No. 95-54-5)	01990 00100	GB	100 gm	285
(for synthesis)	01990 00250	GB	250 gm	560
Assay : Min. 98% $C_6H_4(NH_2)_2$ M.W. 108.14	01990 00500	GB	500 gm	1060
beta-Phenylethylamine Extra Pure (Cas No. 64-04-4) (2-Phenylethylamine),	01991 00500	GB	500 ml	2650
Assay : Min. 99% $C_6H_5CH_2CH_2NH_2$ M.W. 121.18 Liquid, d. 0.962	01991 02500	GB	2.5 lt	9860
Phenyl Fluorone AR (Cas No. 975-17-7) (reagent for germanium)	01992 00001	GB	1 gm	790
Assay : Min. 98.5% $C_{19}H_{12}O_5$ M.W. 320.30	01992 00005	GB	5 gm	3185
Phenyl Hydrazine (For synthesis) (Cas No. 100-63-0)	01993 00250	GB	250 ml	760
Assay : Min. 97% $C_6H_8N_2$ M.W. 108.14	01993 00500	GB	500 ml	1340
Phenyl Hydrazine AR (Cas No. 100-63-0)	01994 00100	GB	100 ml	1085
Assay : Min. 98% $C_6H_8N_2$ M.W. 108.14	01994 00500	GB	500 ml	4770
Phenyl Hydrazine Hydrochloride (Cas No. 59-88-1)	01995 00100	PB	100 gm	380
Assay : Min. 99% $C_6H_8N_2 \cdot HCl$ M.W. 144.61	01995 00500	PB	500 gm	1835
Phenyl Hydrazine Hydrochloride AR (Cas No. 59-88-1)	01996 00100	PB	100 gm	485
Assay : Min. 99% $C_6H_8N_2 \cdot HCl$ M.W. 144.61	01996 00250	PB	250 gm	2140
Phenyl Mercuric Acetate See Mercuric Phenyl Acetate Page No. 101				
Phenyl Mercuric Nitrate (basic) (for synthesis) (mercuric phenyl nitrate)	01997 00025	GB	25 gm	8615
Assay : Min. 99% $C_{12}H_{11}NHG_2NO_4$ M.W. 634.41 (Cas No. 8003-05-2)	01997 00100	GB	100 gm	28805
Phenyl Phosphate Disodium Salt AR (Dihydrate) (Cas No. 66778-08-3)	01998 00025	GB	25 gm	2180
(Storage Temp. 2-80C) (Disodium Phenyl Phosphate)	01998 00100	GB	100 gm	7630
Assay : Min. 95% $C_6H_5Na_2O_4 \cdot 2H_2O$ M.W. 254.09				
Phenyl Trimethyl Ammonium Chloride (for synthesis) (Cas No. 138-24-9)	01999 00100	PB	100 gm	375
Assay : Min. 99% $C_9H_{14}ClN$ M.W. 171.67	01999 00500	PB	500 gm	1505
Phloroglucinol AR	02000 00010	PB	10 gm	520
(Cas No. 108-73-6)	02000 00025	PB	25 gm	1080
(1,3,5-trihydroxybenzene)	02000 00100	PB	100 gm	3975
Assay : Min. 99% $C_6H_6O_3$ M.W. 126.11	02000 00500	PB	500 gm	17775
Phloroglucinol Solution	02001 00125	PB	125 ml	365
Liquid, d. 0.801	02001 00500	PB	500 ml	1105
Phloxin-B (M.S.) (C.I.No. 45410) (Cas No. 18472-87-2)	02002 00025	PB	25 gm	365
Dye Content : Min. 80% $C_{20}H_2Br_4Cl_4Na_2O_5$ M.W. 829.63	02002 00100	PB	100 gm	1280
Phloxin - B Solution , Liquid, d. 0.845	02002A 00500	PB	500 ml	390
Phosphate Molybdate solution				
See Folin & Wu's Phosphate Molybdate solution Page No. 71				
Phosphomolybdic Acid AR (Cas No. 51429-74-4)	02003 00025	PB	25 gm	1035
(dodeca-molybdo phosphoric acid)	02003 00100	PB	100 gm	2665
Assay : Min. 99% $H_3[P(Mo_3O_{10})_4] \cdot xH_2O$	02003 00500	PB	500 gm	12100
M.W. 1825.25 (anhydr. basis)				
Phosphomolybdic Acid Solution	02003A 00125	PB	125 ml	145
(Folin & Wu's) Liquid, d. 0.94	02003A 00500	PB	500 ml	410

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Phosphoric Acid (ortho) 85-88% (Cas No. 7664-38-2) (ortho-phosphoric acid) Assay : Min. 85-88% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02004 00250 02004 00500 02004 02500 02004 05000	PB PB PC PC	250 ml 500 ml 2.5 lt 5 lt	355 430 1815 3215
Phosphoric Acid (ortho) AR 88% (Cas No. 7664-38-2) (ortho-phosphoric acid) Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02006 00500 02006 02500	GB GB	500 ml 2.5 lt	520 2105
Phosphoric Acid (ortho) AR 85% (For Steel Industry) (Cas No. 7664-38-2) Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02007 00500 02007 02500	PB PB	500 ml 2.5 lt	565 2265
Phosphoric Acid HPLC & Spectroscopy (ortho) (Cas No. 7664-38-2) Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02008 01000	GB	1 lt	6235
Phosphoric Acid (ortho) (For Molecular Biology) (Cas No. 7664-38-2) Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02009 00250	GB	250 ml	3660
Phosphoric Acid (meta) (Cas No. 37267-86-0) (glacial sticks) Assay (HPO3) : Min. 60% HO_3P M.W. 79.98	02010 00100 02010 00500	PB PB	100 gm 500 gm	640 1790
Phosphoric Acid (meta) AR (Cas No. 37267-86-0) (glacial sticks) Assay (HPO3) : Min. 60% HO_3P M.W. 79.98	02011 00100 02011 00500	PB PB	100 gm 500 gm	3145 11235
Phosphorous AAS Standard Solution 1000mg/L in Nitric Acid	02012 00125 02012 00500	GB GB	125 ml 500 ml	1215 3660
Phosphorous ICP Standard Solution 1000mg/L in Nitric Acid	02012A 00125	GB	125 ml	4735
Phosphorous (red) Powder (Cas No. 7723-14-0) (for synthesis) Assay : Min. 97% P M.W. 30.97	02013 00025 02013 00100 02013 00500	PB PB PB	25 gm 100 gm 500 gm	190 420 1620
Phosphorous Oxybromide (for synthesis) (Cas No. 7789-59-5) Assay : Min. 98% $POBr_3$ M.W. 286.69 (store at 2 – 80C)	02014 00025 02014 00100	GB GB	25 gm 100 gm	4237 11775
Phosphorous Oxychloride (Cas No. 10025-87-3) (phosphoryl chloride) Assay : Min 99% $POCl_3$ M.W. 153.33, Liquid, d. 1.645	02015 00500	GB	500 ml	1235
Phosphorous Pentachloride (Cas No. 10026-13-8) (phosphorous (V) chloride) Assay : Min 99% PCl_5 M.W. 208.24	02016 00500	GB	500 gm	1420
Phosphorous Pentasulphide (Cas No. 1314-80-3) Assay : Min 99% P_2S_5 M.W. 222.27	02017 00500	GB	500 gm	820
Phosphorous Pentoxide (Cas No. 1314-56-3) (di-phosphorous pentoxide) Assay : Min 97% P_2O_5 M.W. 141.94	02018 00500	PB	500 gm	1015
Phosphorous Pentoxide AR (Cas No. 1314-56-3) (di-phosphorous pentoxide) Assay : Min 98% P_2O_5 M.W. 141.94	02019 00500	PB	500 gm	1610
Phosphorous Tribromide (Cas No. 7789-60-8) Assay : Min 98% PBr_3 M.W. 270.69, Liquid, d. 2.88	02020 00100 02020 00500	GB GB	100 ml 500 ml	2815 8915

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Phosphotungstic Acid (hydrate) (Cas No. 12501-23-24)	02022 00500	GB	25 gm	555
(dodeca-tungsto phosphoric acid)	02023 00025	GB	100 gm	1585
H ₃ [P(W ₃ O ₁₀) ₄].xH ₂ O M.W. 2880.05 (anhydr. basis)	02023 00100	GB	500 gm	6880
Phosphotungstic Acid AR (hydrate) (dodeca-tungsto phosphoric acid)	02023 00025	GB	25 gm	720
H ₃ [P(W ₃ O ₁₀) ₄].xH ₂ O M.W. 2880.05 (anhydr. basis)	02023 00100	GB	100 gm	1840
(Cas No. 12501-23-24)				
Phosphotungstic Acid Reagent solution	02908 00125	PB	125 ml	215
	02908 00500	PB	500 ml	660
o-Phthalaldehyde AR (for fluorometry) (Cas No. 643-79-8)	02024 00005	GB	5 gm	1575
Assay : Min. 99% C ₈ H ₆ O ₂ M.W. 134.14	02024 00025	GB	25 gm	6405
Phthalamide (for synthesis) (Cas No. 88-96-0)	02025 00500	PB	500 gm	435
Assay : Min. 98.5% C ₈ H ₈ N ₂ O ₂ M.W. 164.16				
Phthalic Acid (for synthesis) (Cas No. 88-99-3)	02026 00500	PB	500 gm	480
Assay : Min. 99% C ₈ H ₆ O ₄ M.W. 166.13	02026 05000	PC	5 kg	4051
Phthalic Acid AR (Cas No. 88-99-3)	02027 00500	PB	500 gm	485
Assay : Min. 99.5% C ₈ H ₆ O ₄ M.W. 166.13	02027 05000	PC	5 kg	4335
tere-Phthalic Acid (for synthesis) (Cas No. 100-21-0)	02028 00500	PB	500 gm	360
Assay : Min. 98% C ₈ H ₆ O ₄ M.W. 166.13				
Phthalic Anhydride (for synthesis) (Cas No. 85-44-9)	02029 00500	PB	500 gm	375
Assay : Min. 98% C ₈ H ₄ O ₃ M.W. 148.12	02029 05000	PC	5 kg	3205
Phthalide (for synthesis) (Cas No. 87-41-2) [1(3H)-isobenzofuranone]	02030 00100	PB	100 gm	745
Assay : Min. 98% C ₈ H ₆ O ₂ M.W. 134.13	02030 00500	PB	500 gm	2925
Phthalimide (for synthesis) (Cas No. 85-41-6)	02031 00500	PB	500 gm	565
Assay : Min. 98% C ₈ H ₅ NO ₂ M.W. 147.13				
2-Picoline (Cas No. 109-06-8) (a-picoline) (2-methyl pyridine)	02032 00500	GB	500 ml	1175
Assay : Min. 98% C ₆ H ₇ N M.W. 93.13, Liquid, d. 0.943				
3-Picoline (Cas No. 108-99-6) (b-picoline) (3-methyl pyridine)	02033 00500	GB	500 ml	1175
Assay : Min. 99% C ₆ H ₇ N M.W. 93.13, Liquid, d. 0.957				
4-Picoline (Cas No. 108-89-4) (γ-picoline) (4-methyl pyridine)	02034 00500	GB	500 ml	1175
Assay : Min. 97% C ₆ H ₇ N M.W. 93.13, Liquid, d. 0.957				
Picric acid (Cas No. 88-89-1) (moistened with water) (2,4,6-trinitrophenol)	02035 00500	PB	500 gm	725
Assay : Min. 99% C ₆ H ₃ N ₃ O ₇ M.W. 229.10				
Picric acid AR (Cas No. 88-89-1) (moistened with water) (2,4,6-trinitrophenol)	02036 00100	PB	100 gm	395
Assay : Min. 99.8% C ₆ H ₃ N ₃ O ₇ M.W. 229.10	02036 00500	PB	500 gm	1380
Picric Acid Saturated Solution (2,4,6-trinitrophenol)	02037 00100	PB	100 ml	135
Liquid , d. 1.0	02037 00500	PB	500 ml	415
Picric acid Solution 1.2% AR	02038 00125	PB	125 ml	145
(for determination of creatinine)	02038 00500	PB	500 ml	625
Pine Oil Extra Pure (Cas No. 8002-09-3)	02037A 00500	GB	500 ml	495
Liquid, d. 0.86	02037A 05000	PC	5 Lt	3935

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Piperazine (anhydrous) (for synthesis) (Cas No. 110-85-0)	02039 00250	PB	250 gm	575
Assay : Min. 98% $C_4H_{10}N_2$ M.W. 86.14	02039 00500	PB	500 gm	1015
Pipes (for Molecular Biology) (Cas No. 5625-37-6)	02042 00005	GB	5 gm	360
(piperazine-N,N-Bis-2-ethene sulphonic acid)	02042 00025	PB	25 gm	1450
Assay : Min. 99.5% $C_8H_{18}N_2O_6S_2$ M.W. 302.37	02042 00100	PB	100 gm	5095
Platinum AAS Standard Solution	02042A 00125	GB	125 ml	4840
1000mg/L in Hydrochloric Acid, Liquid, d. 1.034	02042A 00500	GB	500 ml	16335
Platinum ICP Standard Solution	02042B 00125	GB	125 ml	7885
1000mg/L in Hydrochloric Acid, Liquid, d. 1.034				
Platinum Chloride (about 40% Pt) (Cas No. 18497-13-7)	02043 00001	GB	1 gm	7745
(hexachloroplatinic acid) (chloroplatinic acid)	02043 00005	GB	5 gm	34960
Assay (of Pt) : Min. 40% $H_2PtCl_6 \cdot 6H_2O$ M.W. 517.90				
Platinum Oxide hydrate (Pt 80%) (adam's catalyst) (platinum dioxide)	02044 00001	GB	1 gm	9950
Assay (of Pt) : Min. 80% $PtO_2 \cdot xH_2O$ M.W. 227.09 (Cas No. 52785-06-5)	02044 05000	GB	5 gm	44730
Polyacrylic Acid (for synthesis) (Cas No. 9003-01-4), Liquid d. 1.2	02045 00100	GB	100 ml	4720
Polyethelene Glycol 200 (for synthesis) (Cas No. 25322-68-3)	02046 00500	PB	500 ml	340
$H(OCH_2CH_2)_nOH$ M.W. 190-200, Liquid, d. 1.128				
Polyethelene Glycol 300 (for synthesis) (Cas No. 25322-68-3)	02047 00500	GB	500 ml	420
$H(OCH_2CH_2)_nOH$ Liquid, d. 1.128				
Polyethelene Glycol 400 (for synthesis) (Cas No. 25322-68-3)	02048 00500	GB	500 ml	375
$H(OCH_2CH_2)_nOH$ M.W. 380-420, Liquid, d. 1.128				
Polyethelene Glycol 600 (for synthesis) (Cas No. 25322-68-3)	02049 00500	GB	500 ml	445
$H(OCH_2CH_2)_nOH$ M.W. 570-630, Liquid, d. 1.128				
Polyethelene Glycol 1500 (for synthesis) (carbowax 1500)	02050 00500	PB	500 gm	375
(Cas No. 25322-68-3)	02050 05000	PC	5 kg	3225
$H(OCH_2CH_2)_nOH$ M.W. 1400-1600				
Polyphosphoric Acid (for synthesis) (tetraphosphoric acid)	02053 00500	PB	500 gm	695
Assay (by acidimetry, as P2O5) : ~85.0% $Hn+2PnO_{3n+1}$ (Cas No. 8017-16-1)	02053 02500	PB	2.5 kg	2985
Polysorbate See Tween Page No. 170				
Polyvinyl Alcohol (hot) (Cas No. 9002-89-5)	02054 00500	PB	500 gm	510
(M.W. 14,000)	02054 05000	PC	5 kg	4205
Polyvinyl Pyrrolidone K-25 (Cas No. 9003-39-8)	02055 00100	PB	100 gm	760
(PVPK-25)	02055 00500	PB	500 gm	2810
Polyvinyl Pyrrolidone K-30 (Cas No. 9003-39-8)	02056 00100	PB	100 gm	500
(PVPK-30)	02056 00500	PB	500 gm	2490
Polyvinyl Pyrrolidone K-90 (Cas No. 9003-39-8)	02057 00100	PB	100 gm	850
(PVPK-90)	02057 00500	PB	500 gm	3055
Ponceau S sodium salt, Certified (C.I. No. 27195) (Cas No. 6226-79-5)	02058 00025	PB	25 gm	465
Electrophoretic stain (For Molecular Biology)	02058 00100	PB	100 gm	1435
Dye Content : Min. 80% $C_{22}H_{12}N_4Na_4O_{13}S_4$ M.W. 760.56				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
POPOP (scintillation grade) (1,4-di-2 (5-phenyloxazolyl) benzene)	02059 00005	GB	5 gm	1775
Assay : Min. 99% $C_{24}H_{16}N_2O_2$ M.W. 364.41 (Cas No. 1806-34-4)	02059 00025	GB	25 gm	7650
POPSO Buffer (for biochemistry) (Cas No. 68189-43-5)	02060 00050	PB	50 gm	6260
[piperazine-1,4 Bis(2-hydroxypropanae sulphonic acid)	02060 00100	PB	100 gm	11800
Assay : Min. 97% $C_{10}H_{22}N_2O_8S_2 \cdot 2H_2O$ M.W. 398.5				
Potassium AAS Standard Solution	02061 00125	GB	125 ml	640
1000mg/L in Nitric Acid, Liquid, d. 1.013	02061 00500	GB	500 ml	2375
Potassium ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.013	02061A 00125	GB	125 ml	4635
Potassium ICP Standard Solution 10000mg/L in Nitric Acid, Liquid, d. 1.013	02061B 00125	GB	125 ml	6435
Potassium (metal) Lumps (in liquid paraffin) (Cas No. 7440-09-7)	02062 00025	PB	25 gm	1180
Assay : Min. 98% K M.W. 39.10	02062 00100	PB	100 gm	3905
Potassium Acetate (Cas No. 127-08-2)	02063 00500	PB	50 gm	350
Assay : Min. 99% $C_2H_3KO_2$ M.W. 98.14	02063 05000	PC	5 kg	2990
Potassium Acetate AR (Cas No. 127-08-2)	02064 00500	PB	500 gm	420
Assay : Min. 99% $C_2H_3KO_2$ M.W. 98.14				
Potassium Acetate (For Molecular Biology) (Cas No. 127-08-2)	02065 00100	PB	100 gm	1240
Assay : Min. 99% $C_2H_3KO_2$ M.W. 98.14	02065 00500	PB	500 gm	2350
Potassium Aluminium Sulphate See Aluminium Potassium, Sulphate Page No. 8				
Potassium Antimonate See Potassium Pyroantimonate Page No. 126				
Potassium Antimony Tartrate See Antimony Potassium Tartrate Page No. 17				
Potassium Bicarbonate (Cas No. 298-14-6) (potassium hydrogen carbonate)	02066 00500	PB	500 gm	355
Assay : Min. 99.5% $KHCO_3$ M.W. 100.12	02066 05000	PB	5 kg	2990
Potassium Bicarbonate AR (potassium hydrogen carbonate)	02067 00500	PB	500 gm	400
Assay Min. : 99.7% $KHCO_3$ M.W. 100.12 (Cas No. 298-14-6)	02067 05000	PC	5 kg	3315
Potassium Bichromate See Potassium Dichromate Page No. 127				
Potassium Bisulphate (Cas No. 7646-93-7) (potassium hydrogen sulphate)	02068 00500	PB	500 gm	250
Assay : Min. 98.5% $KHSO_4$ M.W. 136.19				
Potassium Bisulphate AR (Cas No. 7646-93-7) (potassium hydrogen sulphate)	02069 00500	PC	500 gm	735
Assay : Min. 99% $KHSO_4$ M.W. 136.19				
Potassium Bitartrate (cream of tartar) (potassium hydrogen (+) tartrate)	02070 00500	PB	500 gm	715
Assay : Min. 99.5-100.2% $C_4H_5KO_6$ M.W. 188.18 (Cas No. 868-14-4)	02070 05000	PC	5 kg	6095
Potassium Bromate (Cas No. 7758-01-2)	02071 00500	PB	500 gm	710
Assay : Min. 99.6% $KBrO_3$ M.W. 167.00	02071 05000	PB	5 kg	5820
Potassium Bromate AR (Cas No. 7758-01-2)	02072 00500	PC	500 gm	760
Assay : Min. 99.8% $KBrO_3$ M.W. 167.00				
Potassium Bromate 0.01667M (0.1N) Standarizeid, d Solution Liquid, d.1.049	02074 00500	PB	500 ml	305
Potassium Bromide (Cas No. 7758-02-3)	02074 00500	PB	500 gm	605
Assay : Min. 99% KBr M.W. 119.01	02074 05000	PC	5 kg	5105

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Potassium Bromide AR (Cas No. 7758-02-3) Assay : Min. 99.5% KBr M.W. 119.01	02075 00500	PB	500 gm	705
Potassium Bromide (for IR Spectroscopy) (Cas No. 7758-02-3) Assay : Min. 99.8% KBr M.W. 119.01	02076 00100	GB	100 gm	4495
Potassium Bromide 0.5M (0.5N) Standardized Solution	02077 00500	PB	500 ml	350
Potassium Bromide 1M (1N) Standardized Solution	02078 00500	PB	500 ml	350
Potassium tert-Butoxide See Potassium Tert-Butoxide Page No. 127				
Potassium Carbonate (anhydrous) (Cas No. 584-08-7) Assay : Min. 99.9% K_2CO_3 M.W. 138.21	02079 00500	PB	500 gm	335
	02079 00500	PC	5 Kg	2470
Potassium Carbonate (anhydrous) AR (Cas No. 584-08-7) Assay : Min. 99% K_2CO_3 M.W. 138.21	02081 00500	PB	500 gm	300
Potassium Chloroplatinate AR [Potassium hexachloroplatinate (IV)] Assay : Min. 98% K_2PtCl_6 M.W. 486.00 (Cas No. 16921-30-5)	02082 00001	GB	1 gm	6265
	02082 00005	GB	5 gm	28125
Potassium Chloride (Cas No. 7447-40-7) Assay : Min. 99% KCl M.W. 74.56	02083 00500	PB	500 gm	175
	02083 05000	PC	5 kg	1250
Potassium Chloride AR (Cas No. 7447-40-7) Assay : Min. 99.5% KCl M.W. 74.56	02084 00500	PB	500 gm	245
	02084 05000	PC	5 kg	1795
Potassium Chloride (For molecular Biology) (Cas No. 7447-40-7) Assay : Min. 99% KCl M.W. 74.55	02085 00500	PB	500 gm	1265
Potassium Chloride 3 M Solution (for potentiometer electrode) Liquid d. 1.13	02086 00100	PB	100 ml	230
Potassium Chloride 0.5M (0.5N) Standardized Solution, Liquid d. 1.040	02087 00500	PB	500 ml	320
Potassium Chloride 1M (1N) Standardized Solution, Liquid d. 1.040	02088 00500	PB	500 ml	320
Potassium Chromate (Cas No. 7789-00-6) Assay : Min. 99% K_2CrO_4 M.W. 194.19	02089 00500	PB	500 gm	745
	02089 05000	PC	5 kg	6345
Potassium Chromate AR (Cas No. 7789-00-6) Assay : Min. 99.5% K_2CrO_4 M.W. 194.19	02090 00500	PB	500 gm	805
Potassium Chromate 0.0333M (0.1N) Standardized Solution	02091 00500	PB	500 ml	320
tri-Potassium Citrate (monohydrate) (Cas No. 6100-05-6) Assay : Min. 98% $K_3C_6H_5O_7 \cdot H_2O$ M.W. 324.41	02092 00500	PB	500 gm	300
	02092 05000	PC	5 kg	2650
tri-Potassium Citrate AR (monohydrate) (Cas No. 6100-05-06) Assay : Min. 99% $K_3C_6H_5O_7 \cdot H_2O$ M.W. 324.41	02093 00500	PB	500 gm	370
	02093 05000	PC	5 kg	3185
Potassium Dichromate Extra (purified small crystals) (potassium bichromate) Assay : Min. 99.5% $K_2Cr_2O_7$ M.W. 294.18 (Cas No. 7778-50-9)	02094 00500	PB	500 gm	825
	02094 00500	PC	5 kg	7035
Potassium Dichromate AR (Cas No. 7778-50-9) (potassium bichromate) Assay : Min. 99.9% $K_2Cr_2O_7$ M.W. 294.18	02095 00500	PB	500 gm	910
Potassium Dichromate 0.02M/L Soutlion (for determination of Cod)	02096 00500	PB	500 ml	335
Potassium Dichromate (0.25 N) Liquid, d. 1.01	02097 00500	PB	500 ml	110
Potassium Dichromate 0.0167M (0.1N) Standardized Solution	02098 00500	PB	500 ml	340

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Potassium Dichromate 0.0417M (0.25N) Standardized Solution	02099 00500	PB	500 ml	340
Potassium Dichromate 0.167M (1N) Standardized Solution	02100 00500	PB	500 ml	340
Potassium Dihydrogen Orthophosphate (for Hplc) (Cas No. 7778-77-0) Assay : Min 99.5% KH_2PO_4 M.W. 136.1	02101 00500	PB	500 gm	950
Potassium Ethyl Xanthate (Cas No. 140-89-6) (ethyl potassium xanthate) Assay : Min 98% $\text{C}_3\text{H}_5\text{KOS}_2$ M.W. 160.30	02102 00100 02102 00500	PB PB	100 gm 500 gm	890 3580
Potassium Ferricyanide (Cas No. 13746-66-2) (potassium hexacyanoferrate (III)) Assay : Min 98% $\text{K}_3\text{Fe}(\text{CN})_6$ M.W. 329.24	02103 00100 02103 00500	PB PB	100 gm 500 gm	325 1180
Potassium Ferricyanide AR (Cas No. 13746-66-2) (potassium hexacyanoferrate (III)) Assay : Min 99% $\text{K}_3\text{Fe}(\text{CN})_6$ M.W. 329.24	02104 00100 02104 00500	PB PB	100 gm 500 gm	340 1540
Potassium Ferrocyanide (trihydrate) [potassium hexacyanoferrate (II)] Assay : Min. 98% $\text{K}_4[\text{Fe}(\text{CN})_6] \cdot 3\text{H}_2\text{O}$ M.W. 422.39 (Cas No. 14459-95-1)	02105 00500 02105 05000	PB PC	500 gm 5 kg	645 5385
Potassium Ferrocyanide AR (trihydrate) [potassium hexacyanoferrate (II)] Assay : Min 98% $\text{K}_4[\text{Fe}(\text{CN})_6] \cdot 3\text{H}_2\text{O}$ M.W. 422.39 (Cas No. 14459-95-1)	02106 00500 02106 05000	PB PB	500 gm 5 kg	715 6105
Potassium Fluoride (anhydrous) (Cas No. 7789-23-3) Assay : Min 97% KF M.W. 58.10	02107 00500 02107 05000	PB PC	500 gm 5 kg	720 6120
Potassium Fluoride (anhydrous) AR (Cas No. 7789-23-3) Assay : Min 99% KF M.W. 58.10	02108 00500	PB	500 gm	1390
Potassium Formate Extra Pure (Cas No. 590-29-4) (formic acid potassium salt) Assay : Min 99% HCOOK M.W. 84.12	02109 00100 02109 00500	PB PC	100 gm 500 gm	365 1075
Potassium Formate AR (Cas No. 590-29-4) (formic acid potassium salt) Assay : Min 99% HCOOK M.W. 84.12	02110 00500	PB	500 gm	1495
Potassium Hydrogen Phthalate (Cas No. 877-24-7) (potassium biphthalate) Assay : Min 99.5% $\text{C}_8\text{H}_5\text{KO}_4$ M.W. 204.22	02111 00500 02111 05000	PB PB	500 gm 5 kg	435 3715
Potassium Hydrogen Phthalate AR (Cas No. 877-24-7) (potassium biphthalate) Assay : Min 99.5% $\text{C}_8\text{H}_5\text{KO}_4$ M.W. 204.22	02112 00500 02112 05000	PB PB	500 gm 5 kg	540 4590
Potassium Hydrogen Phthalate (Cas No. 877-24-7) (For HPLC) Assay : Min 99.5% $\text{C}_8\text{H}_5\text{KO}_4$ M.W. 204.22	02113 00500	PB	500 gm	1795
di-Potassium Hydrogen Orthophosphate See Potassium phosphate dibasic Page No. 130 & 131				
Potassium Hydrogen Sulphate See Potassium Bisulphate Page No. 126				
Potassium Hydrogen (+) Tartrate See Potassium Bitartrate Page No. 126				
Potassium Hydroxide Flakes (Cas No. 1310-58-3) (Caustic potash) Assay : Min 85% KOH M.W. 56.11	02114 00500 02114 05000	PB PC	500 gm 5 kg	305 2880
Potassium Hydroxide Pellets (Cas No. 1310-58-3) (Caustic potash) Assay : Min 85% KOH M.W. 56.11	02115 00500 02115 05000	PB PC	500 gm 5 kg	365 2880
Potassium Hydroxide Pellets AR (Cas No. 1310-58-3) (Caustic potash) Assay : Min 85.0-100.5% KOH M.W. 56.11	02116 00500 02116 05000	PB PC	500 gm 5 kg	410 3240
Potassium Hydroxide N/10 solution (0.1N) (solution in water) Liquid, d. 1.00	02117 00500	PB	500 ml	320
Potassium Hydroxide 0.1M (0.1N) in Ethanol Standardized Solution	02118 00500	PB	500 ml	430

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Potassium Hydroxide 40% Solution (for analysis), Liquid, d. 1.51	02119 00500	PB	500 ml	335
Potassium Hydroxide 45% (aqueous solution) AR, Liquid, d. 1.51	02120 00500	PB	500 ml	665
Potassium Hydroxide 0.5N (solution in water), Liquid, d. 1.00	02121 00500	PB	500 ml	460
Potassium Hydroxide 0.05M (0.05N) Standardized Solution, Liquid, d. 1.00	02122 00500	PB	500 ml	320
Potassium Hydroxide 0.1M (0.1N) Standardized Solution, Liquid, d. 1.00	02123 00500	PB	500 ml	320
Potassium Hydroxide 0.5M (0.5N) Standardized Solution, Liquid, d. 0.85	02124 00500	PB	500 ml	320
Potassium Hydroxide 1M(1N) Standardized Solution	02125 00500	PB	500 ml	320
Potassium Hydroxide 0.5M (0.5N) in Ethanol Standardized Solution	02126 00500	PB	500 ml	320
Potassium Hydroxide 1M (1N) in Methanol Standardized Solution,	02127 00500	PB	500 ml	320
Potassium Iodate (Cas No. 7758-05-6)	02128 00100	PB	100 gm	1150
	02128 00500	PB	250 gm	5105
Assay : Min. 99% KIO_3 M.W. 214.00	02128 05000	PC	500 gm	49405
Potassium Iodate AR (Cas No. 7758-05-6)	02129 00100	PB	100 gm	1310
	02129 00250	PB	250 gm	2995
Assay : Min. 99.5% KIO_3 M.W. 214.00	02129 00500	PB	500 gm	5530
Potassium Iodate 0.01667M (0.1N) Standardized Solution, Liquid, d.1.03	02130 00500	PB	500 ml	330
Potassium Iodate 0.0147M (0.08833N) Standardized Solution, Liquid, d.1.03	02131 00500	PB	500 ml	330
Potassium Iodate 0.05M (0.3N) Standardized Solution, Liquid, d.1.005	02132 00500	PB	500 ml	330
Potassium Iodide (for chromatography) (Cas No. 7681-11-0)	02133 00025	PB	25 gm	440
	02133 00100	PB	100 gm	1160
Assay : Min. 99.5% KI M.W. 166	02133 00250	PB	250 gm	2500
	02133 00500	PB	500 gm	4760
Potassium Iodide AR (Cas No. 7681-11-0)	02134 00025	PB	25 gm	490
	02134 00100	PB	100 gm	1525
Assay : Min. 99.8% KI M.W. 166	02134 00250	PB	250 gm	3440
	02134 00500	PB	500 gm	5395
Potassium Iodide 0.01M (0.1N) Standardized Solution, Liquid, d.1.00	02135 00500	PB	500 ml	305
Potassium Iodide 1M Standardized Solution	02136 00125	PB	125 ml	625
Potassium Iodide 3M Standardized Solution	02137 00125	PB	125 ml	750
Potassium Metabisulphite (Cas No. 16731-55-8)	02138 00500	PB	500 gm	360
Assay : Min. 95% $K_2S_2O_5$ M.W. 222.32	02138 05000	PC	5 kg	3085
Potassium Metabisulphite AR (Cas No. 16731-55-8)	02139 00500	PB	500 gm	625
Assay : Min. 96% $K_2S_2O_5$ M.W. 222.32	02139 05000	PC	5 kg	5245
Potassium Meta-periodate [potassium periodate (metal)] (Cas No. 7790-21-8)	02140 00100	PB	100 gm	1281
	02140 00500	PB	500 gm	5780
Assay : Min. 99% KIO_4 M.W. 230.00				
Potassium Meta-periodate AR (Cas No. 7790-21-8) [potassium periodate (metal)]	02141 00500	PB	100 gm	1420
	02141 00500	PB	500 gm	6180
Assay : Min. 99.8% KIO_4 M.W. 230.00				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Potassium Metavanadate Extra Pure (Cas No. 13769-43-2) [potassium vanadate (metal)]	02142 00100	PB	100 gm	1475
Assay : Min. 98% KVO_3 M.W. 138.04	02142 00500	PB	500 gm	5838
Potassium Nitrate Extra Pure (Cas No. 7757-79-1)	02143 00500	PB	500 gm	275
Assay : Min. 99% KNO_3 M.W. 101.10	02143 05000	PC	5 kg	2370
Potassium Nitrate AR (Cas No. 7757-79-1)	02144 00500	PB	500 gm	345
Assay : Min. 99.5% KNO_3 M.W. 101.10				
Potassium Nitrite (for Molecular Biology) (Cas No. 7757-79-1)	02145 00500	PB	500 gm	510
Assay : Min. 99% KNO_2 M.W. 101.1				
Potassium Nitrite Extra pure (Cas No. 7758-09-0)	02146 00500	PB	500 gm	1270
Assay : Min. 96% KNO_2 M.W. 85.10				
Potassium Nitrite AR (Cas No. 7758-09-0)	02147 00250	PB	250 gm	2487
Assay : Min. 97% KNO_2 M.W. 85.10	02147 00500	PB	500 gm	4450
Potassium Oxalate (monohydrate) (Cas No. 6487-48-5) (di-potassium oxalate)	02148 00500	PB	500 gm	420
Assay : Min. 99% $(COOK)_2.H_2O$ M.W. 184.23	02148 05000	PC	5 kg	3360
Potassium Oxalate AR (monohydrate) (di-potassium oxalate)	02149 00500	PB	500 gm	450
Assay : Min. 99.5% $(COOK)_2.H_2O$ M.W. 184.23 (Cas No. 6487-48-5)	02149 05000	PC	5 kg	3620
Potassium Perchlorate AR (Cas No. 7778-74-7)	02150 00100	PB	100 gm	2575
Assay : Min. 99.5% $KClO_4$ M.W. 138.55	02150 00500	PB	500 gm	9280
Potassium Permanganate (meta) See Potassium Metaperiodate Page No. 124				
Potassium Permanganate (Cas No. 7722-64-7) (purified crystals)	02151 00500	PB	500 gm	525
Assay : Min. 99% $KMnO_4$ M.W. 158.03	02151 05000	PC	5 kg	4935
Potassium Permanganate AR (Cas No. 7722-64-7)	02152 00500	PB	500 gm	570
Assay : Min. 99.5% $KMnO_4$ M.W. 158.03	02152 05000	PB	5 kg	5130
Potassium Permanganate 0.01M (0.05N) Standardized Solution, Liquid. d. 1.00	02153 00500	PB	500 ml	340
Potassium Permanganate 0.02M (0.1N) Standardized Solution, Liquid. d. 1.00	02154 00500	PB	500 ml	340
Potassium Permanganate 0.05M (0.25N) Standardized Solution, Liquid. d. 1.00	02155 00500	PB	500 ml	340
Potassium Permanganate 0.2M (1N) Standardized Solution, Liquid. d. 1.00	02156 00500	PB	500 ml	340
Potassium Permanganate 0.02mol/L (o.1N) Solution, Liquid. d. 1.00	02157 AMP04	AMP	4 AMP	490
When Diluted to 500 ml with Water (Concn. Of Solution in each ampoule is 1N) (2x2 amps. Of set in a Box)				
Potassium Persulphate (Cas No. 7727-21-1) (potassium peroxydisulphate)	02158 00500	PB	500 gm	465
Assay : Min. 98% $K_2S_2O_8$ M.W. 270.32	02158 05000	PC	5 kg	4280
Potassium Persulphate AR (Cas No. 7727-21-1) (potassium peroxydisulphate)	02159 00500	PB	500 gm	590
Assay : Min. 99% $K_2S_2O_8$ M.W. 270.32	02159 05000	PC	5 kg	4740
Potassium Phosphate dibasic (anhydrous) (Cas No. 7758-11-4) (di-potassium hydrogen orthophosphate)	02160 00500	PB	500 gm	460
Assay : Min. 98% K_2HPO_4 M.W. 174.18	02160 05000	PC	5 kg	3805

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Potassium Phosphate dibasic AR (anhydrous) (Cas No. 7758-11-4) (di-potassium hydrogen orthophosphate) Assay : Min. 99% K_2HPO_4 M.W. 174.18	02161 00500 02161 05000	PB PC	500 gm 5 kg	615 4925
Potassium Phosphate dibasic anhydrous (For Molecular Biology) (Cas No. 7758-11-4) Assay : Min. 99% K_2HPO_4 M.W. 174.18	02162 00100 02162 00500	PB PB	100 gm 500 gm	670 2986
Potassium Phosphate monobasic (anhydrous) (Cas No. 7778-77-0) (potassium hydrogen orthophosphate) Assay : Min. 98% KH_2PO_4 M.W. 136.09	02163 00500 02163 05000	PB PC	500 gm 5 kg	380 3480
Potassium Phosphate monobasic AR (anhydrous) (Cas No. 7778-77-0) (potassium hydrogen orthophosphate) Assay : Min. 99% KH_2PO_4 M.W. 136.09	02164 00500 02164 05000	PB PC	500 gm 5 kg	465 4050
Potassium Phosphate monobasic (anhydrous) (For Molecular Biology) (Cas No. 7778-77-0) Assay : Min. 99% KH_2PO_4 M.W. 136.09	02165 00100 02165 00500	PB PB	100 gm 500 gm	785 3645
Potassium Phthalimide (Cas No. 1074-82-4) (phthalimide potassium salt) Assay : Min. 98% $C_8H_4KNO_2$ M.W. 185.22	02166 00500	PB	500 gm	595
Potassium Pyroantimonate (Cas No. 12208-13-8) (potassium antimonite) Assay : Min. 98% $KSb(OH)_6$ M.W. 262.9	02167 00100 02167 00500	PB PB	100 gm 500 gm	1325 6055
Potassium Pyroantimonate AR (Cas No. 12208-13-8) (potassium antimonite) Assay : Min. 99% $KSb(OH)_6$ M.W. 262.9	02168 00100 02168 00500	PB PB	100 gm 500 gm	1685 7925
Potassium Pyroantimonate reagent solution	02169 00100 02169 00500	PB PB	100 ml 500 ml	230 805
tetra-Potassium Pyrophosphate (Cas No. 7320-34-5) Assay : Min. 97% $K_4P_2O_7$ M.W. 330.34	02170 00500	PB	500 gm	670
tetra-Potassium Pyrophosphate AR (Cas No. 7320-34-5) Assay : Min. 97% $K_4P_2O_7$ M.W. 262.9	02171 00500	PB	500 gm	1975
Potassium Pyrosulphate (Cas No. 7790-62-7) (potassium disulphate) Assay : Min. 97% $K_2S_2O_7$ M.W. 254.33	02172 00250 02172 00500	PB PB	250 gm 500 gm	3000 4885
Potassium Silicate Solution Liquid, d. 1.26	02173 00500 02173 05000	PB PC	500 ml 5 lt	325 1400
Potassium Silico Fluoride (Cas No. 16871-90-2) Assay : Min. 98% K_2SiF_6 M.W. 220.27	02174 00500	PB	500 gm	270
Potassium Sodium Tartrate (tetrahydrate) (Cas No. 6381-59-5) (Rochelle salt) (sodium potassium tartrate) Assay : Min. 98% $C_4H_4KNaO_6 \cdot 4H_2O$ M.W. 282.22	02175 00500 02175 05000	PB PC	500 gm 5 kg	795 6860
Potassium Sodium Tartrate AR (tetrahydrate) (Cas No. 6381-59-5) (Rochelle salt) (sodium potassium tartrate) Assay : Min. 99% $C_4H_4KNaO_6 \cdot 4H_2O$ M.W. 282.22	02176 00500 02176 05000	PB PC	500 gm 5 kg	890 7425
Potassium Sorbate (Cas No. 24634-61-5) Assay : Min. 99.5% $C_6H_7KO_2$ M.W. 150.22	02177 00500	PB	500 gm	995

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Potassium Sulphate (Cas No. 7778-80-5)	02178 00500	PB	500 gm	270
Assay : Min. 99% K_2SO_4 M.W. 174.26	02178 05000	PC	5 kg	2205
Potassium Sulphate AR (Cas No. 7778-80-5)	02179 00500	PB	500 gm	330
Assay : Min. 99.5% K_2SO_4 M.W. 174.26	02179 05000	PC	5 kg	2560
Potassium Sulphocyanide See Potassium Thiocyanate Page No. 127				
Potassium Tellurite (for microbiology) (Cas No. 123333-66-4)	02180 00025	GB	25 gm	3000
Assay (ex Te) : Min. 90% $K_2TeO_3 \cdot xH_2O$ M.W. 253.80 (anhydr. basis)	02180 00100	GB	100 gm	11010
Potassium Tert-Butoxide (hydrate) (potassium tert-butylate)	02181 00250	PB	250 gm	1725
Assay : Min. 98% C_4H_9KO M.W. 112.22 (Cas No. 865-47-4)	02181 00500	PB	500 gm	3140
Potassium Tetraoxalate (dihydrate) (Cas No. 6100-20-5)	02182 00500	PB	500 gm	880
Assay : Min. 99.5% $C_4H_3KO_8 \cdot 2H_2O$ M.W. 254.20				
Potassium Thiocyanate (Cas No. 333-20-0) (potassium sulphocyanide)	02183 00500	PB	500 gm	740
Assay : Min. 98% KSCN M.W. 97.18				
Potassium Thiocyanate AR (Cas No. 333-20-0) (potassium sulphocyanide)	02184 00500	PB	500 gm	875
Assay : Min. 99% KSCN M.W. 97.18				
Potassium Thiocyanate 0.1M (0.1N) Standardized Solution, Liquid, d. 1.00	02185 00500	PB	500 ml	340
Potassium Titanium Oxalate (Cas No. 14402-67-6)	02186 00100	PB	100 gm	1250
Assay : Min. 98% $C_4K_2O_9Ti \cdot 2H_2O$ M.W. 354.13	02186 00500	PB	500 gm	4480
Potassium Titanium Oxalate AR (Cas No. 14402-67-6)	02187 00100	PB	100 gm	1320
Assay : Min. 98.5% $C_4K_2O_9Ti \cdot 2H_2O$ M.W. 354.13	02187 00250	PB	250 gm	2870
Potassium Vanadate (meta) See Potassium Metavanadate Page No. 125				
Potato Starch See Starch Soluble Page No. 149				
PPO (Scintillation Grade) (Cas NO. 92-71-7) (2,5-diphenyloxazole)	02188 00025	PB	25 gm	1185
Assay : Min. 99% $C_{15}H_{11}NO$ M.W. 221.25	02188 00100	PB	100 gm	4315
Praseodymium Oxide AR (Cas No. 12037-29-5) (praseodymium (III, IV) oxide)	02189 00010	GB	10 gm	440
Assay : Min. 99.9% Pr_6O_{11} M.W. 1021.44	02189 00100	PB	100 gm	3550
Proflavin Hemisulphate (Dihydrate) (3,6-diaminoacridine hemisulphate)	02190 00010	GB	10 gm	2890
Assay : Min. 99% $C_{13}H_{11}N \cdot 0.5H_2SO_4 \cdot H_2O$ M.W. 258.29 (Cas No. 1811-28-5)	02190 00025	GB	25 gm	6605
L-Proline (for biochemistry)	02191 00005	GB	5 gm	90
(Cas No. 147-85-3)	02191 00025	PB	25 gm	335
Assay : Min. 99% $C_5H_9NO_2$ M.W.115.13	02191 00500	PB	500 gm	4445
Propane-1, 2-Diol See Propylene Glycol Page No. 133				
1-Propane Sulphonic Acid Sodium Salt AR & HPLC	02192 00005	GB	5 gm	585
(Cas No. 14533-63-2)	02192 00025	PB	25 gm	2385
Assay : Min. 99% $C_3H_7NaO_3S$ M.W. 146.14	02192 00100	PB	100 gm	7540
Propargyl Alcohol (for synthesis) (Cas No. 107-19-7) (2-propan-1-ol)	02193 00500	GB	500 ml	1540
Assay : Min. 99% C_3H_4 M.W. 56.06, Liquid, d. 0.963	02193 02500	GB	2.5 lt	6135
Propionaldehyde (for synthesis) (Cas No. 123-38-6)	02194 00500	GB	500 ml	895
Assay : Min. 98% C_3H_6O M.W. 58.08, Liquid, d. 0.805				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Propionic Acid (for synthesis) (Cas No. 79-09-4)	02195 00500	GB	500 ml	345
Assay : Min. 99% C ₃ H ₆ O ₂ M.W. 74.08, Liquid, d. 0.99	02195 02500	GB	2.5 lt	1580
Propionic Anhydride (for synthesis) (Cas No. 123-62-6)	02196 00500	GB	500 ml	940
Assay : Min. 99% C ₆ H ₁₀ O ₃ M.W. 130.14, Liquid, d. 1.015	02196 02500	GB	2.5 lt	4280
Propionitrile (for synthesis) (Cas No. 107-12-0) (ethyl cyanide)	02197 00250	GB	250 ml	1260
Assay : Min. 99% C ₃ H ₅ N M.W. 55.08, Liquid, d. 0.772	02197 01000	GB	1 lt	4430
Propiophenone (for synthesis) (Cas No. 93-55-0)	02198 00500	GB	500 ml	1655
Assay : Min. 99% C ₉ H ₁₀ O M.W. 134.18, Liquid, d. 1.009	02198 02500	GB	2.5 lt	7035
iso-Propyl Acetate (Cas No. 108-21-4)	02199 00500	GB	500 ml	430
Assay : Min. 98% C ₅ H ₁₀ O ₂ M.W. 102.13, Liquid, d. 0.872	02199 02500	GB	2.5 lt	1840
n-Propyl Acetate (Cas No. 109-60-4)	02200 00500	GB	500 ml	520
Assay : Min. 98% C ₅ H ₁₀ O ₂ M.W. 102.13, Liquid, d. 0.888	02200 02500	GB	2.5 lt	2285
iso-Propyl Alcohol (Cas No. 67-63-0) (propan-2-ol) (2-propanol)	02201 00500	GB	500 ml	295
Assay : Min. 99% C ₃ H ₈ O M.W. 60.10, Liquid, d. 0.786	02201 02500	GB	2.5 lt	980
	02201 05000	PC	5 lt	1705
iso-Propyl Alcohol AR (Cas No. 67-63-0) (propane-2-ol) (2-propanol)	02202 00500	GB	500 ml	345
Assay : Min. 99.5% C ₃ H ₈ O M.W. 60.10, Liquid, d. 0.786	02202 02500	GB	2.5 lt	1190
iso-Propyl Alcohol HPLC & Spectroscopy (propan-2-ol) (2-propanol)	02203 01000	GB	1 lt	1340
Assay : Min. 99.8% C ₃ H ₈ O M.W. 60.10, Liquid, d. 0.786 (Cas No. 67-63-0)				
n-Propyl Alcohol (Cas No. 71-23-8) (propan-1-ol)	02204 00500	PB	500 ml	355
Assay : Min. 99% CH ₃ -CH ₂ -CH ₂ OH M.W. 60.10, Liquid, d. 0.804	02204 02500	PB	2.5 lt	1455
	02204 05000	PC	5 lt	2685
n-Propyl Alcohol AR (Cas No. 71-23-8) (propan-1-ol)	02205 00500	GB	500 ml	435
Assay : Min. 99.5% CH ₃ -CH ₂ -CH ₂ OH M.W. 60.10, Liquid, d. 0.804	02205 02500	GB	2.5 lt	1670
n-Propyl Alcohol HPLC & Spectroscopy (Cas No. 71-23-8) (propan-1-ol)	02206 00500	GB	500 ml	1355
Assay : Min. 99.9% CH ₃ -CH ₂ -CH ₂ OH M.W. 60.10, Liquid, d. 0.804	02206 01000	GB	1 lt	3350
	02206 02500	GB	2.5 lt	6905
iso-Propylamine (Cas No. 75-31-0) (mono-iso-propylamine) (isopropylamine)	02207 00500	GB	500 ml	640
Assay : Min. 99% C ₃ H ₉ N M.W. 59.11, Liquid, d. 0.688	02207 02500	GB	2.5 lt	2890
n-Propylamine (Cas No. 107-10-8) (1-aminopropane)	02208 00500	GB	500 ml	565
Assay : Min. 99% C ₃ H ₉ N M.W. 59.11, Liquid, d. 0.719	02208 02500	GB	2.5 lt	2635
iso-Propyl Bromide (for synthesis) (Cas No. 75-26-3) (2-bromopropane)	02209 00500	GB	500 ml	1420
Assay : Min. 99% C ₃ H ₇ Br M.W. 122.99, Liquid, d. 1.31				
n-Propyl Bromide (for synthesis) (Cas No. 106-94-5) (1-bromopropane)	02210 00500	GB	500 ml	1530
Assay : Min. 99% C ₃ H ₇ Br M.W. 122.99, Liquid, d. 1.354				
Propylene Carbonate (for synthesis) (Cas No. 108-32-7)	02211 00500	PB	500 ml	1890
Assay : Min. 99% C ₄ H ₆ O ₃ M.W. 102.09, Liquid, d. 1.204	02211 02500	PB	2.5 lt	9885
Propylene Glycol (Cas No. 57-55-6) (propane-1, 2-diol)	02212 00500	PB	500 ml	395
Assay : Min. 99% C ₃ H ₈ O ₂ M.W. 76.09, Liquid, d. 1.036	02212 02500	PB	2.5 lt	1565

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Propylene Glycol AR (Cas No. 57-55-6) (propane-1, 2-diol)	02213 00500	GB	500 ml	435
Assay : Min. 99.5% C ₃ H ₈ O ₂ M.W. 76.09, Liquid, d. 1.036	02213 02500	GB	2.5 lt	1880
Propylene Glycol Monomethyl Ether (for synthesis) (1-methoxy-2-propanol)	02214 01000	GB	1 lt	780
Assay : Min. 98% C ₄ H ₁₀ O ₂ M.W. 90.12, Liquid, d. 0.922 (Cas No. 107-98-2)	02214 02500	GB	2.5 lt	1750
n-Propyl Gallate (antioxidant) (Cas No. 121-79-9)	02215 00100	PB	100 gm	880
(n-propyl-3,4,5-trihydroxy benzoate)	02215 00500	PB	500 gm	3780
Assay : Min. 98% C ₁₀ H ₁₂ O ₅ M.W. 212.20				
Propyl-P-Hydroxy Benzoate (Cas No. 94-13-3)	02216 00500	PB	500 gm	1205
(propyl paraben) (nipasol plain)	02216 05000	PC	5 kg	9885
Assay : Min. 99% C ₁₀ H ₁₂ O ₃ M.W. 180.20				
Propyl-P-Hydroxy Benzoate Sodium Salt (Cas No. 35285-69-9)	02217 00500	PB	500 gm	1335
(propyl paraben sodium salt) (nipasol sodium)	02217 05000	PC	5 kg	11075
Assay : Min. 99% C ₁₀ H ₁₁ NaO ₃ M.W. 202.18				
iso-Propyl Myristate (Cas No. 110-27-0)	02218 00500	GB	500 ml	780
Assay : Min. 98% C ₁₇ H ₃₄ O ₂ M.W. 270.45, Liquid, d. 0.85				
Propyl Paraben See Propyl-p-Hydroxy Benzoate Page No. 134				
Proteose Peptone (Cas No. 100209-45-8)	02219 00100	PB	100 gm	435
(culture media ingredient)	02219 00500	PB	500 gm	1585
Pundina Oil	02219A 00100	GB	100 ml	1705
Liquid, d. 0.898	02219A 00250	GB	250 ml	3605
Pumice Stone granular (for elementary analysis) (Cas No. 1332-09-8)	02220 00500	PB	500 gm	2535
Pyrazinamide Extra Pure	02221 00005	GB	5 gm	1485
(Cas No. 98-96-4) (for lab use)	02221 00025	GB	25 gm	4430
Assay : Min. 98% C ₅ H ₅ N ₃ O M.W. 123.11	02221 00100	PB	100 gm	11955
Pyridine	02222 00250	GB	250 ml	420
(Cas No. 110-86-1)	02222 00500	GB	500 ml	790
Assay : Min. 99% C ₅ H ₅ N M.W. 79.10, Liquid, d. 0.982	02222 02500	GB	2.5 lt	3690
Pyridine AR (Cas No. 110-86-1)	02223 00250	GB	250 ml	470
Assay : Min. 99.5% C ₅ H ₅ N M.W. 79.10, Liquid, d. 0.982	02223 00500	GB	500 ml	3720
Pyridine HPLC & Spectroscopy	02224 00500	GB	500 ml	1135
(Cas No. 110-86-1)	02224 02500	GB	2.5 lt	4995
Assay : Min. 99.5% C ₅ H ₅ N M.W. 79.10, Liquid, d. 0.982				
Pyridinium Chlorochromate Extra Pure	02225 00100	PB	100 gm	1420
(Cas No. 26299-14-9)	02225 00500	PB	500 gm	4970
Assay : Min. 98% C ₅ H ₅ NClCrO ₃ H M.W. 215.56				
Pyridoxine Hydrochloride (for biochemistry)	02226 00025	PB	25 gm	420
(Cas No. 58-56-0) (Vitamin B ₆)	02226 00100	PB	100 gm	1495
Assay : Min. 99% C ₈ H ₁₂ ClNO ₃ M.W. 205.64	02226 00500	PB	500 gm	5705
1-(2-Pyridylazo)-2-Naphthol See Pan indicator Page No. 117				
4-(2-Pyridylazo) Resorcinol Monosodium Salt Indicator AR See Par Indicator Page No. 117				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
3-(2-Pyridyl)-5, 6-Diphenyl 1,2,4-Triazine AR (PDT) (Cas No. 1046-56-6)	02227 00001	GB	10 gm	1925
[5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine]	02227 00005	GB	5 gm	7880
Assay : Min. 99% $C_{20}H_{14}N_4$ M.W. 310.36				
3-(2-Pyridyl)-5, 6-Diphenyl 1,2,4-Triazine-4, 4-Disulphonic Acid Disodium Salt	02228 00001	GB	1 gm	3490
AR (hydrate) (Cas No. 28048-33-1) (PDT sulphonate disodium salt)	02228 00005	GB	5 gm	13960
Assay : Min. 99% $C_{20}H_{12}N_4Na_2O_6S_2$ M.W. 514.44				
Pyrocatechol (Cas No. 120-80-9) (catechol) (o-dihydroxybenzene)	02229 00100	GB	100 gm	290
Assay : Min. 98% $C_6H_4(OH)_2$ M.W. 110.11	02229 00500	GB	500 gm	895
Pyrocatechol AR (Cas No. 120-80-9) (catechol) (o-dihydroxybenzene)	02230 00100	GB	100 gm	955
Assay : Min. 99% $C_6H_4(OH)_2$ M.W. 110.11	02230 00500	GB	500 gm	4010
3,5-Pyrocatechol Disulphonic Acid Disodium Salt AR See Tiron Page No. 164				
Pyrocatechol Violet See Catechol Violet Page No. 40				
Pyrogallol (for synthesis)	02231 00025	PB	25 gm	530
(Cas No. 87-66-1) (pyrogallic acid)	02231 00100	PB	100 gm	1565
Assay : Min. 98% $C_6H_6O_3$ M.W. 126.11	02231 00500	PB	500 gm	6925
Pyrogallol AR (Cas No. 87-66-1) Pyrogallol Reagent Solution	02232 00025	GB	25 gm	565
(pyrogallic acid)	02232 00100	GB	100 gm	1690
Assay : Min. 98.5% $C_6H_6O_3$ M.W. 126.11	02232 00500	GB	500 gm	7280
Pyrogallol Reagent Solution, Liquid, d. 1.082	02232A 00500	GB	500 ml	745
Pyrogallol Red AR (Cas No. 32638-88-3)	02233 00001	GB	1 gm	845
$C_{19}H_{12}O_8S$ M.W. 400.36				
Pyronin B (C.I.No. 45010) (Cas No. 2150-48-3)	02234 00005	GB	5 gm	1645
Dye Content : Min. 30% $C_{42}H_{54}Cl_8Fe_2N_4O_2$ M.W. 1042.22				
Pyronin G (Y) (M.S.) (C.I.No. 45005) (Cas No. 92-32-0)	02235 00005	GB	5 gm	1745
Dye Content : Min. 75% $C_{17}H_{19}ClN_2O$ M.W. 302.80	02235 00025	GB	25 gm	6785
Pyrrolidine (for synthesis) (Cas No. 123-75-1)	02236 00250	GB	250 ml	2680
Assay : Min. 99% C_4H_9N M.W. 71.12, Liquid, d. 0.86	02236 01000	GB	1 lt	8520
Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt AR See Ammonium Tetramethylene Dithiocarbamate Page No. 15				
2-Pyrrolidone (for synthesis) (Cas No. 616-45-5) (2-pyrrolidione)	02237 00500	GB	500 ml	1435
Assay : Min. 98% C_4H_7NO M.W. 85.10, Liquid, d. 1.12	02237 02500	GB	2.5 lt	6095
Pyruvic Acid Sodium Salt See Sodium Pyruvate Page No. 151				

Quartz Powder (purified) (Cas No. 14808-60-7) SiO_2 M.W. 60.08	02238 00500	PB	500 gm	1825
Quinaldine (for synthesis) (Cas No. 91-63-4) (2-methylquinoline)	02239 00100	GB	100 ml	1410
Assay : Min. 98% $C_{10}H_9N$ M.W. 143.19, Liquid, d. 1.061	02239 00500	GB	500 ml	6130
Quinaldine Red indicator (Cas No. 117-92-0)	02240 00001	GB	1 gm	1620
Assay : Min. 95% $C_{21}H_{23}N_2$ M.W. 430.32	02240 00005	GB	5 gm	6525
Quinhydrone Extra Pure (Cas No. 106-34-3)	02241 00100	GB	100 gm	945
Assay : Min. 97% $C_{12}H_{10}O_4$ M.W. 218.21	02241 00500	GB	500 gm	4025

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Quinhydrone AR (Cas No. 106-34-3) C ₁₂ H ₁₀ O ₄ M.W. 218.21	02242 00100	GB	100 gm	1250
	02242 00500	GB	500 gm	5600
Quinizarin (for synthesis) (C.I. No. 58050) (Cas NO. 81-64-1) (1,4-dihydroxy anthraquinone) Assay : Min. 96% C ₁₄ H ₈ O ₄ M.W. 240.21	02243 00025	GB	25 gm	2545
	02243 00100	GB	100 gm	7610
Quinol See Hydroquinone Page No. 83				
Quinoline (Cas No. 91-22-5) Assay : Min. 98% C ₉ H ₇ N M.W. 129.16, Liquid, d. 1.094	02244 00500	GB	500 ml	2545
Quinoline Yellow (for microscopy) (C.I. No. 47000) (Cas No. 8004-92-0) C ₁₉ H ₉ NNa ₂ O ₈ S ₂ M.W. 477.38	02245 00025	GB	25 gm	1205

***** **R**

D-Raffinose (pentahydrate) AR (melitose) (Cas No. 17629-30) Assay : Min. 99% C ₁₈ H ₃₂ O ₁₆ .5H ₂ O M.W. 594.51	02246 00010	GB	10 gm	715
	02246 00025	GB	25 gm	1345
Raney Nickel Catalyst Alloy See Nickel Aluminium Alloy powder Page No. 111				
R.B.C. Diluting fluid See Gower's Solution Page No. 77				
Resazurin AR (Cas No. 62758-13-8) (resazurin sodium salt) Dye Content : Min. 80% C ₁₂ H ₆ NNaO ₄ M.W. 251.17	02247 00001	GB	1 gm	970
	02247 00005	GB	5 gm	4270
Resazurin Sodium Salt See Resazurin Page No. 134				
Resazurin Reagent solution	02248 00500	GB	500 ml	890
Reserpine (Cas No. 50-55-5) Assay : Min. 99% C ₃₃ H ₄₀ N ₂ M.W. 608.68	02249 00001	GB	1 gm	2975
	02249 00005	GB	5 gm	11905
Resorcinol (flakes) (Cas No. 108-46-3) (for synthesis) Assay : Min. 99% C ₆ H ₆ O ₂ M.W. 110.11	02250 00100	PB	100 gm	410
	02250 00250	PB	250 gm	890
	02250 00500	PB	500 gm	1485
	02250 05000	PB	5 kg	12820
Resorcinol AR (flakes) (Cas No. 108-46-3) Assay : Min. 99% C ₆ H ₆ O ₂ M.W. 110.11	02251 00100	PB	100 gm	490
	02251 00500	PB	500 gm	1940
L (+) Rhamnose AR (monohydrate) (for biochemistry) (Cas no. 10030-85-0) Assay : Min. 99% C ₆ H ₁₂ O ₅ .H ₂ O M.W. 182.17	02252 00005	GB	5 gm	640
	02252 00025	GB	25 gm	2658
Rhodamine B AR (M.S.) (Cas No. 81-88-9) (C.I. No. 45170) Dye Content : Min. 85% C ₂₈ H ₃₁ ClN ₂ O ₃ M.W. 479.01	02253 00025	PB	25 gm	260
	02253 00100	PB	100 gm	865
	02253 00500	PB	500 gm	3415
Rhodamine-6 G (C.I. No. 45160) (Cas No. 989-38-8) Dye Content : Min. 99% C ₂₈ H ₃₀ N ₂ O ₃ HCl M.W. 479.02	02254 00025	PB	25 gm	950
	02254 00100	PB	100 gm	2360
Rhodium Trichloride (Rh 40%) (trihydrate) (for synthesis)(Cas No. 13569-65-8) Assay (ex Rh) : Min. 40% RhCl ₃ .3H ₂ O M.W. 263.31	02255 00001	GB	1 gm	10015
Rhodizonic Acid Sodium Salt See Sodium Rhodizionate Page No. 151				
Ribitol See Adonitol Page No. 151				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Riboflavin (Cas No. 83-88-5) (C.I. No. 45170)	02256 00010	GB	10 gm	255
Assay : Min. 99% $C_{17}H_{20}N_4O_6$ M.W. 376.36	02256 00025	GB	25 gm	545
	02256 00100	GB	100 gm	1805
D (+) Ribose (for biochemistry) (Cas No. 50-69-1)	02257 00005	GB	5 gm	295
Assay : Min. 99% $C_5H_{10}O_5$ M.W. 150.13	02257 00025	GB	25 gm	1035
Rice Bran Oil (Cas No. 68553-81-1) Liquid, d. 0.919	02257A 00500	GB	500 ml	2585
Rice Starch (starch rice) (Cas No. 9005-25-8) (C ₆ H ₁₀ O ₅) _n	02258 00500	PB	500 gm	665
Ringer's Solution	02258A 00125	PB	125 ml	195
Liquid, d. 1.00	02258A 00500	PB	500 ml	590
Rochelle Salt See Potassium Sodium Tartrate Page No. 131				
Robert's Reagent Solution	02258B 00125	PB	125 ml	140
	02258B 00500	PB	500 ml	435
p-Rosaniline (base) (M.S.) (C.I. No. 42500) (Cas No. 467-62-9) (pararosaniline)	02259 00025	PB	25 gm	1670
Dye Content : Min. 95% $C_{19}H_{19}N_3O$ M.W. 305.37	02259 00100	PB	100 gm	4890
p-Rosaniline Hydrochloride (M.S.) (C.I. No. 42500) (Cas No. 569-61-9)	02260 00025	GB	25 gm	1445
Dye Content : Min. 88% $C_{19}H_{18}ClN_3$ M.W. 323.82	02260 00100	GB	100 gm	4425
Rosaniline Hydrochloride See Basic Fuchsin Page No. 21				
Rose Bengal AR (C.I. No. 45440) (Cas No. 632-69-9)	02261 00025	GB	25 gm	860
Dye Content : Min. 95% $C_{20}H_2Cl_4Na_2O_5$ M.W. 1017.64	02261 00100	GB	100 gm	2888
Rosemary Oil Extra Pure (Cas No. 8000-25-7) Liquid, d. 0.908	02261A 00500	GB	500 ml	2420
Rose Oil Extra Pure (Cas No. 8007-01-0)	02261B 00250	GB	250 ml	2730
Liquid, d. 0.964	02261B 00500	GB	500 ml	4855
p-Rosolic Acid See Aurin Page No. 19				
Rubeanic Acid AR (Cas No. 79-40-3) (dithioamide)	02262 00005	GB	5 gm	2895
Assay : Min. 98% $C_2H_4N_2S_2$ M.W. 120.20	02262 00010	GB	10 gm	5010
Rubeanic Acid Solution (Dithioamide Solution) Liquid, d. 0.79-0.86	02263 00100	GB	100 ml	1357
Rubidium Chloride AR (Cas No. 7791-11-9)	02264 00005	GB	5 gm	1785
Assay : Min. 99.5% RbCl M.W. 120.92	02264 00025	GB	25 gm	7430
Ruthenium Oxide (Hydrate)(Ru Content 44%, Hygroscopic)(Cas No.32740-79-7)	02265 00001	GB	1 gm	4215
Assay : Min. 99.5% $RuO_2 \cdot xH_2O$ M.W. 133.07 (Anhydr. Basis)				
Ruthenium Red (Ru 34%) (Cas No. 11103-72-3)	02266 00001	GB	1 gm	2165
Assay : Min. 99% $Cl_6H_{42}N_{14}O_2 Ru_3$ M.W. 786.35	02266 00010	GB	10 gm	18065
Ruthenium Red Solution	02267 00125	GB	125 ml	795
Ruthenium Trichloride (Ru Content About 40%) (Cas No. 14898-67-0)	02909 00001	GB	1 gm	1620
Assay : Min. 38.0-42% (Ru Basis) $RuCl_3 \cdot xH_2O$ M.W. 207.43 (Anhydr.basis)	02909 00010	GB	10 gm	14015
Ruthenium Trichloride (Ru Content About 48%) (Cas No. 14898-67-0)	02910 00001	GB	1 gm	1820
Assay : Min. 40-49% (Ru Basis) $RuCl_3 \cdot xH_2O$ M.W. 207.43 (Anhydr.basis)	02910 00010	GB	10 gm	15995
Rutin (trihydrate) (Cas No. 250249-75-3)	02268 00025	GB	25 gm	850
Assay : Min. 90% $C_{27}H_{30}O_{16} \cdot 3H_2O$ M.W. 664.56	02268 00100	GB	100 gm	2585

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Saccharin Insoluble (Cas No. 81-07-2) Assay : Min. 99% $C_7H_5NO_3S$ M.W. 183.18	02269 00500	PB	500 gm	2105
Saccharin Sodium Extra Pure (Cas No. 82385-42-0) Assay : Min. 98% $C_7H_4NNaO_3S \cdot xH_2O$ M.W. 205.17 (Anhy Basis)	02270 00100 02270 00500	PB PB	100 gm 500 gm	595 1955
Safranine (Cas No. 477-73-6) (M.S.) (C.I.No. 50240) Dye Content : Min. 85% $C_{20}H_{19}ClN_4$ M.W. 350.84	02271 00025 02271 00100 02271 00500	PB PB PB	25 gm 100 gm 500 gm	480 1570 7385
Safranine alcoholic staining solution	02272 00125 02272 00250	PB PB	125 ml 250 ml	145 400
Safranine Stain (Gram's) staining solution	02273 00125 02273 00500	PB PB	125 ml 500 ml	245 460
Salicin (for microbiology) (Cas No. 138-52-3) Assay : Min. 99% $C_{13}H_{18}O_7$ M.W. 286.28	02274 00005 02274 00025	GB GB	5 gm 25 gm	1320 5395
Salicylaldehyde (for synthesis) (Cas No. 90-02-8) (2-hydroxybenzaldehyde) Assay : Min. 99% $C_7H_6O_2$ M.W. 122.12, Liquid, d. 1.146	02275 00100 02275 00250	GB GB	100 ml 250 ml	890 1585
Salicylaldoxime AR (Cas No. 94-67-7) (salicylaldehyde oxime) Assay : Min. 98% $C_7H_7NO_2$ M.W. 137.14	02276 00005 02276 00025	GB GB	5 gm 25 gm	350 1495
Salicylamide Extra Pure (Cas No. 65-45-2) Assay : Min. 99% $C_7H_7NO_2$ M.W. 137.14	02277 00500	PB	500 gm	835
Salicylic Acid Extra Pure (Cas No. 69-27-7) Assay : Min. 99% $C_7H_6O_3$ M.W. 138.12	02278 00500 02278 05000	PB PB	500 gm 5 kg	490 4780
Salicylic Acid AR (Cas No. 69-27-7) Assay : Min. 99.5% $C_7H_6O_3$ M.W. 138.12	02279 00500	PB	500 gm	530
Samarium Oxide AR (Cas No. 12060-58-1) Assay : Min. 99.9% Sm_2O_3 M.W.348.72	02280 00010 02280 00025	GB GB	10 gm 25 gm	785 1590
Sandal Wood Oil Extra Pure (Cas No. 8006-87-9) Liquid, d. 0.974	02280A 00005 02280A 00025 02280A 00100	GB GB GB	5 ml 25 ml 100 ml	3515 11715 36165
Saponin (Cas No. 8047-15-2) (purified)	02281 00025 02281 00100 02281 00500	PB PB PB	25 gm 100 gm 500 gm	980 3450 12080
Saponin (from Plant) (For molecular Biology) (Cas No. 8047-15-2) Assay : Min. 99.9% Sm_2O_3 M.W.348.72	02282 00100 02282 00500	PB PB	100 gm 500 gm	6915 28515
Sassafras Oil Extra Pure (Cas No. 8006-80-2) Liquid,d.1.09	02282A 00500	PB	500 ml	5935
Schiff's Reagent solution (feulgen solution)	02283 00125 02283 00500	GB GB	125 ml 500 ml	130 340
Schultze's Reagent Solution (Chlor- zinc- iodine solution)	02283A 00125 02283A 00500	GB GB	125 ml 500 ml	765 2375
Seasand (Purified) (40-150 Mesh) (Cas No. 14808-60-7)	02284 01000	PB	1 kg	2860

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sebaccic Acid (for synthesis) (Cas No. 111-20-6) Assay : Min. 98% $C_{10}H_{18}O_4$ M.W. 202.25	02285 00500	PB	500 gm	615
Selenium AAS Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.0060	02286 00125 02286 00500	GB GB	125 ml 500 ml	635 2385
Selenium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.010	00286A 00125	GB	125 ml	4635
Selenium (metal) Pellets (electronic grade) (Cas No. 7782-49-2) Assay : Min. 99.99% Se M.W. 78.96	02287 00025 02287 00100	GB GB	25 gm 100 gm	4930 15990
Selenium (metal) Powder (Cas No. 7782-49-2) Assay : Min. 99% Se M.W. 78.96	02288 00025 02288 00100 02288 00500	PB PB PB	25 gm 100 gm 500 gm	1430 4270 18580
Selenium Powder Black AR (Cas No. 7782-49-2) Assay : Min. 99.5% Se M.W. 78.96	02289 00025 02289 00100	PB PB	25 gm 100 gm	1590 5795
Selenium Dioxide (sublimed) (Cas No. 7446-08-4) Assay : Min. 99% SeO_2 M.W. 110.96	02290 00100 02290 00500	PB PB	100 gm 500 gm	3955 14235
Selenous Acid (Cas No. 7783-00-8) (selenious acid) Assay : Min. 98% H_2SeO_3 M.W. 128.97	02291 00100	PB	100 gm	3620
Seliwanoff's Reagent Solution	02292 00125 02292 00500	GB GB	125 ml 500 ml	200 595
Semens Diluting Fund Solution Liquid, d. 1.03	02292A 00125 02292A 00500	GB GB	125 ml 500 ml	185 560
Semicarbazide Hydrochloride (for synthesis) (Cas No. 563-41-7) Assay : Min. 98% $CH_5N_3O.HCl$ M.W. 111.53	02293 00100 02293 00500	GB GB	100 gm 500 gm	435 1765
Semicarbazide Hydrochloride AR (Cas No. 563-41-7) Assay : Min. 99.5% $CH_5N_3O.HCl$ M.W. 111.53	02294 00100 02294 00500	PB PB	100 gm 500 gm	585 2040
L-serine (Cas No. 56-45-1) (for biochemistry) Assay : Min. 99% $C_3H_7NO_3$ M.W.105.09	02295 00005 02295 00025 02295 00100	GB GB GB	5 gm 25 gm 100 gm	175 690 2105
DL-Serine (purified) (Cas No. 302-84-1) Assay : Min. 99% $C_3H_7NO_3$ M.W. 105.09	02296 00025 02296 00100	PB PB	25 gm 100 gm	1095 2800
Sesame Oil Extra Pure (Cas No. 8008-74-0) Liquid, d. 0.920	02296A 00500	GB	500 ml	1165
Shark Liver Oil Liquid, d. 0.910- 0.930	02296B 00250 02296B 00500	GB GB	250 ml 500 ml	2325 4345
Shellac Flakes Extra Pure (Cas No. 9000-59-3)	02297 00500 02297 05000	PB PC	500 gm 5 kg	1585 12445
Shorr's Staining Solution, Liquid, d. 0.935	02298 00125	PB	125 ml	145
Silica Gel White (6-20 mesh) (Cas No. 112926-00-8) (course, self indicating)	02299 00500 02299 05000	PB PC	500 gm 5 kg	245 3250
Silica Gel (60-120 mesh) (Cas No. 112926-00-8) (for coloumn chromatography)	02300 00500 02300 05000	PB PC	500 gm 5 kg	420 3610

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Silica Gel (100-200 mesh) (Cas No. 112926-00-8)	02301 00500	PB	500 gm	495
(for coloumn chromatography)	02301 05000	PC	5 kg	3865
Silica Gel (200-400 mesh) (Cas No. 112926-00-8)	02302 00500	PB	500 gm	570
(Special for column chromatography) Partical size (200-400 mesh) : Min. 75%	02302 05000	PC	5 kg	4645
Silica Gel (230-240 mesh) (Cas No. 112926-00-8)	02303 00500	PB	500 gm	590
(For Column Chromatography)	02303 05000	PC	5 kg	5020
Silica Gel G for TLC (Cas No. 112926-00-8)	02304 00500	PB	500 gm	445
(With Binder)	02304 05000	PC	5 kg	3625
Silica Gel Gf 254 for TLC (with binder) (Cas No. 112926-00-8)	02305 00500	PB	500 gm	2750
Silica Gel 'H' for TLC (without binder) (Cas No. 112926-00-8)	02306 00500	PB	500 gm	420
Silica Gel HF 254 for TLC (without binder) (Cas No. 112926-00-8)	02307 00500	PB	500 gm	2540
Silicic Acid (Dried precipitated) (Cas No. 1343-98-2)	02308 00500	PB	500 gm	465
Assay : Min. 99% SiO ₂ .H ₂ O M.W. 60.08.				
Silicon AAS Standard Solution	02308A 00125	GB	125 ml	620
1000mg/L in Water Liquid, d. 1.00	02308A 00500	GB	500 ml	1860
Silicon ICP Standard Solution, Liquid, d. 1.00	02308B 00125	GB	125 ml	4635
Silicon (metal) Powder Extra Pure (Cas No. 7440-22-3)	02309 00500	PB	500 gm	730
Assay : Min. 98.5% Si M.W. 28.09				
Silicon Dioxide (Cas No. 14808-60-7)	02310 00500	PB	500 gm	420
Assay : Min. 99% SiO ₂ M.W. 60.08				
Silicone Grease	02311 00050	PB	50 gm	175
(High Vaccum Silicone Graese)	02311 01000	PB	1 kg	2815
Silicon Oil (Cas No. 63148-62-9)	02312 00100	GB	100 ml	185
(for oil baths upto 2500C	02312 00250	GB	250 ml	420
[-Si(CH ₃) ₂ O-] _n Liquid, d. 0.967	02312 00500	GB	500 ml	670
Silicotungstic Acid AR (Cas No. 12027-43-9) (dodeca-tungstosilicic acid)	02313 00025	GB	25 gm	815
Assay : Min. 99% [H ₄ (Si W ₃ O ₁₀) ₄].xH ₂ O M.W. 2878.29	02313 00100	GB	100 gm	3540
Silver AAS Standard Solution	02314 00125	GB	125 ml	630
1000mg/L in Nitric Acid Liquid, d 1.01	02314 00500	GB	500 ml	2380
Silver ICP Standard Solution	02315 00125	GB	125 ml	4635
1000mg/L-in Nitric Acid Liquid,d.1.013				
Silver (metal) Powder	02315 00005	GB	5 gm	1745
(Cas No. 7440-22-4)	02315 00025	GB	25 gm	7010
Assay : Min. 99.9% Ag M.W. 107.87	02315 00100	GB	100 gm	25905
Silver (metal) Wire	02316 00005	GB	5 gm	1685
(Cas No. 7440-22-4)	02316 00025	GB	25 gm	6240
Assay : Min. 99.9% Ag M.W. 107.8	02316 00100	GB	100 gm	23350
Silver Acetate (Cas No. 563-63-3)	02317 00010	GB	10 gm	2295
(for synthesis)	02317 00025	GB	25 gm	4260
Assay : Min. 98% CH ₃ COOAg M.W. 166.91	02317 00100	GB	100 gm	15565

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Silver Bromide (Cas No. 7785-23-1)	02318 00010	GB	10 gm	2055
(for synthesis)	02318 00025	GB	25 gm	3835
Assay : Min. 99% AgBr M.W. 187.77	02318 00100	GB	100 gm	13875
Silver Carbonate Extra Pure	02319 00010	GB	10 gm	2995
(Cas No. 534-16-7)	02319 00025	GB	25 gm	5747
Assay : Min. 99% Ag ₂ CO ₃ M.W. 275.75	02319 00100	GB	100 gm	20665
Silver Chloride Extra Pure	02320 00010	GB	10 gm	2665
(Cas No. 7783-90-6)	02320 00025	GB	25 gm	5280
Assay : Min. 99% Ag ₂ Cl M.W. 143.32	02320 00100	GB	100 gm	18970
Silver Diethyl Dithiocarbamate AR (Cas No. 1470-61-7)	02320A 00005	GB	5 gm	1080
Assay : Min. 99% Ag ₂ Cr ₂ O ₇ M.W. 431.76	02320A 00025	GB	25 gm	4420
Silver Iodate Extra Pure	02320B 00010	GB	10 gm	2395
(Cas No. 7783-97-3)	02320B 00025	GB	25 gm	4885
Assay : Min. 95% AgIO ₃ M.W. 282.77	02320B 00100	GB	100 gm	17785
Silver Iodide Extra Pure	02321 00010	GB	10 gm	2170
(Cas No. 7783-96-2)	02321 00025	GB	25 gm	4680
Assay : Min. 99% AgI M.W. 234.77	02321 00100	GB	100 gm	16520
Silver Nitrate Extra Pure (Cas No. 7761-88-8)	02322 00010	GB	10 gm	1560
(double crystallised)	02322 00025	GB	25 gm	3250
Assay : Min. 99% AgNO ₃ M.W. 169.87	02322 00100	GB	100 gm	12140
Silver Nitrate AR (Cas No. 7761-88-8)	02323 00010	PB	10 gm	1670
(reagent for arsenic)	02323 00025	PB	25 gm	3900
Assay : Min. 99.9% AgNO ₃ M.W. 169.87	02323 00100	PB	100 gm	13140
Silver Nitrate (For Molecular Biology)	02324 00010	GB	10 gm	1850
(Cas No. 7761-88-8)	02324 00025	GB	25 gm	4410
Assay : Min. 99% AgNO ₃ M.W. 169.87	02324 00100	GB	100 gm	16720
Silver Nitrate N/10 Solution	02325 00100	GB	100 ml	445
Liquid, d. 1.015	02325 00500	GB	500 ml	1780
Silver Nitrate 0.05N Liquid, d. 1.01	02326 00100	GB	100 ml	220
Standardized Volumetric Solution	02326 00500	GB	500 ml	880
Silver Nitrate 1N (1M) Liquid, d. 1.014	02327 00100	GB	100 ml	3880
Standardized Volumetric Solution	02327 00500	GB	500 ml	17000
Silver Nitrate 0.01M (0.01N) Standardized Solution	02328 00100	GB	100 ml	85
Liquid,d.1.00	02328 00500	GB	500 ml	285
Silver Nitrate 0.5M (0.5N) Liquid, d. 1.014	02329 00100	GB	100 ml	1930
Standardized Solution	02329 00500	GB	500 ml	7660
Silver Nitrate N/50 Solution , Liquid, d. 1.015	02329A 00100	GB	100 ml	160
(Silver Nitrate 0.02N Solution)	02329A 00500	GB	500 ml	490
Silver Nitrate 0.1 mol/L (0.1N) Solution when diluted to 500 ml with water	02330 Amp04	Amp	4 amp	6980
(After diluting with water to 500 ml) (2 x 2 amps. Os set in a box)				
(Concn. Of solution in each ampoule is 1N)				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Silver Oxide Extra Pure	02331 00010	PB	10 gm	2935
(Cas No. 20667-12-3)	02331 00025	PB	25 gm	5865
Assay : Min. 97% Ag ₂ O M.W. 231.74	02331 00100	PB	100 gm	20315
	02331 00500	PB	500 gm	96450
Silver Paste (Cas No. 7440-22-4)	02332A 00025	GB	25 gm	3885
Silver Content : NMT 60% Ag M.W. 107.87				
Silver Sulphate Extra Pure (purified) (Cas No. 10294-26-5)	02332 00010	GB	10 gm	1815
Assay : Min. 98.5% Ag ₂ SO ₄ M.W. 311.80	02332 00025	PB	25 gm	4330
	02332 00100	PB	100 gm	15985
Silver Sulphate AR (Cas No. 10294-26-5)	02333 00010	GB	10 gm	1860
Assay : Min. 99% Ag ₂ SO ₄ M.W. 311.80	02333 00025	PB	25 gm	4425
	02333 00100	PB	100 gm	16355
Silver Sulphide Extra Pure (purified)	02333A 00010	GB	10 gm	1875
(Cas No. 10294-26-5)	02333A 00025	GB	25 gm	4505
Assay: Min. 98.5% Ag ₂ S M.W. 247.80	02333A 00100	GB	100 gm	17505
Silver Thiocyanate	02333B 00005	GB	5 gm	1025
(Cas No. 1701-93-5)	02333B 00010	GB	10 gm	1835
Assay : Min. 98% AgSCN M.W. 165.95	02333B 00025	GB	25 gm	3945
Silver Thiosulphate Solution (Plant Culture Tested) (Store at 2-80C)	02334 00100	PB	100 ml	495
Skim Milk Powder (for microbiology)	02335 00500	PB	500 gm	740
Smith's Reagent	02336 00250	PB	250 ml	105
Soda Lime (Granulars) (Cas No. 8006-28-8)	02337 00500	PB	500 gm	320
(For absorbing carbon dioxide)	02337 05000	PC	5 kg	2445
Soda Lime AR (with indicator) (Cas No. 8006-28-8)	02338 00500	PB	500 gm	1605
Sodamide (Cas No. 7782-92-5)	02339 00100	PB	100 gm	1595
Assay : Min. 98.5% NaNH ₂ M.W. 39.01	02339 00500	PB	500 gm	6535
Sodium AAS Standard Solution	02340 00125	GB	125 ml	615
1000mg/L in Nitric Acid Liquid, d. 0.11	02340 00500	GB	500 ml	2875
Sodium ICP Standard , Sodium 1000mg/L in Nitric Acid Liquid, d. 1.011	02340A 00125	GB	125 ml	4640
Sodium ICP Standard 10000mg/L in Nitric Acid	02340B 00125	GB	125 ml	6430
Sodium (Metal) Lumps (Cas No. 7440-23-5)	02341 00025	PB	25 gm	145
(Coated with liquid paraffin)	02341 00100	PB	100 gm	285
Assay : Min. 98% Na M.W. 22.99	02341 00500	PB	500 gm	1125
Sodium (metal) Lumps AR (coated with liquid paraffin) (Cas No. 7440-23-5)	02342 00100	PB	100 gm	500
Assay : Min. 98% Na M.W. 22.29	02342 00500	PB	500 gm	1425
Sodium Acetate (anhydrous) (Cas No. 127-09-3)	02343 00500	PB	500 gm	250
Assay : Min. 98% CH ₃ O ₂ Na M.W. 82.03	02343 05000	PC	5 kg	2085
Sodium Acetate AR (anhydrous) (Cas No. 127-09-3)	02344 00500	PB	500 gm	380
Assay : Min. 99% C ₂ H ₃ N9O2 M.W. 82.03				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Acetate (anhydrous) (for Molecular Biology) (Cas No. 127-09-3)	02345 00100	PB	100 gm	420
Assay : Min. 99% $\text{CH}_3\text{O}_2\text{Na}$ M.W. 82.03	02345 00500	PB	500 gm	1385
Sodium Acetate (For HPLC) (for Molecular Biology) (Cas No. 127-09-3)	02346 00500	PB	500 gm	1390
Assay : Min. 99% $\text{CH}_3\text{O}_2\text{Na}$ M.W.82.03				
Sodium Acetate (trihydrate) (Cas No. 6131-90-4) (Purified crystals)	02347 00500	PB	500 gm	190
Assay : Min. 99% $\text{CH}_3\text{COONa}\cdot 3\text{H}_2\text{O}$ M.W. 136.08	02347 05000	PB	5 kg	1130
Sodium Acetate AR (For Molecular Biology) (trihydrate) (Cas No. 6131-90-4)	02348 00500	PB	500 gm	235
Assay : Min. 99% $\text{CH}_3\text{COONa}\cdot 3\text{H}_2\text{O}$ M.W. 136.08				
Sodium Acid Phosphate See Sodium Phosphate monobasic Page No. 145				
Sodium Alginate Extra Pure (Cas No. 9005-38-3) (sodium polymannuronate)	02349 00500	PB	500 gm	1345
Assay : Min. 91-106% $\text{C}_6\text{H}_7\text{O}_6\text{Na}$	02349 05000	PC	5 kg	11825
Sodium Alginate (For Molecular Biology) (Cas No. 9005-38-3)	02350 00100	PB	100 gm	770
($\text{C}_6\text{H}_7\text{O}_6\text{Na}$)	02350 00500	PB	500 gm	3055
Sodium Arsenate AR (heptahydrate) (Cas No. 10048-95-0)	02351 00100	PB	100 gm	1380
(di-sodium hydrogen arsenate)	02351 00250	PB	250 gm	2580
Assay : Min. 98.5% $\text{Na}_2\text{HAsO}_4\cdot 7\text{H}_2\text{O}$ M.W. 312.01	02351 00500	PB	500 gm	4980
Sodium Arsenite AR (anhydrous)	02352 00100	PB	100 gm	2235
(Cas No. 7784-46-5)	02352 00250	PB	250 gm	4765
Assay : Min. 99% NaAsO_2 M.W. 129.91	02352 00500	PB	500 gm	8570
Sodium Arsenite 0.1 N (N/10) AR Volumetric Solution, Liquid, d. 1.00	02352A 00500	PB	500 ml	800
Sodium Arsenite 0.05M (0.1N) Standardized Solutuion Liquid, d. 1.05	02353 00500	PB	500 ml	330
Sodium Arsenite 0.005M (0.01N) Standardized Solutuion	02354 00500	PB	500 ml	340
Sodium Arsenite 0.15M (0.3N) Standardized Solutuion	02355 00500	PB	500 ml	340
Sodium L (+) Ascorbate (Cas No. 134-03-2) (ascorbic acid sodium salt)	02356 00100	GB	100 gm	790
Assay : Min. 99% $\text{C}_6\text{H}_7\text{NaO}_6$ M.W. 198.11	02356 00500	GB	500 gm	3185
Sodium Azide (Cas No. 26628-22-8)	02357 00100	GB	100 gm	365
Assay : Min. 99% NaN_3 M.W. 65.01	02357 00500	GB	500 gm	1725
Sodium Azide AR	02358 00100	PB	100 gm	435
Assay : Min. 99.5% NaN_3 M.W. 65.01	02358 00500	PB	500 gm	1890
Sodium Benzoate Extra Pure (Cas No. 532-32-1)	02359 00500	PB	500 gm	445
Assay : Min. 99% $\text{C}_6\text{H}_5\text{COONa}$ M.W. 144.10	02359 05000	PB	5 kg	3305
Sodium Benzoate AR (Cas No. 532-32-1)	02360 00500	PB	500 gm	675
Assay : Min. 99.5% $\text{C}_6\text{H}_5\text{COONa}$ M.W. 144.10				
Sodium Bicarbonate (Cas No. 144-55-8) (sodium hydrogen carbonate)	02361 00500	PB	500 gm	135
Assay : Min. 99.5-101% NaHCO_3 M.W. 84.01	02361 05000	PB	5 kg	1135
Sodium Bicarbonate AR (Cas No. 144-55-8) (sodium hydrogen carbonate)	02362 00500	PB	500 gm	180
Assay : Min. 99.5% NaHCO_3 M.W. 84.01	02362 50000	PC	50 kg	1440
Sodium Bicarbonate (For Molecular Biology) (Cas No. 144-55-8)	02363 00100	PB	100 gm	250
Assay : Min. 99.7% NaHCO_3 M.W. 84.01	02363 00500	PB	500 gm	995

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Bicarbonate (for HPLC) (Cas No. 144-55-8) Assay : Min. 99% NaHSeO ₃ M.W. 84.01	02364 00500	PB	500 gm	655
Sodium Biselenite (Cas No. 7782-82-3) (sodium hydrogen selenite) Assay : Min. 98% NaHSeO ₃ M.W. 150.96	02365 00100	GB	100 gm	3875
Sodium Bismuthate (Cas No. 12232-99-4) Assay : Min. 85% NaBiO ₃ M.W. 279.97	02366 00100 02366 00500	PB PB	100 gm 500 gm	1275 4975
Sodium Bismuthate AR (Cas No. 12232-99-4) Assay : Min. 85% NaBiO ₃ M.W. 279.97	02367 00100 02367 00500	PB PB	100 gm 500 gm	1370 5135
Sodium Bisulphate (monohydrate) (sodium hydrogen sulphate) Assay : Min. 98% NaHSO ₄ .H ₂ O M.W. 138.07 (Cas No. 10034-88-5)	02368 00500 02368 05000	PB PB	500 gm 5 kg	390 2410
Sodium Bisulphate AR (monohydrate) (sodium hydrogen sulphate) Assay : Min. 99% NaHSO ₄ .H ₂ O M.W. 138.07 (Cas No. 10034-88-5)	02369 00500	PB	500 gm	495
Sodium Bisulphite (Cas No. 7631-90-5) (sodium acid sulphite) Assay (as SO ₂) : Min. 58% NaHSO ₃ M.W. 104.06	02370 00500 02370 05000	PB PC	500 gm 5 kg	250 2025
Sodium Bisulphite AR (Cas No. 7631-90-5) (sodium acid sulphite) Assay (as SO ₂) : Min. 58.5% NaHSO ₃ M.W. 104.06	02371 00500	PB	500 gm	515
di-Sodium Borate (tetra) See Borax Page No. 26				
Sodium Borohydride (Cas No. 16940-66-2) Assay : Min. 98% NaBH ₄ M.W. 37.83	02372 00100 02372 00500	PB PB	100 gm 500 gm	1140 4930
Sodium Bromate Extra Pure (Cas No. 7789-38-0) Assay : Min. 99% NaBrO ₃ M.W. 150.89	02373 00500	PB	500 gm	730
Sodium Bromide Extra Pure (Cas No. 7647-15-6) Assay : Min. 99% NaBr M.W. 102.90	02374 00500 02374 05000	PB PC	500 gm 5 kg	540 4380
Sodium Bromide AR (Cas No. 7647-15-6) Assay : Min. 99.5% NaBr M.W. 102.90	02375 00500	PB	500 gm	625
Sodium 1-Butanesulphonate AR & HPLC See 1-Butane Sulphonic Acid Sodium Salt (anhydrous & monohydrate) Page No. 31				
Sodium Carbonate (anhydrous) Extrapure (Cas No. 497-19-8) (Purified Granulars) Assay : Min. 99.5% Na ₂ CO ₃ M.W. 105.99	02911 00500 02911 05000	PB PC	500 gm 5 kg	206 1550
Sodium Carbonate (anhydrous) AR (granulars) (Cas No. 497-19-8) Assay : Min. 99.9% Na ₂ CO ₃ M.W. 105.99	02376 00500 02376 05000	PB PC	500 gm 5 kg	245 1810
Sodium Carbonate (monohydrate) AR (Cas No. 5968-11-6) Assay : Min. 99.9% Na ₂ CO ₃ .H ₂ O M.W. 124.00	02377 00500 02377 05000	PB PC	500 gm 5 kg	220 1730
Sodium Carbonate 0.05 Mol/L (0.1N) Volumetric Solution, Liquid, d. 1.1	02378 00500	PB	500 ml	95
Sodium Carbonate 0.05M (0.1N) Standardized Solution, Liquid, d. 1.1	02378A 00500	PB	500 ml	305
Sodium Carbonate 0.5M (1N) Standardized Solution, Liquid, d. 1.1	02379 00500	PB	500 ml	305
Sodium Carbonate 0.05 mol/L (0.1N) Solution when diluted to 500 ml with water (Concn. Of Solution in each ampoule is 1N) (2x2 amps. Of set in a box)	02380 04Amp	AMP	4 amp	310
Sodium Chloride Extra Pure (Cas No. 7647-14-5) Assay : Min. 99.5% NaCl M.W. 58.44	02381 00500 02381 05000	PB PC	500 gm 5 kg	130 755

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Chloride AR (Cas No. 7647-14-5)	02382 00500	PB	500 gm	140
Assay : Min. 99.9% NaCl M.W. 58.44	02382 05000	PC	5 kg	700
Sodium Chloride (For Molecular Biology) (Cas No. 7647-14-5)	02383 00500	PB	500 gm	675
Assay : Min. 99.5% NaCl M.W. 58.44	02383 01000	PC	1 kg	1250
Sodium Chloride 0.85% (Physiological Saline), Liquid, d. 1.08	02384 01000	PB	1 lt	135
Sodium Chloride 0.05M (0.05N) Standardized Solution	02385 00500	PB	500 ml	320
Sodium Chloride 0.1M (0.1N) Standardized Solution Liquid, d. 1.08	02386 00500	PB	500 ml	320
Sodium Chloride 1M (1N) Standardized Solution, Liquid, d. 1.08	02387 00500	PB	500 ml	320
Sodium Chlorite (flakes) (Cas No. 7758-19-2)	02388 00250	PB	250 gm	440
Assay : Min. 80% NaClO ₂ M.W. 90.44	02388 01000	PB	1 kg	1720
Sodium Cholate (for biochemistry) (Cas No. 361-09-1)	02389 00025	GB	25 gm	1665
Assay : Min. 98-101% C ₂₄ H ₃₉ NaO ₅ M.W. 430.56	02389 00100	GB	100 gm	4655
Sodium Chromate (tetrahydrate) (Cas No. 10034-82-9)	02390 00500	PB	500 gm	465
Assay : Min. 99% Na ₂ CrO ₄ .4H ₂ O M.W. 234.07				
Sodium Chromate AR (tetrahydrate) (Cas No. 10034-82-9)	02391 00500	PB	500 gm	565
Assay : Min. 99% Na ₂ CrO ₄ .4H ₂ O M.W. 234.07				
tri-Sodium Citrate Extra Pure (dihydrate) (Cas No. 6132-04-3) (tri-sodium citrate-2-hydrate)	02392 00500	PB	500 gm	275
Assay : Min. 98% C ₆ H ₅ Na ₃ O ₇ .2H ₂ O M.W. 294.10	02392 05000	PC	5 Kg	2125
tri-Sodium Citrate AR (dihydrate) (Cas No. 6132-04-3) (tri-sodium citrate-2-hydrate)	02393 00500	PB	500 gm	390
Assay : Min. 99% C ₆ H ₅ Na ₃ O ₇ .2H ₂ O M.W. 294.10	02393 05000	PC	5 KG	3480
tri-Sodium Citrate (For Molecular Biology) (dihydrate) (Cas No. 6132-04-3)	02394 00500	PB	500 gm	1170
Assay : Min. 99% C ₆ H ₅ Na ₃ O ₇ .2H ₂ O M.W. 294.1				
Sodium Citrate 3.8% Solution	02393 00500	PB	500 ml	105
Sodium Cobaltinitrite (Cas No. 13600-98-1)	02395 00100	PB	100 gm	1965
Na ₃ Co(NO ₂) ₆ M.W. 403.94	02395 00500	PB	500 gm	5675
Sodium Cobaltinitrite AR (Cas No. 13600-98-1)	02396 00100	PB	100 gm	2095
Assay : Min. 95% Na ₃ Co(NO ₂) ₆ M.W. 403.94	02396 00500	PB	500 gm	7850
Sodium Cobaltinitrite Solution	02396A 00500	PB	500 ml	640
Sodium Cyanate pure (Cas No. 917-61-3)	02397 00500	GB	500 gm	975
Assay : Min. 97% NaOCN M.W. 65.01				
Sodium 1-Decanesulphonate AR & HPLC See 1-Decanesulphonic Acid Sodium (anhydrous & monohydrate) Salt Page No. 53				
Sodium Deoxycholate (culture media additive) (Cas No. 302-95-4)	02398 00025	GB	25 gm	1355
Assay : Min. 98% C ₂₄ H ₃₉ O ₄ Na M.W. 414.55	02398 00100	GB	100 gm	4695
Sodium Dichromate (dihydrate) (Cas No. 7789-12-0) (sodium bichromate)	02399 00500	GB	500 gm	640
Assay : Min. 98% Na ₂ Cr ₂ O ₇ .2H ₂ O M.W. 298.00	02399 05000	GB	5 kg	5370
Sodium Dichromate AR (dihydrate) (Cas No. 7789-12-0) (sodium bichromate)	02400 00500	PB	500 gm	720
Assay : Min. 98.5% Na ₂ Cr ₂ O ₇ .2H ₂ O M.W. 298.00	02400 05000	PB	5 kg	5930

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Diethyl Dithiocarbamate (trihydrate) (Cas No. 20624-25-3)	02401 00100	PB	100 gm	345
Assay : Min. 97% $C_5H_{10}NNaS_2 \cdot 3H_2O$ M.W. 225.30	02401 00500	PB	500 gm	1385
Sodium Diethyl Dithiocarbamate AR (trihydrate) (Cas No. 20624-25-3)	02402 00100	PB	100 gm	380
Assay : Min. 99% $C_5H_{10}NNaS_2 \cdot 3H_2O$ M.W. 225.30	02402 00500	PB	500 gm	1645
Sodium Dihydrogen Orthophosphate See Sodium Phosphate monobasic Page No. 143				
Sodium Diphenylamine Sulphonate AR (Cas No. 6152-67-6)	02403 00025	GB	25 gm	870
(diphenylamine-4-sulphonic acid sodium salt)	02403 00100	GB	100 gm	3045
$C_{12}H_{10}NNaO_3S$ M.W. 271.26				
Sodium Disulphite See Sodium Metabisulphite Page No. 148				
Sodium Dithionite (Cas No. 7775-14-6) (Sodium Hydrosulphite)	02404 00500	PB	500 gm	550
(Sodium Hypodisulphite) (Hydro) Assay : Min. 87% $Na_2S_2O_4$ M.W. 174.11				
Sodium Dithionite (For Molecular Biology) (Cas No. 7775-14-6)	02405 00500	PB	500 gm	2280
Assay : Min. 85% $Na_2S_2O_4$ M.W. 174.11				
Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate Page No. 148				
Sodium Ferrocyanide (Dodecahydrate)	02406 00500	PB	500 gm	2280
(Cas No. 14434-22-1)	02406 05000	PB	5 kg	15160
Assay : Min. 99% $Na_2Fe(CN)_6 \cdot 10H_2O$ M.W. 484.06				
Sodium Fluoride Extra Pure (purified) (Cas No. 7681-49-4)	02407 00500	PB	500 gm	445
Assay : Min. 98.5% NaF M.W. 41.99				
Sodium Fluoride AR (Cas No. 7681-49-4)	02408 00500	PB	500 gm	645
Assay : Min. 99% NaF M.W. 41.99				
Sodium Fluoroborate (Cas No. 13755-29-8)	02409 00500	PB	500 gm	385
Assay : Min. 97% $NaBF_4$ M.W. 109.79				
Sodium Formaldehyde Sulfoxylate (Dihydrate) (Cas No. 6035-47-8)	02410 00500	PB	500 gm	545
Assay : (as Na) : Min. 16.0-20.0% $CH_3NaO_3S \cdot 2H_2O$ M.W. 154.12				
Sodium Formate Extra Pure (purified) (Cas No. 141-53-7)	02411 00500	PB	500 gm	275
Assay : Min. 99% HCOONa M.W. 68.01				
Sodium Formate AR (Cas No. 141-53-7)	02412 00500	PB	500 gm	355
Assay : Min. 99.5% HCOONa M.W. 68.01				
Sodium Gluconate (for synthesis) (Cas No. 527-07-1)	02413 00500	PB	500 gm	310
Assay : Min. 98% $C_6H_{11}NaO_7$ M.W. 218.14				
Sodium-L-Glutamate (monohydrate) (Cas No. 6106-04-3)	02414 00100	PB	100 gm	135
(L-glutamic acid mono sodium salt)	02414 00500	PB	500 gm	395
Assay : Min. 98% $C_5H_8NNaO_4 \cdot H_2O$ M.W. 187.14				
Sodium-B-Glycerophosphate AR (Cas No. 13408-09-8)	02415 00025	PB	25 gm	375
Assay : Min. 98.5% $C_3H_7Na_2O_2 \cdot 5H_2O$ M.W. 306.11	02415 00100	PB	100 gm	1260
Sodium 1-Heptane Sulphonate AR & HPLC See 1-Heptanesulphonic Acid Sodium AR & HPLC Salt Page No. No. 77				
Sodium 1-Hexadecane Sulphonate AR & HPLC See 1-Hexadecane sulphonic Acid Sodium Salt AR & HPLC Page No. 80				
Sodium Hexafluoroaluminate See Cryolite Page No. 52				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Hexametaphosphate Extra Pure (Cas No. 10124-56-8)	02416 00500	PB	500 gm	320
(sodium polyphosphate) (graham's salt)	02416 05000	PC	5 kg	2750
Assay : Min. 66.5-68.5% (NaPO ₃) ₆ M.W. 611.77				
Sodium 1-Hexanesulphonate See 1-Hexanesulphonic Acid Sodium Salt Page No. 81				
Sodium Hippurate See Hippuric Acid Sodium Salt Page No. 81				
Sodium Hydride Suspension (Cas No. 7646-69-7)	02417 00100	ST	100 gm	615
(moistened with 60% in paraffin oil) NaH M.W. 24.00	02417 00500	ST	500 gm	1818
Sodium Hydrogen Carbonate See Sodium Bicarbonate Page No. 143				
di-Sodium Hydrogen Citrate Extra Pure (Cas No. 144-33-2)	02418 00500	PB	500 gm	245
Assay : Min. 99-101% Na ₂ H ₆ C ₆ O ₇ M.W. 263.11				
Sodium Hydrogen Selenite See Sodium Biselenite Page No. 144				
Sodium Hydrogen Sulphate See Sodium Bisulphate Page No. 144				
Sodium Hydrosulphite See Sodium Dithionite Page No. 146				
Sodium Hydroxide flakes (Cas No. 1310-73-2) (caustic soda flakes)	02419 00500	PB	500 gm	170
Assay : Min. 98-100.5% NaOH M.W. 40.00	02419 05000	PC	5 kg	970
Sodium Hydroxide pellets Extra Pure (Cas No. 1310-73-2) (purified)	02420 00500	PB	500 gm	220
Assay : Min. 98% NaOH M.W. 40.00	02420 05000	PC	5 kg	1630
Sodium Hydroxide pellets AR (Cas No. 1310-73-2)	02421 00500	PB	500 gm	235
Assay : Min. 98-100.5% NaOH M.W. 40.00	02421 05000	PC	5 kg	1885
Sodium Hydroxide pellets (For Molecular Biology) (Cas No. 1310-73-2)	02422 00100	PB	100 gm	175
Assay : Min. 98% NaOH M.W. 40.00	02422 00500	PB	500 gm	485
Sodium Hydroxide N/10 (0.01N) Solution (for volumetric analysis) Liquid d.I.1.0	02423 00500	PB	500 ml	130
Sodium Hydroxide 50% Solution AR (In water for analysis) Liquid d. 1.53	02424 00500	PB	500 ml	350
Sodium Hydroxide 0.33 Mol/L (0.33N) Liquid d. 1.01	02425 00500	PB	500 ml	245
Sodium Hydroxide 0.02M (0.02N) Standardized Solution - Liquid d. 1.0	02426 00500	PB	500 ml	270
Sodium Hydroxide 0.25M (0.25N) Standardized Solution - Liquid d. 1.01	02427 00500	PB	500 ml	270
Sodium Hydroxide 0.2M (0.2N) Standardized Solution - Liquid d. 1.01	02428 00500	PB	500 ml	270
Sodium Hydroxide 0.5M (0.5N) Standardized Solution - Liquid d. 1.02	02429 00500	PB	500 ml	270
Sodium Hydroxide 1M (1N) Standardized Solution - Liquid d. 1.04	02430 00500	PB	500 ml	270
Sodium Hydroxide 2M (2N) Standardized Solution - Liquid d. 1.09	02431 00500	PB	500 ml	310
Sodium Hydroxide 4M (4N) Standardized Solution - Liquid d. 1.15	02432 00500	PB	500 ml	315
Sodium Hydroxide 0.01Mol/L (0.1N) Standardized Solution - Liquid d. 1.01	02433 00500	PB	500 ml	195
Sodium Hydroxide 0.1mol/L (0.01N) Solution when diluted to 500 ml with water (Concn. Of solution in each ampoule is 1N) (2x2 amps. Of set in a box)	02434 04 Amp	Amp	4 amp	315
Sodium Hypobromate Solution (Hypobromate Solution)	02435 00500	GB	500 ml	930
Sodium Hypochlorite Solution (5 to 6% Concentrated Solution)	02436 00500	PB	500 ml	135
(Available Chlorine 4 to 5% w/v approx.) Liquid, d. 1.12	02436 05000	PC	5 lt	555

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Hypophosphite (hydrated) AR (Cas No. 10039-56-2)	02437 00500	PB	500 gm	725
(sodium phosphinate) Assay : Min. 99% $\text{NaH}_2\text{PO}_2 \cdot \text{H}_2\text{O}$ M.W. 105.99	02437 05000	PC	5 kg	5875
Sodium Iodate Extra Pure (Cas No. 7681-55-2)	02438 00100	PB	100 gm	1445
Assay : Min. 99-101% NaIO_3 M.W. 197.89	02438 00500	PB	500 gm	6205
Sodium Iodate AR (Cas No. 7681-55-2)	02439 00100	PB	100 gm	1820
Assay : Min. 99.5% NaIO_3 M.W. 197.89	02439 00500	PB	500 gm	7130
Sodium Iodide Extra Pure	02928 00025	PB	25 gm	495
(Cas No. 7681-82-5)	02928 00100	PB	100 gm	1460
Assay : Min. 99% NaI M.W. 149.89	02928 00250	PB	250 gm	3110
	02928 00500	PB	500 gm	5925
Sodium Iodide AR	02929 00025	PB	25 gm	550
(Cas No. 7681-82-5)	02929 00100	PB	100 gm	1650
Assay : Min. 99.5% NaI M.W. 149.89	02929 00100	PB	250 gm	3750
Sodium Lactate 60% (Cas No. 72-17-3) (d. 1.33)	02440 00500	GB	500 gm	365
$\text{C}_3\text{H}_5\text{NaO}_3$ M.W. 112.06				
Sodium Lauryl Ether Sulphate (SLES)	02441 00500	PB	500 ml	485
(Cas No. 9004-82-4)	02441 05000	PC	5 lt	1505
Sodium Lauryl Sulphate (powder) (Cas No. 151-21-3) (SDS) (SLS)	02442 00500	PB	500 gm	585
(sodium dodecyl sulphate)	02442 02500	PC	2.5 kg	4895
Assay : Min. 98% $\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38	02442 05000	PC	5 kg	6895
Sodium Lauryl Sulphate (For Molecular Biology) (Cas No. 151-21-3)	02443 00100	PB	100 gm	1045
(SDS, Lauryl Sulphate Sodium Salt, Dodecylsulphate Sodium Salt)	02443 00500	PB	500 gm	3785
Assay : Min. 99% $\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38				
Sodium Metabisulphite (Cas No. 7681-57-4) (sodium disulphite)	02444 00500	PB	500 gm	180
Assay : Min. 97% $\text{Na}_2\text{S}_2\text{O}_5$ M.W. 190.10	02444 05000	PC	5 kg	1340
Sodium Metabisulphite AR (Cas No. 7681-57-4) (sodium disulphite)	02445 00500	PB	500 gm	210
Assay : Min. 98% $\text{Na}_2\text{S}_2\text{O}_5$ M.W. 190.10				
Sodium Metaborate (tetrahydrate) (Cas No. 10555-76-7)	02446 00500	PB	500 gm	395
Assay : Min. 98% $\text{NaBO}_2 \cdot 4\text{H}_2\text{O}$ M.W. 137.86				
Sodium Metaperiodate (Cas No. 7790-28-5) (sodium periodate meta)	02447 00100	GB	100 gm	1505
Assay : Min. 99% INaO_4 M.W. 213.89	02447 00500	GB	500 gm	5865
Sodium Metaperiodate AR (Cas No. 7790-28-5) (sodium periodate meta)	02448 00100	GB	100 gm	1785
Assay : Min. 99.8% INaO_4 M.W. 213.89	02448 00500	GB	500 gm	6585
Sodium Metasilicate powder Extra Pure (Cas No. 13517-24-3)	02449 00500	PB	500 gm	295
(nonahydrate) (sodium silicate meta)	02449 05000	PC	5 kg	2285
Assay : Min. 98% $\text{Na}_2\text{O}_3 \cdot \text{Si} \cdot 9\text{H}_2\text{O}$ M.W. 284.20				
Sodium Metavanadate (sodium monovanadate) [sodium vanadate (metal)]	02450 00100	PB	100 gm	1155
Assay : Min. 98% NaVO_3 M.W. 121.93 (Cas No. 13718-26-8)	02450 00500	PB	500 gm	4725
Sodium Methoxide (Cas No. 124-41-4) (sodium methylate)	02451 00500	PB	500 gm	515
Assay : Min. 98% CH_3NaO M.W. 54.02				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Methoxide 30% Solution (in Methanol), Liquid, d. 0.97	02452 00500	GB	500 ml	315
Sodium Molybdate Extra Pure (dihydrate) (Cas No. 10102-40-6)	02453 00100	PB	100 gm	780
Assay : Min. 98% $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 241.95	02453 00250	PB	250 gm	1895
	02453 00500	PB	500 gm	3665
Sodium Molybdate AR (dihydrate) (Cas No. 10102-40-6)	02454 00100	PB	100 gm	890
Assay : Min. 99% $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 241.95	02454 00500	PB	500 gm	3965
Sodium Monochloroacetate (For synthesis) (Cas No. 3926-62-3)	02455 00500	PB	500 gm	270
Assay : Min. 97.5% $\text{C}_2\text{H}_2\text{ClNaO}_2$ M.W. 116.48				
Sodium Naphthionate (Cas No. 130-13-2)	02456 01000	PB	1 kg	495
Assay : Min. 75% $\text{C}_{10}\text{H}_8\text{NNaO}_3\text{S}$ M.W. 245.23				
Sodium 1-Naphthyl Phosphate AR (Cas No. 81012-89-7)	02457 00005	GB	5 gm	2730
Assay : Min. 99% $\text{C}_{10}\text{H}_8\text{NaO}_4\text{P.H}_2\text{O}$ M.W. 264 (store at 2-80C)				
Sodium Nitrate (Cas No. 7631-99-4) (Extra Pure) (purified crystals)	02458 00500	PB	500 gm	195
Assay : Min. 99% NaNO_3 M.W. 84.99	02458 05000	PC	5 kg	1735
Sodium Nitrate AR (Cas No. 7631-99-4)	02459 00500	PB	500 gm	245
Assay : Min. 99.5% NaNO_3 M.W. 84.99	02459 05000	FD	5 kg	2135
Sodium Nitrite Extra Pure (Cas No. 7632-00-0)	02460 00500	PB	500 gm	270
Assay : Min. 97% NaNO_2 M.W. 69.00	02460 05000	PC	5 kg	1810
Sodium Nitrite AR (Cas No. 7632-00-0)	02461 00500	PB	500 gm	330
Assay : Min. 98% NaNO_2 M.W. 69.00				
Sodium Nitrite 0.1M (0.2N) Standardized Solution, Liquid, d. 1.00	02462 00500	PB	500 ml	320
Sodium Nitrite 0.2M (0.4N) Standardized Solution, Liquid, d. 1.010	02463 00500	PB	500 ml	320
Sodium Nitrite 0.5M (1N) Standardized Solution	02464 00500	PB	500 ml	320
Sodium Nitrite 1M (2N) Standardized Solution	02465 00500	PB	500 ml	320
Sodium Nitrite 4M (8N) Standardized Solution	02466 00500	PB	500 ml	320
Sodium Nitroprusside (Cas No. 13755-38-9)	02467 00100	PB	100 gm	565
[sodium nitroso pentacyano ferrate (III)]	02467 00500	PB	500 gm	2400
Assay : Min. 98% $\text{Na}_2[\text{Fe}(\text{CN})_5\text{NO}]\cdot 2\text{H}_2\text{O}$ M.W. 297.95				
Sodium Nitroprusside AR (Cas No. 13755-38-9)	02468 00100	PB	100 gm	540
[sodium nitroso pentacyano ferrate (III)]	02468 00500	PB	500 gm	2565
Assay : Min. 99% $\text{Na}_2[\text{Fe}(\text{CN})_5\text{NO}]\cdot 2\text{H}_2\text{O}$ M.W. 297.95				
Sodium Nitroprusside solution	02469 00500	PB	500 ml	680
Sodium 1-Octane Sulphonate AR & HPLC See 1-Octanesulphonic Acid Sodium Salt (anhydrous & monohydrate) Page No. 110				
Sodium Oleate (Cas No. 143-19-1)	02470 00500	PB	500 gm	855
Assay : Min. 99% $\text{C}_{18}\text{H}_{33}\text{NaO}_2$ M.W. 304.44				
tri – Sodium Orthophosphate See Sodium Phosphate tribasic Page No. 145				
Sodium Oxalate Extra Pure (Cas No. 62-76-0) (di-sodium oxalate)	02471 00500	PB	500 gm	290
Assay : Min. 99.5% $\text{C}_2\text{Na}_2\text{O}_4$ M.W. 134.00	02471 05000	PC	5 kg	2455

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Oxalate AR (Cas No. 62-76-0) (di-sodium oxalate)	02472 00500	PB	500 gm	425
Assay : Min. 99.9% $C_2Na_2O_4$ M.W. 134.00	02472 05000	PC	5 kg	3440
Sodium Oxalate 0.05M (0.1N) Standardized Solution, Liquid, d. 1.1	02473 00500	PB	500 ml	845
Sodium Pentachlorophenate (Cas No. 131-52-2) (sentobrite)	02474 00500	PB	500 gm	330
Assay : Min. 99% C_6Cl_5NaO M.W. 288.32				
Sodium 1-Pentanesulphate AR & HPLC See n-pentane Sulphonic Acid Sodium Salt (anhydrous & monohydrate) Page No. 119				
Sodium Perborate (Tetrahydrate) (Cas No. 10486-00-7)	02475 00500	PB	500 gm	240
Assay : 97% $NaBO_3 \cdot 4H_2O$ M.W. 153.86	02475 05000	PC	5 kg	2015
Sodium Perchlorate AR (monohydrate) (For Molecular Biology)	02476 00100	PB	100 gm	1655
Assay : Min. 98% $NaClO_4 \cdot H_2O$ M.W. 140.46 (Cas No. 7791-07-3)	02476 00500	PB	500 gm	6895
Sodium Periodate (meta) See Sodium Metaperiodate Page No. 148				
Sodium Peroxide (granular) AR (Cas No. 1313-60-6)	02477 00100	ST	100 gm	2115
Assay : Min. 93% Na_2O_2 M.W. 77.98	02477 00500	ST	500 gm	8925
Sodium Persulphate AR (Cas No. 7775-27-1)	02478 00500	PB	500 gm	430
Assay : Min. 99% $Na_2S_2O_8$ M.W. 238.10				
Sodium Persulphate Extra Pure (Cas No. 7775-27-1)	02479 00500	PB	500 gm	390
Assay : Min. 95% $Na_2S_2O_8$ M.W. 238.10				
Sodium Phosphate dibasic (anhydrous) (Cas No. 7558-79-4)	02480 00500	PB	500 gm	385
(di-sodium hydrogen orthophosphate anhydrous)	02480 05000	PC	5 Kg	3380
Assay : Min. 98-100.5% Na_2HPO_4 M.W. 141.96				
Sodium Phosphate dibasic AR (anhydrous) (Cas No. 7558-79-4)	02481 00500	PB	500 gm	430
(di-sodium hydrogen orthophosphate anhydrous)	02481 05000	PC	5 Kg	3635
Assay : Min. 99% Na_2HPO_4 M.W. 141.96				
Sodium Phosphate dibasic (anhydrous) (For molecular Biology)	02482 00250	PB	250 gm	845
(Cas No. 7558-79-4) (di-sodium hydrogen orthophosphate anhydrous)				
Assay : Min. 99% Na_2HPO_4 M.W. 141.96				
Sodium Phosphate dibasic (dihydrate) (Cas No. 10028-24-7)	02483 00500	PB	500 gm	345
(di-sodium hydrogen orthophosphate dihydrate)	02483 05000	PC	5 kg	2935
Assay : Min. 99% $Na_2HPO_4 \cdot 2H_2O$ M.W. 177.99				
Sodium Phosphate dibasic AR (dihydrate) (Cas No. 10028-24-7)	02484 00500	PB	500 gm	430
(di-sodium hydrogen orthophosphate dihydrate)	02484 05000	PC	5 kg	3650
Assay : Min. 99.5% $Na_2HPO_4 \cdot 2H_2O$ M.W. 177.99				
Sodium Phosphate dibasic (dihydrate) (for HPLC) (Cas No. 10028-24-7)	02485 00500	PB	500 gm	1290
(di-sodium hydrogen orthophosphate dihydrate)				
Assay : Min. 99% $Na_2HPO_4 \cdot 2H_2O$ M.W. 177.99				
Sodium Phosphate dibasic Extra Pure (dodecahydrate)	02486 00500	PB	500 gm	420
(Cas No. 10039-32-4)				
(di-sodium hydrogen orthophosphate dodecahydrate)				
Assay : Min. 98.5-101% $Na_2HPO_4 \cdot 12H_2O$ M.W. 358.14				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Phosphate dibasic AR (dodecahydrate) (Cas No. 10039-32-4) (di-sodium hydrogen orthophosphate dodecahydrate) Assay : Min. 99% $\text{Na}_2\text{HPO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 358.14	02487 00500	PB	500 gm	460
Sodium Phosphate monobasic (dihydrate) (Cas No. 13472-35-0) (sodium acid phosphate) (sodium dihydrogen orthophosphate) Assay : Min. 98% $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 156.01	02488 00500 02488 05000	PB PC	500 gm 5 kg	335 2835
Sodium Phosphate monobasic AR (dihydrate) (Cas No. 13472-35-0) (sodium acid phosphate) (sodium dihydrogen orthophosphate) Assay : Min. 99% $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 156.01	02489 00500 02489 05000	PB PC	500 gm 5 kg	385 3185
Sodium Phosphate tribasic Extra Pure (Cas No. 10101-89-0) (dodecahydrate) (tri-sodium orthophosphate) Assay : Min. 98% $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 380.12	02490 00500 02490 05000	PB PC	500 gm 5 kg	190 1740
Sodium Phosphate tribasic AR (Cas No. 10101-89-0) (dodecahydrate) (tri-sodium orthophosphate) Assay : Min. 98-102% $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 380.12	02491 00500 02491 05000	PB PC	500 gm 5 kg	245 1950
Sodium Polyanethol Sulphonate AR (Cas No. 55963-78-5) (10,000 Anticoagulant U/g)	02492 00001 02492 00005	GB GB	1 gm 5 gm	410 1340
Sodium Potassium Tartrate See Potassium Sodium Tartrate Page No. 188				
Sodium Propionate (Cas No. 137-40-6) Assay : Min. 98% $\text{CH}_3\text{CH}_2\text{COONa}$ M.W. 96.06	02493 00500	PB	500 gm	430
tetra-Sodium Pyrophosphate (anhydrous) (Cas No. 7722-88-5) Assay : Min. 97.5% $\text{Na}_4\text{P}_2\text{O}_7$ M.W. 265.90	02494 00500	PB	500 gm	690
tetra-Sodium Pyrophosphate (decahydrate) (Cas No. 13472-36-1) Assay : Min. 99% $\text{Na}_4\text{P}_2\text{O}_7 \cdot 10\text{H}_2\text{O}$ M.W. 446.06	02495 00500	PB	500 gm	2395
Sodium Pyruvate (Cas No. 113-24-6) (for biochemistry) (pyruvic acid sodium salt) Assay : Min. 99% $\text{C}_3\text{H}_3\text{NaO}_3$ M.W. 110.04	02496 00025 02496 00100 02496 00500	PB PB PB	25 gm 100 gm 500 gm	385 1325 3235
Sodium Pyruvate N/10 Solution	02496A 00500	PB	500 ml	745
Sodium Rhodizonate AR (Cas No. 523-21-7) (rhodizonic acid sodium salt) Assay : Min. 97% $\text{C}_6\text{Na}_2\text{O}_6$ M.W. 214.04	02497 00001 02497 00005	GB GB	1 gm 5 gm	690 2690
Sodium Rhodizonate Solution	02498 00100 02498 00500	PB PB	100 ml 500 ml	610 2140
Sodium Salicylate Extra Pure (Cas No. 54-21-7) Assay : Min. 99% $\text{C}_7\text{H}_5\text{NaO}_3$ M.W. 160.10	02499 00500	PB	500 gm	495
Sodium Salicylate AR (Cas No. 54-21-7) Assay : Min. 99.5% $\text{C}_7\text{H}_5\text{NaO}_3$ M.W. 160.10	02500 00250	PB	250 gm	2075
Sodium Selenate Extra Pure (Cas No. 13410-01-0) Assay : Min. 98% Na_2SeO_4 M.W. 189.94	02501 00025 02501 00100 02501 00500	PB PB PB	25 gm 100 gm 500 gm	1445 3655 17350

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Selenate AR (Cas No. 13410-01-0)	02502 00025	PB	25 gm	1000
Assay : Min. 99% Na_2SeO_4 M.W. 189.94	02502 00100	PB	100 gm	3560
	02502 00500	PB	500 gm	15220
Sodium Selenite Extra Pure (pentahydrate) (Cas No. 26970-82-1)	02503 00100	PB	100 gm	2890
Assay : Min. 98% $\text{Na}_2\text{SeO}_3 \cdot 5\text{H}_2\text{O}$ M.W. 263.01	02503 00500	PB	500 gm	12275
Sodium Selenite AR (pentahydrate) (Cas No. 26970-82-1)	02504 00025	PB	25 gm	1115
Assay : Min. 99% $\text{Na}_2\text{SeO}_3 \cdot 5\text{H}_2\text{O}$ M.W. 263.01	02504 00100	PB	100 gm	3125
	02504 00500	PB	500 gm	13285
Sodium Silicate (meta) powder See Sodium Metasilicate powder Page No. 148				
Sodium Silicofluoride (Cas No. 16983-85-9)	02505 00500	PB	500 gm	210
Assay : Min. 99% Na_2SiF_6 M.W. 188.06				
Sodium Stannate (trihydrate) (Cas No. 12209-98-2)	02506 00500	PB	500 gm	3360
Assay : Min. 43-44% $\text{Na}_2\text{SnO}_3 \cdot 3\text{H}_2\text{O}$ M.W. 266.73				
Sodium Starch Glycolate Extra Pure (Cas No. 9063-38-1)	02507 00500	PB	500 gm	725
Sodium Succinate (hexahydrate) (Cas No. 6106-21-4)	02508 00500	PB	500 gm	595
Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_4 \cdot 6\text{H}_2\text{O}$ M.W. 270.14				
Sodium Succinate AR (hexahydrate) (Cas No. 6106-21-4)	02509 00100	PB	100 gm	410
Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_4 \cdot 6\text{H}_2\text{O}$ M.W. 270.14				
Sodium Sulphate (anhydrous) (Cas No. 7757-82-6)	02510 00500	PB	500 gm	160
Assay : Min. 99% Na_2SO_4 M.W. 142.04	02510 05000	PC	5 Kg	1010
Sodium Sulphate AR (anhydrous) (Cas No. 7757-82-6)	02511 00500	PB	500 gm	200
Assay : Min. 99.5% Na_2SO_4 M.W. 142.04	02511 05000	PC	5 KG	1510
Sodium Sulphate (anhydrous) (For Molecular Biology) (Cas No. 7757-82-6)	02512 01000	PB	1 kg	525
Assay : Min. 99% Na_2SO_4 M.W. 142.04				
Sodium Sulphide Flakes (Cas No. 27610-45-3) (iron free)	02513 00500	GB	500 gm	205
Assay (ex Na2S) : Min. 31% $\text{Na}_2\text{S} \cdot x\text{H}_2\text{O}$ M.W. 78.04	02513 05000	GB	5 kg	1755
Sodium Sulphide AR (Cas No. 27610-45-3)	02514 00500	GB	500 gm	1490
Assay (ex Na2S) : Min. 31% $\text{Na}_2\text{S} \cdot x\text{H}_2\text{O}$ M.W. 78.04				
Sodium Sulphite (Cas No. 7757-87-3) (anhydrous) (purified)	02515 00500	PB	500 gm	170
Assay : Min. 95% Na_2SO_3 M.W. 126.04	02515 05000	PC	5 kg	1450
Sodium Sulphite AR (anhydrous) (Cas No. 7757-87-3)	02516 00500	PB	500 gm	200
Assay : Min. 98% Na_2SO_3 M.W. 126.04				
Sodium Sulphite (For molecular Biology) (Cas No. 7757-87-3)	02517 00500	PB	500 gm	425
Assay : Min. 98% Na_2SO_3 M.W. 126.04				
Sodium Sulphocyanide See Sodium Thiocyanate Page No. 153				
Sodium (+) Tartrate Extra Pure (dihydrate) (di-sodium tartrate)	02518 00500	PB	500 gm	790
Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ M.W. 230.08 (Cas No. 6106-24-7)				
Sodium (+) Tartrate AR (dihydrate) (Cas No. 6106-24-7) (di-sodium tartrate)	02519 00500	PB	500 gm	1035
Assay : Min. 99.5% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ M.W. 230.08				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium DL-Tartrate Extra Pure (Cas No. 868-18-8)	02520 00500	PB	500 gm	385
Assay : Min. 99% $C_4H_4Na_2O_6$ M.W. 194.05	02520 05000	PC	5 Kg	3220
Sodium Taurocholate (for bacteriology) (Cas No. 145-42-6)	02521 00100	PB	100 gm	790
Assay (bile acid content) : Min. 65% $C_{26}H_{44}NNaO_7S$ M.W. 537.68	02521 00500	PB	500 gm	3280
Sodium Tauroglycocholate See Bile Salt Page No. 24				
Sodium Tellurite AR (Cas No. 10102-20-2)	02522 00100	GB	100 gm	7575
Assay : Min. 98% Na_2TeO_3 M.W. 221.58				
di-Sodium Tetraborate See Borax Page No. 26				
Sodium Tetraphenyl Borate AR See Kalignost Page No. 89				
Sodium Thiocyanate Extra Pure (Cas No. 540-72-7)	02523 00500	PB	500 gm	505
(sodium sulphocyanide) Assay : Min. 98-102% $NaSCN$ M.W. 81.07				
Sodium Thiocyanate AR (Cas No. 540-72-7) (sodium sulphocyanide)	02524 00500	PB	500 gm	880
Assay : Min. 98% $NaSCN$ M.W. 81.07				
Sodium Thiocyanate 0.1M (0.1N) Standardized Solution	02525 00500	PB	500 ml	305
Sodium Thioglycollate (for bacteriology) (thioglycollic acid sodium salt)	02526 00100	PB	100 gm	920
Assay : Min. 80% $C_2H_3NaO_2S$ M.W. 114.10 (Cas No. 367-51-1)	02526 00500	PB	500 gm	3950
Sodium Thiosulphate Extra Pure (Cas No. 10102-17-7)	02527 00500	PB	500 gm	150
(crystals) (pentahydrate) (hypo)	02527 05000	PC	5 kg	1170
Assay : Min. 99% $Na_2S_2O_3 \cdot 5H_2O$ M.W. 248.17				
Sodium Thiosulphate AR (For Molecular Biology) (Cas No. 10102-17-7)	02528 00500	PB	500 gm	225
(crystals) (pentahydrate) (hypo)	02528 05000	PC	5 kg	1715
Assay : Min. 99.5% $Na_2S_2O_3 \cdot 5H_2O$ M.W. 248.17				
Sodium Thiosulphate AR (anhydrous) (For Molecular Biology)	02529 01000	PB	1 kg	465
(Cas No. 7772-98-7) Assay : Min. 97% $Na_2S_2O_3$ M.W. 158.18				
Sodium Thiosulphate N/10 solution. Liquid, d. 1.22	02530 00500	PB	500 ml	165
Sodium Thiosulphate 0.01M (0.01N) Standardized Solution, Liquid, d. 1.02	02531 00500	PB	500 ml	290
Sodium Thiosulphate 0.05M (0.05N) Standardized Solution, Liquid, d. 1.00	02532 00500	PB	500 ml	290
Sodium Thiosulphate 1M (1N) Standardized Solution, Liquid, d. 1.120	02533 00500	PB	500 ml	300
Sodium Thiosulphate 0.1mol/L (0.1N) Solution when diluted to 500 ml with water (Concn. Of solution in each ampoule is 1N) (2x2 amps. Of set in a box)	02924 AMP4	Amp	4 amp	290
Sodium Triacetoxy Borohydride (for synthesis)	02534 00025	PB	25 gm	1330
(Cas No. 56553-60-7)	02534 00100	PB	100 gm	4665
Assay : Min. 95% $C_6H_{10}BNaO_6$ M.W. 211.94	02534 00500	PB	500 gm	21375
Sodium Tripolyphosphate (anhydrous) (Cas No. 7758-29-4) (STPP)	02535 00500	PB	500 gm	235
Assay : Min. 85% $Na_5P_3O_{10}$ M.W. 367.86	02535 05000	PC	5 KG	935
Sodium Tungstate (dihydrate)	02536 00100	PB	100 gm	750
(Cas No. 10213-10-2)	02536 00250	PB	250 gm	1780
Assay : Min. 98% $Na_2WO_4 \cdot 2H_2O$ M.W. 329.85	02536 00500	PB	500 gm	3380

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sodium Tungstate AR (dihydrate) (Cas No. 10213-10-2) Assay : Min. 99% $\text{Na}_2\text{WO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 329.85	02537 00100 02537 00250 02537 00500	PB PB PB	100 gm 250 gm 500 gm	850 2005 3805
Sodium Tungstate solution 10% w/v (folin & wu), Liquid, d. 1.07	02538 00100 02538 00500	PB PB	100 ml 500 ml	175 585
Sodium Vanadate (meta) See Sodium Metavanadate Page No. 148				
Solochrome Black T See Eriochrome Black T Page No. 66				
Solochrome Cyanine R See Eriochrome Cyanine R Page No. 66				
Solochrome Dark Blue See Calcon Page No. 38				
Sorbic Acid (Purified) (Cas No. 110-44-1) (trans-2, 4-Hexadienoic Acid) Assay : Min. 99.8% $\text{C}_6\text{H}_8\text{O}_2$ M.W. 112.13	02539 00500 02539 05000	PB PB	500 gm 5 kg	1140 9700
Sorbitol (liquid) Extra Pure (Cas No. 50-70-4) Assay : Min. 68-72% (w/w) $\text{C}_6\text{H}_{14}\text{O}_6$ M.W. 182.17	02540 00500	PB	500 gm	220
Sorbitol (Powder) Extra Pure (For Microbiology) (D-Sorbitol) (Cas No. 50-70-4) Assay : Min. 99% $\text{C}_6\text{H}_{14}\text{O}_6$ M.W. 182.17	02541 00250 02541 01000	PB PB	500 gm 1 kg	280 1075
D (-) Sorbitol (For Molecular Biology) (Cas No. 50-70-4) (D-glucitol) Assay : Min. 98% $\text{C}_6\text{H}_{14}\text{O}_6$ M.W. 182.17	02542 00500	PB	500 gm	2735
L (-) Sorbose (Cas No. 87-79-6) (for biochemistry) Assay : Min. 99% $\text{C}_6\text{H}_{12}\text{O}_6$ M.W. 80.16	02543 00025 02543 00100	PB PB	25 gm 100 gm	555 1985
Soyabean Meal (Cas No. 68513-95-1)	02544 00500	PB	500 gm	195
Soya Peptone (Cas No. 68513-95-1) (soyatone) (papaic digest of soyabena meal)	02545 00500	PB	500 gm	990
SPADNS AR (Cas No. 23647-14-5) (1, 8-dihydroxy-2- (4-sulphopenylazo) naphthalene-3-6-disulphonic acid trisodium salt) Assay : Min. 80% $\text{C}_{16}\text{H}_9\text{N}_2\text{O}_{11}\text{S}_3\text{Na}_3$ M.W. 570.41	02546 00001 02546 00005 02546 00025	GB GB GB	1 gm 5 gm 25 gm	350 1265 3660
SPAN 20 (Cas No. 1338-39-2) (sorbitan monolaurate) $\text{C}_{18}\text{H}_{34}\text{O}_6$ M.W. 346.47, Liquid, d. 1.032	02547 00500	GB	500 gm	525
SPAN 40 (Cas No. 26266-57-9) (sorbitan monopalmitate) $\text{C}_{22}\text{H}_{42}\text{O}_6$ M.W. 402.57 Liquid,d.1.075	02548 00500	GB	500 gm	610
SPAN 60 (Cas No. 1338-41-6) (sorbitan monostearate) $\text{C}_{24}\text{H}_{44}\text{O}_6$ M.W. 430.63 Liquid,d.1.00	02549 00500	GB	500 gm	635
SPAN 80 (Cas No. 1338-43-8) (sorbitan monooleate) $\text{C}_{24}\text{H}_{44}\text{O}_6$ M.W. 428.6, Liquid, d. 0.986	02550 00500	GB	500 ml	620
Spearmint Oil Extra Pure (Cas No. 8008-79-5) Liquid,d.0.941	02550A 00500	GB	500 ml	3935
Spearmacetic Wax (Cas No. 8002-23-1)	02550B 00500	PB	500 gm	1995
Stannic Chloride (pentahydrate) (Cas No. 10026-06-9) [tin (IV) chloride] Assay : Min. 98% $\text{SnCl}_4 \cdot 5\text{H}_2\text{O}$ M.W. 350.58	02551 00500	GB	500 gm	2280
Stannic Oxide Extra Pure (Cas No. 18282-10-5) [tin (IV) oxide] Assay : Min. 99% SnO_2 M.W. 150.71	02552 00500	PB	500 gm	3435

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Stannic Oxide AR (Cas No. 18282-10-5) [tin (IV) oxide] Assay : Min. 99.9% SnO ₂ M.W. 150.71	02553 00250	PB	250 gm	2235
Stannous Chloride (dihydrate) (Cas No. 10025-69-1) [tin(II) oxide] Assay : Min. 97% SnCl ₂ .2H ₂ O M.W. 225.65	02554 00100 02554 00250 02554 00500 02554 02500	PB PB PB PC	100 gm 250 gm 500 gm 2.5 kg	575 1285 2360 10630
Stannous Chloride AR (dihydrate) (Cas No. 10025-69-1) [tin (II) chloride] Assay : Min. 98% SnCl ₂ .2H ₂ O M.W. 225.65	02555 00100 02555 00500	GB GB	100 gm 500 gm	620 2740
Stannous Sulphate (Cas No. 7488-55-3) [tin (II) sulphate] Assay (Sn) : Min. 50% SnSO ₄ M.W. 214.75	02556 00500	PB	500 gm	3140
Stannous Sulphate AR (Cas No. 7488-55-3) [tin (II) sulphate] Assay (Sn) : Min. 50% SnSO ₄ M.W. 214.75	02557 00250	PB	250 gm	2720
Starch Iodide papers (pkt contains 100 leaves)	02925 PKT01 02925 PKT24	CB CB	pkt 24 pkt	60 1265
Starch Potato See Starch Soluble Page No. 155				
Starch Maize powder (Cas No. 9005-25-8) (corn starch) (C ₆ H ₁₀ O ₅) _n	02558 00500 02558 02500	PB PB	500 gm 2.5 kg	225 960
Starch Soluble Extra Pure (Cas No. 9005-84-9) (starch potato) (xpotato) C ₁₂ H ₂₂ O ₁₁ M.W. 342.30	02559 00500 02559 05000	PB PC	500 gm 5 Kg	670 5640
Starch Soluble AR (Cas No. 9005-84-9) (starch potato) (xpotato) C ₁₂ H ₂₂ O ₁₁ M.W. 342.30	02560 00500 02560 05000	PB PC	500 gm 5 Kg	715 5960
Starch Reagent Solution , Liquid, d. 1.005	02560A 00500	PB	500 ml	195
Starch Wheat Extra Pure (wheat starch) (C ₆ H ₁₀ O ₅) _n	02560B 00500 02560B 02500	PB PC	500 gm 2.5 kg	505 2115
Stearic Acid (for synthesis) (Cas No. 57-11-4) (n-octadecanoic acid) Assay : Min. 98% C ₁₈ H ₃₆ O ₂ M.W. 284.48	02561 00500 02561 05000	PB PC	500 gm 5 Kg	320 2765
Stearic Acid AR (for biochemistry) (Cas No. 57-11-4) (n-octadecanoic acid) Assay : Min. 99% C ₁₈ H ₃₆ O ₂ M.W. 284.48	02562 00005 02562 00025	GB GB	5 gm 25 gm	515 1790
Stearyl Alcohol (Cas No. 112-92-5) (1-octadecanol) Assay : Min. 99% C ₁₈ H ₃₆ O M.W. 270.50	02563 00500	PB	500 gm	420
Stearyl Alcohol (Cas No. 112-92-5) (1-octadecanol) Assay : Min. 99% C ₁₈ H ₃₆ O M.W. 270.50	02563 00500	PB	500 gm	420
Strontium AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.02	02564 00125 02564 00500	GB GB	125 ml 500 ml	630 2375
Strontium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.013	02564A 00125	GB	125 ml	4635
Strontium Carbonate (Cas No. 1633-05-2) Assay : Min. 99% SrCO ₃ M.W. 147.63	02565 00500	PB	500 gm	685
Strontium Chloride (hexahydrate) (Cas No. 10025-70-4) Assay : Min. 98% SrCl ₂ .6H ₂ O M.W. 266.62	02566 00500 02566 05000	PB PC	500 gm 5 kg	310 2360

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Strontium Chloride AR (hexahydrate) (Cas No. 10025-70-4) Assay : Min. 99% $\text{SrCl}_2 \cdot 6\text{H}_2\text{O}$ M.W. 266.62	02567 00500	PB	500 gm	675
Strontium Hydroxide (Octahydrate) (Cas No. 1311-10-0) Assay : Min. 97% $\text{H}_2\text{O}_2\text{Sr}_8 \cdot \text{H}_2\text{O}$ M.W. 265.76	02568 00500	PB	500 gm	425
Strontium Nitrate (anhydrous) (Cas No. 10042-76-9) Assay : Min. 99% $\text{Sr}(\text{NO}_3)_2$ M.W. 211.63	02569 00500 02569 05000	PB PB	500 gm 5 kg	370 3095
Strontium Nitrate AR (anhydrous) (Cas No. 10042-76-9) Assay : Min. 99% $\text{Sr}(\text{NO}_3)_2$ M.W. 211.63	02570 00500	PB	500 gm	730
Strontium Oxalate (Cas No. 814-95-9) Assay : Min. 97% SrC_2O_4 M.W. 175.64	02571 00500	PB	500 gm	695
Strontium Sulphate (Cas No. 7759-02-6) Assay : Min. 99% SrSO_4 M.W. 183.68	02572 00500	PB	500 gm	430
Strontium Sulphite (Cas No. 7757-83-7) Assay : Min. 98% Na_2SO_3 M.W. 126.04	02573 00500	PB	500 gm	3150
Strontium Tartrate (dihydrate) (Cas No. 6106-24-7) Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ M.W. 230.08	02574 00500	PB	500 gm	2830
Succinic Acid (for synthesis) (Cas No. 110-15-6) Assay : Min. 99% $\text{C}_4\text{H}_6\text{O}_4$ M.W. 118.09	02575 00500	PB	500 gm	535
Succinic Acid AR (Cas No. 110-15-6) Assay : Min. 99.5% $\text{C}_4\text{H}_6\text{O}_4$ M.W. 118.09	02576 00100 02576 00500	PB PB	100 gm 500 gm	460 1830
Succinic Anhydride (for synthesis) (Cas No. 108-30-5) Assay : Min. 99% $\text{C}_4\text{H}_4\text{O}_3$ M.W. 100.07	02577 00500	PB	500 gm	865
Succinimide (for synthesis) (Cas No. 123-56-8) Assay : Min. 99.9% $\text{C}_4\text{H}_5\text{NO}_2$ M.W. 99.09	02578 00100 02578 00500	PB PB	100 gm 500 gm	290 1340
Sucrose Extra Pure (Cas No. 57-50-1) (saccharose) Assay : Min. 99.5% $\text{C}_{12}\text{H}_{22}\text{O}_{11}$ M.W. 342.3	02579 00500 02579 05000	PB PC	500 gm 5 kg	210 1640
Sucrose AR (saccharose) (Cas No. 57-50-1) Assay : Min. 99% $\text{C}_{12}\text{H}_{22}\text{O}_{11}$ M.W. 342.30	02580 00500	PB	500 gm	395
Sucrose (for Molecular Biology) (Cas No. 57-50-1) Assay : Min. 99.5% $\text{C}_{12}\text{H}_{22}\text{O}_{11}$ M.W. 342.3	02581 00500	PB	500 gm	590
Sudan III (Cas No. 85-86-9) (M.S.) (C.I. No. 26100) Dye Content : Min. 85% $\text{C}_{22}\text{H}_{16}\text{N}_4\text{O}$ M.W. 352.39	02582 00025 02582 00100 02582 00500	PB PB PB	25 gm 100 gm 500 gm	235 535 1880
Sudan III Stain Solution Liquid, d. 0.917	02583 00125 02583 00500	PB PB	125 ml 500 ml	105 595
Sudan IV (M.S.) (C.I. No. 26105) (Cas No. 85-83-6) (alcohol soluble) (biebrich scarlet R) (scarlet red) Dye Content : Min. 80% $\text{C}_{24}\text{H}_{20}\text{N}_4\text{O}$ M.W. 380.44	02584 00025 02584 00100 02584 00500	PB PB PB	25 gm 100 gm 500 gm	205 565 2485
Sudan IV stain solution (scarlet red solution)	02585 00125 02585 00500	PB PB	125 ml 500 ml	125 330

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sudan Black B (M.S.) (For Molecular Biology) (C.I. No. 26150)	02586 00025	PB	25 gm	840
Dye Content : Min. 80% $C_{29}H_{24}N_6$ M.W. 456.54 (Cas No. 4197-25-5)	02586 00100	PB	100 gm	3220
Sudan Black B staining solution	02587 00125	PB	125 ml	225
	02587 00500	PB	500 ml	675
Sulphamic Acid AR (Cas No. 5329-14-6) (amido sulphonic acid)	02588 00100	PB	100 gm	275
Assay : Min. 99% NH_2SO_3H M.W. 97.09	02588 00500	PB	500 gm	1265
Sulphanilamide Extra Pure	02589 00100	PB	100 gm	650
(p-amino benzene sulphonamide)	02589 00500	PB	500 gm	2720
Assay : Min. 98% $C_6H_8N_2O_2S$ M.W. 172.20 (Cas No. 63-74-1)				
Sulphanilamide AR (Cas No. 63-74-1) (p-amino benzene sulphonamide)	02590 00100	PB	100 gm	795
Assay : Min. 99% $C_6H_8N_2O_2S$ M.W. 172.20	02590 00500	PB	500 gm	2785
Sulphanilic Acid (purified white)	02591 00100	PB	100 gm	285
(Cas No. 121-57-3)	02591 00500	PB	500 gm	1055
Assay : Min. 98% $NH_2C_6H_4SO_3H$ M.W. 173.19	02591 05000	PC	5 Kg	8965
Sulphanilic Acid AR (Cas No. 121-57-3)	02592 00100	PB	100 gm	335
Assay : Min. 99% $NH_2C_6H_4SO_3H$ M.W. 173.19	02592 00500	PB	500 gm	1415
Sulphosalicylic Acid Extra Pure (Cas No. 5965-83-3)	02593 00100	PB	100 gm	230
(5-sulphosalicylic acid)	02593 00500	PB	500 gm	750
Assay : Min. 99% $C_7H_6O_6S.2H_2O$ M.W. 254.21	02593 05000	PC	5 Kg	6380
Sulphosalicylic Acid AR (Cas No. 5965-83-3) (5-sulphosalicylic acid)	02594 00250	PB	250 gm	885
Assay : Min. 99.5% $C_7H_6O_6S.2H_2O$ M.W. 254.21	02594 00500	PB	500 gm	2985
Sulphosalicylic Acid 3% Solution (For Synthesis)	02595 00125	PB	125 ml	105
Liquid, d. 1.00	02595 00500	PB	500 ml	300
Sulphosalicylic Acid 20% Solution	02596 00125	PB	125 ml	125
(For Synthesis) Liquid, d. 1.00	02596 00500	PB	500 ml	345
Sulphur powder Extra Pure (Cas No. 7704-34-9) (sulphur flower)	02597 00500	PB	500 gm	205
Assay : Min. 98% S M.W. 32.06	02597 05000	PB	5 Kg	1720
Sulphur powder AR (sulphur flower) (Cas No. 7704-34-9)	02598 00500	PB	500 gm	395
Assay : Min. 99.5-100.5% S M.W. 32.06				
Sulphuric Acid (Cas No. 7664-93-9)	02599 00500	PB	500 gm	240
(sp. gr. 1.835)	02599 02500	PB	2.5 lt	745
Assay : Min. 98% H_2SO_4 M.W. 98.08, Liquid, d. 1.925	02599 05000	PC	5 lt	1075
Sulphuric Acid AR (Cas No. 7664-93-9)	02600 00500	GB	500 ml	265
(sp. gr. 1.84)	02600 02500	GB	2.5 lt	875
Assay : Min. 98% H_2SO_4 M.W. 98.08, Liquid, d. 1.26	02600 05000	PC	5 lt	1380
Sulphuric Acid 20% (Cas No. 7664-93-9)	02601 00500	GB	500 ml	220
Assay : Min. 20% H_2SO_4 M.W. 98.08, Liquid, d. 1.30				
Sulphuric Acid 25% AR (for analysis) (Cas No. 7664-93-9)	02602 00500	GB	500 ml	820
Assay : Min. 25% H_2SO_4 M.W. 98.08, Liquid, d. 1.26				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Sulphuric Acid 40% (Cas No. 7664-93-9) (for determination of gas metabolism) (according to knipping) Assay : Min. 40% H ₂ SO ₄ M.W. 98.08, Liquid, d. 1.30	02603 00500	GB	500 ml	800
Sulphuric Acid N/10 solution	02604 00500	GB	500 ml	130
Sulphuric Acid N/50 (0.02N) Liquid, d. 1.83	02605 00500	GB	500 ml	120
Sulphuric Acid Solution 2N/3 Liquid, d. 1.83	02606 00500	GB	500 ml	165
Sulphuric Acid 0.1M (0.2N) Standardized Solution Liquid, d. 1.01	02607 00500	GB	500 ml	320
Sulphuric Acid 0.25M (0.5N) Standardized Solution Liquid, d. 1.02	02608 00500	GB	500 ml	320
Sulphuric Acid 1M (2N) Standardized Solution Liquid, d. 1.06	02609 00500	GB	500 ml	320
Sulphuric Acid 2.5M (5N) Standardized Solution Liquid, d. 1.15	02610 00500	GB	500 ml	320
Sulphuric Acid 5M (10N) Standardized Solution Liquid, d. 1.13.1.3	02611 00500	GB	500 ml	320
Sulphuric Acid 0.5Mol/L (1N) Standardized Solution Liquid, d. 1.03	02612 00500	GB	500 ml	195
Sulphuric Acid 0.05mol/L (0.1N) For 500 ml Solution (2x2 amps. Of set in a box)	02926 AMP4	Amp	4 Amp	435
Sulphuric Acid 0.5mol/L (1N) Solution when diluted to 500 ml with water (Concn. Of solution in ampoule is 10N) (2x2 amps. Of set in a box)	02927 AMP4	Amp	4 Amp	375
Sulphur Monochloride (for synthesis) (Cas No. 10025-67-9) Assay : Min. 99% S ₂ Cl ₂ M.W. 135.0, Liquid, d. 1.668	02613 00500	GB	500 ml	1085

T

Talcum Powder See French Chalk Powder Page No. 74

Tannic Acid Extra Pure (Cas No. 1401-55-4) (light powder) (gallotannic acid) C ₇₆ H ₅₂ O ₄₆ M.W. 1701.22	02615 00100	PB	100 gm	775
	02615 00250	PB	250 gm	1585
	02615 00500	PB	500 gm	2905
Tannic Acid AR (Cas No. 1401-55-4) (light powder) (gallotannic acid) C ₇₆ H ₅₂ O ₄₆ M.W. 1701.22	02616 00100	PB	100 gm	825
	02616 00250	PB	250 gm	1670
	02616 00500	PB	500 gm	3170
Tannic Acid Solution	02616A 00500	PB	500 ml	445
TAPS Buffer For Biochemistry (Cas No. 29915-38-6) [N-Tris (Hydroxy Methyl) Methyl-3-Amino Propane Sulfonic Acid] Assay : Min. 99% C ₇ H ₁₇ NO ₆ S M.W. 243.28	02617 00025	GB	25 gm	1130
	02617 00100	GB	100 gm	3705
L (+) Tartaric Acid Extra Pure (Cas No. 87-69-4) [dextro-rotatry (+) tartaric acid] Assay : Min. 99.5% C ₄ H ₆ O ₆ M.W. 150.09	02618 00250	PB	250 gm	585
	02618 00500	PB	500 gm	995
	02618 05000	PC	5 kg	8605
L (+) Tartaric Acid AR (Cas No. 87-69-4) [dextro-rotatry (+) tartaric acid] Assay : Min. 99.7% C ₄ H ₆ O ₆ M.W. 150.09	02619 00250	PB	250 gm	720
	02619 00500	PB	500 gm	1240
DL- Tartaric Acid (Cas No. 133-37-9) (synthetic) Assay : Min. 99% C ₄ H ₆ O ₆ M.W. 150.09	02620 00500	PB	500 gm	410
	02620 05000	PC	5 kg	3540
Tartrazine (Cas No. 1934-21-0) (M.S.) (C.I. No. 19140) Dye Content : Min. 85% C ₁₆ H ₉ N ₄ O ₉ S ₂ Na ₃ M.W. 534.4	02621 00025	PB	25 gm	95
	02621 00100	PB	100 gm	315
	02621 00500	PB	500 gm	1280

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Tartrazine solution	02622 00500	PB	500 ml	442
Taurine (Cas NO. 107-35-7) (for synthesis)	02623 00025	PB	25 gm	535
(2-aminoethanesulphonic acid)	02623 00100	PB	100 gm	1745
Assay : Min. 99% $C_2H_7NO_3S$ M.W. 125.15	02623 01000	PB	1 kg	13645
Tellurium AAS Standard Solution	02624 00125	PB	125 ml	630
1000mg/L in Hydrochloric Acid	02624 00100	PB	100 ml	2375
Tellunium ICP Standard Solution 1000mg/L in Hydrochloric Acid	02624A 00125	PB	125 ml	4635
Tellurium (metal) Powder (Cas No. 13494-80-9)	02625 00100	PB	100 gm	13760
Assay : Min. 99.9% Te M.W. 127.60	02625 00500	PB	500 gm	55020
TEMED See N,N,N,N,-Tetramethyl Ethylenediamine Page No.161				
Terephthalic Acid See tere-Phthalic Acid Page No. 124				
Terpentine Oil Extra Pure (Cas No. 8006-64-2)	02626 00500	GB	500 ml	430
Liquid, d. 0.86	02626 05000	GB	5 lt	3790
Terpineol (Mixture of Isomers) (Cas No. 8006-41-7) Liquid, d. 0.934	02627 00500	GB	500 ml	755
Di-Tert-Butyl Pyrocarbonate See Boc Anhydride Page No. 26				
TES (For Molecular Biology) (for Biochemistry) (Cas No. 7365-44-8)	02628 00005	GB	5 gm	505
[N-tris(hydroxymethyl) methyl-2-aminoethane sulphonic acid]	02628 00025	GB	25 gm	1925
Assay : Min 99% $C_6H_{15}NO_6S$ M.W. 229.25				
Testosterone Extra Pure (Cas No. 58-22-0) (17b-Hydroxy-4-androsten-3-one)	02629 00005	GB	5 gm	3255
Assay : Min 99% $C_{19}H_{28}O_2$ M.W. 288.42	02629 00025	GB	25 gm	15900
Testosterone Propionate (Cas No. 57-85-2)	02630 00005	GB	5 gm	3150
$C_{22}H_{32}O_3$ M.W. 344.50	02630 00025	GB	25 gm	15510
1,1,2,2 – Tetrabromo Ethane See Acetylene Tetrabromide Page No. 3				
Tetra Butyl Ammonium Bromide (for synthesis) (Cas No. 1643-19-2)	02631 00250	PB	250 gm	470
Assay : Min. 98% $C_{16}H_{36}BrN$ M.W. 322.37	02631 00500	PB	500 gm	890
Tetra Butyl Ammonium Bromide AR (phase transfer catalyst)	02632 00025	GB	25 gm	223
Assay : Min. 99% $C_{16}H_{36}BrN$ M.W. 322.37 (Cas No. 1643-19-2)	02632 00100	GB	100 gm	505
Tetra Butyl Ammonium Hydrogen Phosphate (for HPLC) (Cas No. 5574-97-0)	02633 00005	GB	5 gm	2935
Assay : Min. 98% $C_{16}H_{38}NO_4P$ M.W. 339.45	02633 00025	GB	25 gm	10615
Tetra Butyl Ammonium Hydrogen Sulphate (for synthesis)	02634 00100	PB	100 gm	500
Assay : Min. 99% $C_{16}H_{37}NO_4S$ M.W. 339.53 (Cas No.32503-27-8)	02634 00500	PB	500 gm	2000
Tetra Butyl Ammonium Hydroxide 10% aqueous solution (Cas No. 2052-49-5)	02635A 00100	PB	100 ml	1245
Assay : Min. 10% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.995	02635A 00500	PB	500 ml	5385
Tetra Butyl Ammonium Hydroxide 20% aqueous solution (Cas No. 2052-49-5)	02635 00100	PB	100 ml	1835
Assay : Min. 19.5-21% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.995	02635 00500	PB	500 ml	6985
Tetra Butyl Ammonium Hydroxide 40% aqueous solution (Cas No. 2052-49-5)	02636 00100	PB	100 ml	3805
Assay : Min. 40% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.995	02636 00500	PB	500 ml	17515
Tetra Butyl Ammonium Hydroxide 25% solution in Methanol (Cas No. 2052-49-5)	02637 00100	PB	100 ml	1995
Assay : Min. 20% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.830	02637 00500	PB	500 ml	8440

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Tetra Butyl Ammonium Hydroxide 40% solution in Methanol	02638 00100	PB	100 ml	4130
Assay : Min. 40% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.830 (Cas No.2052-49-5)	02638 00500	PB	500 ml	15690
Tetra Butyl Ammonium Hydroxide 0.1 N in isopropanol (Cas No. 2052-49-5)	02639 00100	PB	100 ml	1020
$C_{16}H_{37}NO$ M.W. 259.47 Liquid, d. 0.762	02639 00500	PB	500 ml	3285
Tetra Butyl Ammonium Hydroxide 0.1 N in Methanol/toluene	02640 00100	PB	100 ml	510
(Cas No. 2052-49-5) $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.853	02640 00500	PB	500 ml	1840
Tetra Butyl Ammonium Iodide AR (phase transfer catalyst)	02641 00025	PB	25 gm	430
Assay : Min. 98% $C_{16}H_{36}IN$ M.W. 367.37 (Cas No. 311-28-4)	02641 00100	PB	100 gm	1440
Tetra Chloro-P-Benzoquinone See Chloranil Page No. 42				
1,1,2,2-Tetra Chloroethane (for synthesis) (Cas No. 79-34-5)	02642 00500	GB	500 ml	1245
Assay : Min. 98% $C_2H_2Cl_4$ M.W. 167.85, Liquid, d. 1.586				
1,1,2,2-Tetra Chloroethane AR (Cas No. 79-34-5)	02643 00500	GB	500 ml	1670
Assay : Min. 98.5% $C_2H_2Cl_4$ M.W. 167.85, Liquid, d. 1.586				
n-Tetradecane (Cas No. 629-59-4)	02644 00025	GB	25 ml	1135
Assay : Min. 99% $C_{14}H_{30}$ M.W. 198.4	02644 00100	GB	100 ml	3405
Tetrachloroethylene See Perchloroethylene Page No. 120				
Tetrachloro Phthalic Anhydride (Cas No. 117-08-8)	02645 01000	PB	1 kg	4345
Assay : Min. 98% $C_8Cl_4O_3$ M.W. 285.90				
Tetraethyl Ammonium Bromide (for synthesis) (Cas No. 71-91-0)	02646 00100	GB	100 gm	305
(phase transfer catalyst) Assay : Min. 98% $C_8H_{20}BrN_3$ M.W. 210.17	02646 00250	GB	250 gm	680
Tetraethyl Ammonium Hydroxide 25% (aqueous solution) (Cas No. 77-98-5)	02647 00100	GB	100 ml	2360
Assay : Min. 25% $(C_2H_5)_4N(OH)$ M.W. 147.26, Liquid, d. 0.865	02647 00500	GB	500 ml	9865
Tetraethyl Ammonium Hydrogen Sulphate (HPLC) (Cas No. 16873-13-5)	02648 00025	PB	25 gm	940
Assay : Min. 99% $C_8H_{21}No_4S$ M.W. 227.32	02648 00100	PB	100 gm	3050
Tetraethyl Ammonium Iodide (for synthesis) (Cas No. 68-05-3)	02649 00100	PB	100 gm	2440
Assay : Min. 98% $C_8H_{20}IN$ M.W. 257.16	02649 00500	PB	500 gm	11665
Tetraheptyl Ammonium Bromide AR (Cas No. 4368-51-8)	02650 00025	PB	25 gm	5445
Assay : Min. 99% $C_{28}H_{60}BrN$ M.W. 490.69	02650 00100	PB	100 gm	17895
Tetrahydrofuran (Cas No. 109-99-9) (stabilized with 0.1% quinol)	02651 00500	GB	500 ml	530
Assay : Min. 99% C_4H_8O M.W. 72.11, Liquid, d. 0.889	02651 02500	GB	2.5 lt	2300
Tetrahydrofuran AR (Cas No. 109-99-9) (stabilized with 0.1% quinol)	02652 00500	GB	500 ml	620
Assay : Min. 99.5% C_4H_8O M.W. 72.11, Liquid, d. 0.889	02652 02500	GB	2.5 lt	2650
Tetrahydrofuran HPLC & SPECTROSCOPY (Cas No. 109-99-9)	02653 00500	GB	500 ml	790
Assay : Min. 99.8% C_4H_8O M.W. 72.11, Liquid, d. 0.889	02653 02500	GB	2.5 lt	5385
Tetralin (for synthesis) (Cas No. 119-64-2)	02654 00500	GB	500 ml	1830
Assay : Min. 98% $C_{10}H_{12}$ M.W. 132.21 Liquid, d. 0.97	02654 02500	GB	2.5 lt	7325
Tetra Methyl Ammonium Bromide (for synthesis) (Cas No. 64-20-0)	02655 00100	GB	100 gm	885
Assay : Min. 98% $(CH_3)_4N(Br)$ M.W. 154.05	02655 00500	GB	500 gm	4095
Tetra Methyl Ammonium Chloride (for synthesis) (Cas No. 75-57-0)	02656 00100	PB	100 gm	565
Assay : Min. 98% $C_4H_{12}ClN$ M.W. 109.60	02656 00500	PB	500 gm	2615

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Tetra Methyl Ammonium Hydrogen Sulphate (for synthesis) (Cas No. 80526-82-5) Assay : Min. 98% $C_4H_{13}NO_4S$ M.W. 171.21	02657 00100	GB	100 gm	2880
Tetra Methyl Ammonium Hydrogen Sulphate (for ion pair chromatography) Assay : Min. 99% $C_4H_{13}NO_4S$ M.W. 171.21 (HPLC)	02658 00005 02658 00025	GB GB	5 gm 25 gm	1680 6880
Tetra Methyl Ammonium Iodide AR (Cas No. 75-58-1) Assay : Min. 99% $C_4H_{12}IN$ M.W. 201.05	02659 00100 02659 00500	PB PB	100 gm 500 gm	1590 6250
3,3',5,5'-Tetra Methyl Benzidine (for Molecular Biology) (Cas No. 54827-17-7) Assay : Min. 99% $C_{16}H_{20}N_2$ M.W. 240.34	02660 00001 02660 00005	GB GB	1 gm 5 gm	2535 9985
N,N,N,N-TetraMethyl Ethylenediamine AR (TEMED) (For Molecular Biology) (Cas No. 110-18-9) Assay : Min. 99% $C_6H_{16}N_2$ M.W. 116.21 Liquid, d. 0.777	02661 00100 02661 00250	GB GB	100 ml 250 ml	680 960
N,N,N,N-TetraMethyl-P-Phenylene Diamine Dihydrochloride (Cas No. 637-01-4) Assay : Min. 98% $C_{10}H_{18}Cl_2N_2$ M.W. 237.17	02662 00005 02662 00025	GB GB	5 gm 25 gm	1450 6250
Tetranitro B.T. AR (Cas No. 1184-43-6) Assay : Min. 98% $C_{40}H_{28}Cl_2N_{12}O_{10}$ M.W. 907.63	02663 00100 02663 00250	GB GB	100 gm 250 gm	2145 4345
Tetraphenyl Phosphonium Bromide (Cas No. 2751-90-8) Assay : Min. 98% $C_{24}H_{20}BrP$ M.W. 419.31	02664 00025 02664 00100	PB PB	25 gm 100 gm	1635 5275
Tetra Propyl Ammonium Bromide (Cas No. 1941-30-6) Assay : Min. 99% $C_{12}H_{28}BrN$ M.W. 266.26	02665 00100 02665 00500	PB PB	100 gm 500 gm	1220 4720
Tetra Propyl Ammonium Hydroxide (10% Aqueous Solution) (Cas No. 4499-86-9) $C_{12}H_{29}NO$ M.W. 203.36, Liquid. d.1.012	02666 00100 02666 00500	PB PB	100 ml 500 ml	1630 6890
Tetra Propyl Ammonium Hydroxide (20% Solution in Water) (Cas No. 4499-86-9) $C_{12}H_{29}NO$ M.W. 203.36, Liquid. d.1.012	02667 00100 02667 00500	PB PB	100 ml 500 ml	1930 8115
Tetra Propyl Ammonium Hydroxide (40% Solution in Water) (Cas No. 4499-86-9) $C_{12}H_{29}NO$ M.W. 203.36, Liquid. d.1.012	02668 00100 02668 00500	PB PB	100 ml 500 ml	3865 16225
1H-Tetrazole (for DNA synthesis) (For Molecular Biology) (Cas No. 288-94-8) Assay : Min. 99% CH_2N_4 M.W. 70.05	02669 00005 02669 00025	GB GB	5 gm 25 gm	1235 4905
Tetrazolium Blue See Blue Tetrazolium Page No.26				
Tetrazolium Salt AR (For Molecular Biology) (TTC) (Cas No. 298-96-4) (2,3,5-triphenyl tetrazolium chloride) Assay : Min. 99% $C_{19}H_{15}ClN_4$ M.W. 334.80	02670 00010 02670 00025	GB GB	10 gm 25 gm	1700 3680
Tetrazolium Violet AR (For Molecular Biology) (Cas No. 1719-71-7) (2,5-diphenyl-3-(1-naphthyl) tetrazolium chloride) Assay : Min. 94% $C_{23}H_{17}N_4Cl$ M.W. 384.87	02671 00001	GB	1 gm	1920
1-(2-Theonyl) 3,3,3-Trifluoroacetone (Cas No. 326-91-0) Assay : Min. 99% $C_8H_5F_3O_2S$ M.W. 222.19	02672 00010 02672 00100	GB GB	10 gm 100 gm	1835 14715
Theophylline Extra Pure (Cas No. 58-55-9) (for lab use) Assay : Min. 99% $C_7H_8N_4O_2$ M.W. 180.16	02673 00025 02673 00100 02673 00500	PB PB PB	25 gm 100 gm 500 gm	995 2540 7610

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Thiamne Hydrochloride See Vitamin B1 Page No. 171				
Thioacetamide (Cas No. 62-55-5)	02674 00100	PB	100 gm	1280
Assay : Min. 97% $\text{CH}_3\text{CS.NH}_2$ M.W. 75.13	02674 00500	PB	500 gm	5760
Thioacetamide AR (Cas No. 62-55-5)	02675 00025	GB	25 gm	390
Assay : Min. 99% $\text{CH}_3\text{CS.NH}_2$ M.W. 75.13	02675 00100	GB	100 gm	1465
Thioacetic Acid (for synthesis) (Cas No. 507-09-5) (thiolacetic acid)	02676 00100	GB	100 gm	1215
Assay : Min. 98% $\text{C}_2\text{H}_4\text{OS}$ M.W. 76.12	02676 00500	GB	500 gm	4240
Thiobarbituric Acid AR (Cas No. 504-17-6)	02677 00500	PB	25 gm	1755
Assay : Min. 99% $\text{C}_4\text{H}_4\text{N}_2\text{O}_2\text{S}$ M.W. 144.15	02677 00100	PB	100 gm	5920
Thioflavine T (C.I. 49005) (Cas No. 2390-54-7)	02678 00005	GB	5 gm	1430
Dye Content : Min. 75% $\text{C}_{17}\text{H}_{19}\text{ClN}_2\text{S}$ M.W. 318.87	02678 00025	GB	25 gm	4445
1-Thioglycerol See Monothioglycerol Page No. 107				
Thioglycollic Acid Extra Pure (Cas No. 68-11-1)	02679 00500	GB	500 ml	1195
Assay : Min. 80% HSCH_2COOH M.W. 92.12 Liquid, d. 1.325				
Thioglycollic Acid 99% AR (Cas No. 68-11-1)	02680 00100	GB	100 ml	795
Assay : Min. 99% HSCH_2COOH M.W. 92.12 Liquid, d. 1.325	02680 00250	GB	250 ml	1795
Thioglycollic Acid Sodium Salt See Sodium Thioglycollate Page No. 153				
Thiomalic Acid (for synthesis) (Cas No. 70-49-5)	02681 00100	PB	100 gm	1485
Used in Cosmetic, Metallurgy, Printing ink and for electroplating	02681 01000	PB	1 kg	12670
Assay : Min. 99% $\text{C}_4\text{H}_6\text{O}_4\text{S}$ M.W. 150.2				
Thiomersal (Cas No. 54-64-8) [2(ethylmercurio)thio]-benzoic acid sodium salt]	02682 00010	GB	10 gm	2980
Assay : Min. 97% $\text{C}_9\text{H}_9\text{HgNaO}_2\text{S}$ M.W. 404.81	02682 00025	GB	25 gm	6970
Thionyl Chloride (for synthesis) (Cas No. 7719-09-7)	02683 00500	GB	500 ml	825
Assay : Min. 99% SOCl_2 M.W. 118.97, Liquid, d. 1.64				
Thiophene (for synthesis) (Cas No. 110-02-1)	02684 00100	GB	100 ml	675
Assay : Min. 99% $\text{C}_4\text{H}_4\text{S}$ M.W. 84.14, Liquid, d. 1.051	02684 00500	GB	500 ml	2985
Thiophenol (for synthesis) (Cas No. 108-98-5)	02685 00250	GB	250 ml	1565
Assay : Min. 99% $\text{C}_6\text{H}_6\text{S}$ M.W. 110.18, Liquid, d. 1.073	02685 00500	GB	500 ml	2970
Thiosalicylic Acid See 2-Mercaptobenzoic Acid Page No. 99				
Thiosemicarbazide (for synthesis)	02686 00025	PB	25 gm	275
(Cas No. 79-19-6)	02686 00100	PB	100 gm	660
Assay : Min. 98% $\text{CH}_5\text{N}_3\text{S}$ M.W. 91.14	02686 00500	PB	500 gm	2500
Thiosemicarbazide AR	02687 00025	PB	25 gm	435
(Cas No. 79-19-6)	02687 00100	PB	100 gm	2220
Assay : Min. 99% $\text{CH}_5\text{N}_3\text{S}$ M.W. 91.14	02687 00500	PB	500 gm	5685
2-Thiouracil (for synthesis) (Cas no. 141-90-2)	02688 00025	PB	25 gm	1325
(used in bioside & electroplaning) (4 hydroxy-2-mercaptopyrimidine)	02688 00100	PB	100 gm	4235
Assay : Min. 98% $\text{C}_4\text{H}_4\text{N}_2\text{OS}$ M.W. 128.15				
Thiourea AR (Cas No. 62-56-6)	02689 00500	PB	500 gm	695
Assay : Min. 99% $\text{NH}_2\text{.CS.NH}_2$ M.W. 76.12	02690 00500	PC	5 kg	5360

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Thiourea Extra Pure (Cas No. 62-56-6)	02690 00500	PB	500 gm	560
Assay : Min. 98% $\text{NH}_2\text{CS.NH}_2$ M.W. 76.12	02690 05000	PC	5 kg	4115
Thorin indicator AR (Cas No. 3688-92-4)	02691 00005	GB	5 gm	965
(reagent for thorium, beryllium & other metals)	02691 00010	GB	10 gm	1820
$\text{C}_{16}\text{H}_{11}\text{AsN}_2\text{Na}_2\text{O}_{10}\text{S}_2$ M.W. 576.30				
DL-Threonine (For Biochemistry) (Cas No. 80-68-2)	02692 00025	PB	25 gm	2370
Assay : Min. 99% $\text{C}_4\text{H}_9\text{NO}_3$ M.W. 119.12	02692 00100	PB	100 gm	8500
L-Threonine (for biochemistry) (Cas No. 72-19-5)	02693 00005	GB	5 gm	120
Assay : Min. 99% $\text{C}_4\text{H}_9\text{NO}_3$ M.W. 119.12	02693 00025	GB	25 gm	505
Thyme Oil Extra Pure (Cas No. 8007-46-3) Liquid, d. 0.917	02693A 00500	GB	500 ml	2935
Thymidine (for biochemistry) (Cas No. 50-89-5)	02694 00001	GB	1 gm	395
Assay : Min. 99% $\text{C}_{10}\text{H}_{14}\text{N}_2\text{O}_5$ M.W. 242.23	02694 00005	GB	5 gm	1585
Thymine (for biochemistry) (Cas No. 65-71-4)	02695 00010	GB	10 gm	651
Assay : Min. 99% $\text{C}_5\text{H}_6\text{N}_2\text{O}_2$ M.W. 126.12	02695 00025	GB	25 gm	1120
Thymol Blue indicator AR	02696 00025	PB	25 gm	540
(Cas No. 76-61-9)	02696 00100	PB	100 gm	1935
$\text{C}_{27}\text{H}_{30}\text{O}_5\text{S}$ M.W. 466.60	02696 00500	PB	500 gm	9215
Thymol Blue solution	02697 00125	PB	125 ml	95
(indicator solution)	02697 00500	PB	500 ml	290
Thymol Blue Sodium Salt (water soluble) (Cas No. 62625-21-2)	02698 00005	GB	5 gm	190
Dye Content : Min. 95% $\text{C}_{27}\text{H}_{29}\text{NaO}_5\text{S}$ M.W. 488.58				
Thymol Crystals Extra Pure (Cas No. 89-83-8)	02699 00100	PB	100 gm	615
Assay : Min. 99% $\text{C}_{10}\text{H}_{14}\text{O}$ M.W. 150.22	02699 00500	PB	500 gm	2645
Thymolphthalein Complexone AR (Cas No. 1913-93-5)	02700 00001	GB	1 gm	2110
(thymolphthalexone) (methylthymolphthalein)	02700 00005	GB	5 gm	7980
Assay : Min. 97% $\text{C}_{38}\text{H}_{44}\text{N}_2\text{O}_{12}$ M.W. 720.78				
Thymolphthalein Indicator AR (Cas No. 125-20-2)	02701 00005	GB	5 gm	195
(pH 9.3-10.5 colourless to blue)	02701 00025	PB	25 gm	735
Dye Content : Min. 95% $\text{C}_{28}\text{H}_{30}\text{O}_4$ M.W. 430.54	02701 00100	PB	100 gm	2720
Thymolphthalein Solution (indicator solution)	02702 00125	GB	125 ml	100
Liquid. d. 0.79	02702 00500	GB	500 ml	305
TIN AAS Standard Solution	02703 00125	GB	125 ml	635
1000mg/L in water Liquid. d. 1.00	02703 00500	GB	500 ml	2380
Tin ICP Standard Solution 1000mg/L in water, Liquid, d. 1.00	02703A 00125	PB	125 ml	4630
TIN (Metal) Foil 99.9% (Cas No. 7440-31-5)	02704 00250	PB	250 gm	2990
Assay : Min. 99.9% Sn M.W. 118.71	02704 00500	PB	500 gm	5540
TIN (Metal) Granular (Cas No. 7440-31-5)	02705 00100	PB	100 gm	1100
Assay : Min. 99% Sn M.W. 118.71	02705 00500	PB	500 gm	4990
TIN (Metal) Granular AR (Cas No. 7440-31-5)	02706 00100	PB	100 gm	1945
Assay : Min. 99% Sn M.W. 118.71	02706 00500	PB	500 gm	5790

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
TIN (metal) Powder Extra Pure (Cas No. 7440-31-5) Assay : Min. 99% Sn M.W. 118.71	02707 00100 02707 00250 02707 00500	PB PB PB	100 gm 250 gm 500 gm	965 2270 4275
TIN (metal) Powder AR (Cas No. 7440-31-5) Assay : Min. 99.9% Sn M.W. 118.71	02708 00100 02708 00250 02708 00500	PB PB PB	100 gm 250 gm 500 gm	1085 2580 4610
Tin Chloride (IC) See Stannic Chloride Page No. 154				
Tin Chloride (OUS) See Stannous Chloride Page No. 155				
Tin Fluoborate 50% solution (Cas No. 13814-97-6) Sn(BF ₄) ₂ M.W. 292.3, Liquid, d. 1.67	02709 00500	GB	500 ml	1160
Tinidazole Extra Pure (For Lab Use) (Cas No. 19387-91-8) C ₈ H ₁₃ N ₃ O ₄ S M.W. 247.27	02710 00100 02710 00500	PB PB	100 gm 500 gm	1855 6495
Tin (IV) Oxide See Stannic Oxide Page No. 154				
Tin (II) Sulphate See Stannous Sulphate Page No. 155				
Tiron AR (Monohydrate) (Cas No. 270573-71-2) (3,5-Pyrocatechol Disulphonic Acid Disodium Salt) Assay : Min. 95% C ₆ H ₄ O ₈ Na ₂ S ₂ .H ₂ O M.W. 332.20	02711 00010 02711 00025	GB GB	10 gm 25 gm	445 875
Titanium ICP Standard Solution 10000mg/L in Nitric Acid Liquid, d. 1.00	02711A 00125	GB	125 ml	6435
Titanium (metal) Powder pure (Cas No. 7440-32-6) Assay : Min. 98% Ti M.W. 47.90	02712 00025 02712 00100	GB GB	25 gm 100 gm	2235 5920
Titanium Dioxide Extra Pure (Cas No. 13463-67-7) [titanium (IV) oxide] Assay : Min. 99% TiO ₂ M.W. 79.87	02713 00500 02713 00025	PB PC	500 gm 25 kg	365 14605
Titanium Dioxide AR (Cas No. 13463-67-7) [titanium (IV) oxide] Assay : Min. 99.5% TiO ₂ M.W. 79.87	02714 00500	PB	500 gm	785
Titanium Potassium Oxalate See Potassium Titanium Oxalate Page No. 132				
Titanium Tetrachloride (anhydrous) Fuming Liquid (Cas No. 7550-45-0) Assay : Min. 99.5% TiCl ₄ M.W. 189.71 Liquid, d. 1.73	02715 00500	GB	500 ml	2905
Titanium Trichloride 15% solution (Cas No. 7705-07-9) (titanous chloride solution) (titanium chloride solution) TiCl ₃ M.W. 154.23	02716 00250 02716 00500	GB GB	250 ml 500 ml	1480 2770
Titan Yellow AR (C.I. No. 19540) (Cas No. 1829-00-1) (clayton yellow) C ₂₈ H ₁₉ N ₅ Na ₂ O ₆ S ₄ M.W. 695.73	02717 00010 02717 00025 02717 00050	GB GB GB	10 gm 25 gm 50 gm	310 640 1165
Titan Yellow (indicator solution) (clayton yellow indicator solution)	02718 00125 02718 00500	PB PB	125 ml 500 ml	120 380
o-Tolidine AR (Powder) (Cas No. 119-93-7) (Reagent for the Halogens and gold) Assay : Min. 97% C ₁₄ H ₁₆ N ₂ M.W. 212.29	02719 00025 02719 00100 02719 00500	PB PB PB	25 gm 100 gm 500 gm	1030 3735 16505

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
o-Tolidine Hydrochloride AR (Cas No. 612-82-8) Assay : Min. 99% $C_{14}H_{16}N_2 \cdot 2HCl \cdot xH_2O$ M.W. 285.21	02720 00025 02720 00100 02720 00500	PB PB PB	25 gm 100 gm 500 gm	1080 3265 13235
o-Tolidine solution (reagent for chlorine estimation) Liquid . d. 1.008	02721 00500 02721 05000	GB PC	500 ml 5 lt	270 2280
Tollen's Reagent solution Liquid . d. 1.01	02722 00100 02722 00500	PB PB	100 ml 500 ml	335 990
Toluene (Cas no. 108-88-3) (rectified) (sulphur free) Assay : Min. 99% C_7H_8 M.W. 92.14, Liquid, d. 0.865	02723 00500 02723 02500 02723 05000	GB GB PC	500 ml 2.5 lt 5 lt	275 1065 1975
Toluene AR (Cas no. 108-88-3) Assay : Min. 99.5% C_7H_8 M.W. 92.14, Liquid, d. 0.865	02724 00500 02724 02500	GB GB	500 ml 2.5 lt	340 1240
Toluene HPLC & SPECTROSCOPY (Cas no. 108-88-3) Assay : Min. 99.8% C_7H_8 M.W. 92.14, Liquid, d. 0.865	02725 01000 02725 02500	GB GB	1 Lt 2.5 lt	650 1580
o-Toluene Sulphonamide (For Synthesis) (Cas No. 88-19-7) Assay : Min. 99% $C_7H_9NO_2S$ M.W. 171.22	02726 00500	PB	500 gm	2945
p-Toluene Sulphonamide (Cas no. 70-55-3) Assay : Min. 99% $C_7H_9NO_2S$ M.W. 171.22	02727 00500	PB	500 gm	795
p-Toluene Sulphonic acid (monohydrate) (toluene-4-sulphonic acid) Assay : Min. 98% $C_7H_8O_3S \cdot H_2O$ M.W. 190.22 (Cas no. 6192-52-5)	02728 00500 02728 05000	PB PC	500 gm 5 kg	375 3245
p-Toluene Sulphonic acid AR (monohydrate) (toluene-4-sulphonic acid) Assay : Min. 98.5% $C_7H_8O_3S \cdot H_2O$ M.W. 190.22 (Cas no. 6192-52-5)	02729 00100 02729 00500	PB PB	100 gm 500 gm	275 1150
p-Toluene Sulphonyl Chloride (Cas no. 98-59-9) (4-toluene sulphonyl chloride) Assay : Min. 98% $C_7H_7ClO_2S$ M.W. 190.65	02730 00500	PB	500 gm	695
m-Toluic Acid (for synthesis) (Cas no. 99-04-7) (3-methylbenzoic acid) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15	02731 00500	PB	500 gm	945
o-Toluic Acid (for synthesis) (Cas no. 118-90-1) (2-methylbenzoic acid) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15	02732 00500	PB	500 gm	785
p-Toluic Acid (for synthesis) (Cas no. 99-94-5) (4-methylbenzoic acid) Assay : Min. 99% $C_8H_8O_2$ M.W. 136.15	02733 00500	PB	500 gm	885
Toluidine Blue (M.S.) (Cas no. 92-31-9) (C.I. No. 52040) Dye Content : Min. 80% $C_{15}H_{16}ClN_3S$ M.W. 305.83	02734 00025 02734 00100 02734 00500	PB PB PB	25 gm 100 gm 500 gm	358 1340 5890
Toluidine Acid Blue solution (indicator solution)	02735 00125 02735 00500	PB PB	125 ml 500 ml	155 430
m-Toluidine (Cas no. 108-44-1) (3-methylaniline) Assay : Min. 99% C_7H_9N M.W. 107.16, Liquid, d. 0889	02736 00500	GB	500 ml	755
o-Toluidine (Cas no. 95-53-4) Assay : Min. 99% C_7H_9N M.W. 107.16, Liquid, d. 1.008	02737 00500	GB	500 ml	485

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
o-Toluidine AR (Cas no. 95-53-4) (for determination of blood glucose)	02738 00250	GB	250 ml	405
Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.008	02738 00500	GB	500 ml	1165
p-Toluidine (for synthesis) (Cas no. 106-49-0) (p-aminotoluene)	02739 00500	PB	500 gm	870
Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.05				
p-Toluidine AR (Cas no. 106-49-0) (p-aminotoluene)	02740 00100	GB	100 gm	870
Assay : Min. 99.7% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.05	02740 00500	GB	500 gm	3517
p-Toluidine Hydrochloride (for synthesis) (Cas no. 540-23-8)	02741 00100	GB	100 gm	990
Assay : Min. 99% C ₇ H ₉ N.HCl M.W. 143.62	02741 00250	GB	250 gm	1980
Tommer's Reagent Solution	02741A 00125	PB	125 ml	185
	02741A 00500	PB	500 ml	545
Topfer's Reagent solution	02742 00125	PB	125 ml	125
	02742 00500	PB	500 ml	380
Tragacanth Gum powder See Gum Tragacanth Page No. 78				
Trehalose (Cas No. 6138-23-4)	02743 00005	GB	5 gm	515
(For Biochemistry)	02743 00010	GB	10 gm	975
Assay : Min. 99% C ₁₂ H ₂₂ O ₁₁ .2H ₂ O M.W. 378.34	02743 00025	GB	25 gm	1965
Triacetin See Glycerol Triacetate Page No. 74				
Tributylamine (for synthesis) (Cas no. 102-82-9)	02744 00500	GB	500 ml	545
Assay : Min. 97% C ₁₂ H ₂₇ N M.W. 185.36, Liquid, d. 0.778	02744 02500	GB	2.5 lt	2285
Tri-N-Butyl Phosphate (Cas no. 126-73-8) (n-butyl phosphate)	02745 00500	GB	500 ml	1135
Assay : Min. 99% C ₁₂ H ₂₇ O ₄ P M.W. 266.31, Liquid, d. 0.979				
Tributyltin Chloride (for synthesis) (Cas no. 1461-22-9)	02746 00250	GB	250 ml	4170
Assay : Min. 96% C ₁₂ H ₂₇ ClSn M.W. 325.51, Liquid, d. 1.2	02746 01000	GB	1 lt	13660
Tributyltin Oxide (For Synthesis) (Cas No. 56-35-9) [Bis (Tributyltin) Oxide]	02747 00100	GB	100 ml	1790
Assay : Min. 98% C ₂₄ H ₅₄ OSn M.W. 596.08, Liquid, d. 1.17	02747 00500	GB	500 ml	7965
Tributyryn (for biochemistry)	02748 00100	GB	100 ml	1990
(Cas no. 60-01-5) (glycerol tributyrate) (suitable for milk bacteriology)	02748 00500	GB	500 ml	7960
Assay : Min. 99% C ₁₅ H ₂₆ O ₆ M.W. 302.36, Liquid, d. 1.032				
Tribromomethane See Bromoform Page No. 29				
1,2,4-Trichlorobenzen 98% (for synthesis) (Cas no. 120-82-1)	02749 01000	GB	1 lt	1275
Assay : Min. 98% C ₆ H ₃ Cl ₃ M.W. 181.45	02749 02500	GB	2.5 lt	5355
Trichloroethylene (purified)	02750 00500	GB	500 ml	375
(Cas no. 79-01-06)	02750 02500	GB	2.5 lt	1775
Assay : Min. 99% CHCl:CCl ₂ M.W. 131.39, Liquid, d. 1.463	02750 05000	PC	5 lt	3290
Trichloroethylene EL Grade (Cas no. 79-01-06)	02751 02500	GB	2.5 lt	1880
Assay : Min. 99.5% CHCl:CCl ₂ M.W. 131.39, Liquid, d. 1.463				
Trichloromethane See Chloroform Page No. 44				
Tricine (For Molecular Biology) (Cas No. 5704-04-1)	02752 00025	GB	25 gm	820
[N-tris (hydroxymethyl) methyl glycine]	02752 00100	GB	100 gm	2415
Assay : Min. 99% C ₆ H ₁₃ NO ₅ M.W. 179.17				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Tricresyl Phosphate (Cas no. 1330-78-5) (tritolyl phosphate)	02753 00500	GB	500 ml	925
Assay : Min. 90% $C_{21}H_{21}O_4P$ M.W. 368.37, Liquid, d. 1.143	02753 02500	GB	2.5 lt	4335
Triethanolamine (for synthesis) (Cas no. 102-71-6)	02754 00500	PB	500 ml	515
Assay : Min. 98% $C_6H_{15}NO_3$ M.W. 149.19, Liquid, d. 1.127	02754 02500	PB	2.5 lt	2220
Triethanolamine AR (Cas no. 102-71-6)	02755 00250	GB	250 ml	340
Assay : Min. 99% $C_6H_{15}NO_3$ M.W. 149.19, Liquid, d. 1.127	02755 00500	GB	500 ml	650
Triethanolamine Hydrochloride AR (Cas no. 637-39-8) (Buffer Component)	02756 00100	PB	100 gm	195
Assay : Min. 99% $C_6H_{15}NO_3.HCl$ M.W. 185.65	02756 00500	PB	500 gm	885
Triethanolamine Lauryl Sulphate (Cas no. 139-96-8)	02757 00500	PB	500 gm	1095
$C_{18}H_{41}NO_7S$ M.W. 415.59				
Triethanolamine Stearate	02758 00500	PB	500 gm	685
Triethylamine (for synthesis) (Cas no. 121-44-8)	02759 00500	GB	500 ml	355
Assay : Min. 99% $(C_2H_5)_3N$ M.W. 101.19 Liquid, d. 0.726	02759 02500	GB	2.5 lt	1485
Triethylamine AR (Cas no. 121-44-8)	02760 00500	GB	500 ml	430
Assay : Min. 99.5% $(C_2H_5)_3N$ M.W. 101.19, Liquid, d. 0.726	02760 02500	GB	2.5 lt	1620
Triethylamine HPLC & SPECTROSCOPY (Cas no. 121-44-8)	27610 00520	GB	500 ml	1755
Assay : Min. 99.5% $(C_2H_5)_3N$ M.W. 101.19, Liquid, d. 0.726	27610 02500	GB	2.5 lt	7765
Triethylene Glycol (for synthesis) (Cas no. 112-27-6) (triglycol, trigol)	02762 00500	PB	500 ml	495
Assay : Min. 98% $C_6H_{14}O_4$ M.W. 150.18, Liquid, d. 1.124	02762 02500	PB	2.5 lt	1795
Triethylene Tetramine (Cas no. 112-24-3)	02763 00500	GB	500 ml	1785
Assay : Min. 95% $C_6H_{18}N_4$ M.W. 146.23, Liquid, d. 0.982				
Triethyl Orthoformate See Ethyl Orthoformate Page No. 70				
Triethyl Phosphite (for synthesis) (Cas no. 122-52-1)	02764 00250	GB	250 ml	1260
Assay : Min. 98% $C_6H_{15}O_3P$ M.W. 166.16, Liquid, d. 0.969	02764 01000	GB	1 lt	4165
Trifluoroacetic Acid (Cas No. 76-05-1)	02765 00100	GB	100 ml	1245
Assay : Min. 98% $C_2HF_3O_2$ M.W. 114.02, Liquid, d. 1.489	02765 00500	GB	500 ml	4915
Trifluoroacetic Acid AR (Cas No. 76-05-1) (for IR and NMR spectroscopy)	02766 00100	GB	100 ml	4820
Assay : Min. 99.8% $C_2HF_3O_2$ M.W. 114.02, Liquid, d. 1.489				
Trifluoro Acetic Anhydride (Cas No. 407-25-0) (TFAA) (for sequential analysis)	02767 00100	GB	100 ml	3415
Assay : Min. 99% $C_4F_6O_3$ M.W. 210.03, Liquid, d. 1.511	02767 00500	GB	500 ml	13805
2,2,2-Trifluoroethanol (for synthesis) (bbb-trifluoroethyl alcohol)	02768 00100	GB	100 ml	1630
(Cas No. 75-89-8) Assay : Min. 99% $C_2H_3F_3O$ M.W. 100.04, Liquid, d. 1.373	02768 00500	GB	500 ml	6845
3,4,5-Trihydroxy Benzoic Acid See Gallic Acid Page No. 75				
2,3,5-Triiodobenzoic Acid AR (Cas No. 88-82-4) (TIBA)	02769 00005	GB	5 gm	1425
Assay : Min. 97% $C_7H_3I_3O_2$ M.W. 499.81	02769 00010	GB	10 gm	3705
Trimethylamine Hydrochloride (For Synthesis) (Cas No. 593-81-7)	02770 00500	PB	500 gm	2705
Assay : Min. 98% $C_3H_9N.HCl$ M.W. 95.57				
Trimethylol Propane (Cas No. 77-99-6)	02771 00500	PB	500 gm	1975
(2-ethyl 2-hydroxymethyl-1,3 propanediol)				
Assay : Min. 98% $C_6H_{14}O_3$ M.W. 134.17				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Trimethyl Orthoformate (for synthesis) (methyl orthoformate)	02772 00500	GB	500 ml	1970
Assay : Min. 98% C ₄ H ₁₀ O ₅ M.W. 106.12, Liquid, d. 0.97 (Cas No.149-73-5)	02772 02500	GB	2.5 lt	4995
2,2,4-Trimethyl Pentane See iso-Octane Page No. 115				
Trimethyl Phosphite (for synthesis) (Cas No. 121-45-9)	02773 00250	GB	250 ml	2460
Assay : Min. 98.5% C ₃ H ₉ O ₃ P M.W. 124.08, Liquid, d. 1.052	02773 01000	GB	1 lt	8590
2,4,6-Trimethyl Pyridine (Cas No. 108-75-8)	02774 00100	GB	100 ml	1520
Assay : Min. 98% C ₈ H ₁₁ N M.W. 121.18, Liquid, d. 0.917	02774 00500	GB	500 ml	6640
2,4,6-Trinitrophenol See Picric Acid Page No. 124				
Tri-n-Octyl Phosphine Oxide AR (Cas No. 78-50-2) (for extraction analysis)	02775 00010	PB	10 gm	3490
Assay : Min. 99% C ₂₄ H ₅₁ OP M.W. 386.63	02775 00100	PB	100 gm	29765
Triphenyl Ethyl Phosphonium Bromide (for synthesis) (Cas No. 1530-32-1)	02776 00025	GB	25 gm	620
Assay : Min. 98% C ₂₀ H ₂₀ BrP M.W. 371.27	02776 00100	GB	100 gm	2025
Triphenyl Phosphate (Cas No. 115-86-6)	02777 00500	PB	500 gm	890
Assay : Min. 99% C ₁₈ H ₁₅ O ₄ P M.W. 326.28				
Triphenyl Phosphine (Cas No. 603-35-0)	02778 00100	PB	100 gm	560
Assay : Min. 98% C ₁₈ H ₁₅ P M.W. 262.29	02778 00500	PB	500 gm	2130
2,3,5-Triphenyl Tetrazolium Bromide AR (Cas No. 1096-80-6)	02779 00001	GB	1 gm	1285
Assay : Min. 98% C ₁₉ H ₁₅ BrN ₄ M.W. 379.24				
2,3,5-Triphenyl Tetrazolium Chloride See Tetrazolium Salt Page No. 161				
2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine AR (Cas No. 3682-35-7)	02780 00001	GB	1 gm	1765
(for the determination of iron in water & serum)	02780 00005	GB	5 gm	4375
Assay : Min. 99% C ₁₈ H ₁₂ N ₆ M.W. 312.33				
Tris Buffer Extra Pure (Cas No. 77-86-1) (tris (hydroxymethyl) amino methane)	02781 00100	PB	100 gm	585
Assay : Min. 99% C ₁₄ H ₁₁ NO ₃ M.W. 121.14	02781 00500	PB	500 gm	2465
Tris Buffer AR (Cas No. 77-86-1) (tris (hydroxymethyl) amino methane)	02782 00100	GB	100 gm	650
Assay : Min. 99.5% C ₁₄ H ₁₁ NO ₃ M.W. 121.14	02782 00500	GB	500 gm	2610
Tris-Hydrochloride AR (For Molecular Biology) (Cas No. 1185-53-1)	02783 00100	PB	100 gm	860
Assay : Min. 99% C ₄ H ₁₁ NO ₃ .HCl M.W. 157.60	02783 00500	PB	500 gm	2860
Triton X 100 (Cas No. 9002-93-1) (iso-octyl phenoxy polyethoxy ethanol)	02784 00500	GB	500 ml	680
Assay : Min. 98% C ₃₄ H ₆₂ O ₁₁ M.W. 646.87, Liquid, d. 1.06				
Triton® X 100 (For Molecular Biology)	02785 00050	GB	50 ml	520
(Cas No. 9002-93-1)	02785 00100	GB	100 ml	915
Assay : Min. 98% C ₃₄ H ₆₂ O ₁₁ M.W. 646.87, Liquid, d. 1.06	02785 00500	GB	500 ml	2610
Tropaeolin O (C.I. No. 14270) (Cas No. 547-57-9) (resorcin yellow)	02786 00025	GB	25 gm	770
C ₁₂ H ₉ N ₂ O ₃ Na M.W. 316.27	02786 00100	GB	100 gm	1280
Tropaeolin OO (C.I. No. 13080) (Cas No. 554-73-4) (orange IV)	02787 00025	GB	25 gm	290
C ₁₈ H ₁₄ N ₃ NaO ₃ S M.W. 375.38	02787 00100	GB	100 gm	880
Tropaeolin OOO (C.I. No. 15510)	02788 00025	GB	25 gm	185
(Cas No. 633-96-5) (orange II)	02788 00100	GB	100 gm	535
C ₁₆ H ₁₁ N ₂ NaO ₄ S M.W. 350.32				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Trypan Blue (M.S.) (C.I. No. 23850) (Cas No. 72-57-1)	02789 00025	PB	25 gm	845
Dye Content : Min. 60% $C_{34}H_{24}N_6O_{14}S_4Na_4$ M.W. 960.81	02789 00100	PB	100 gm	3135
Trypsin 1:250 (from bovine pancrease)	02790 00025	PB	25 gm	2905
(Cas No. 9002-07-7)	02790 00100	PB	100 gm	9455
Trypsin 2000 u/g (Cas No. 9002-07-7)	02791 00100	PB	100 gm	935
(0.2 Anson unit/g)	02791 00500	PB	500 gm	3970
Tryptone (for bacteriology) (Cas No. 73049-73-7)	02792 00500	PB	500 gm	1225
(pancreatic digestion of casein)				
L-Tryptophane (Cas No. 73-22-3)	02793 00005	GB	5 gm	395
(for biochemistry)	02793 00025	PB	25 gm	1785
Assay : Min. 99% $C_{11}H_{12}N_2O_2$ M.W. 204.23	02793 00100	PB	100 gm	4770
DL-Tryptophane (Cas No. 54-12-6)	02794 00005	GB	5 gm	580
(for biochemistry)	02794 00025	PB	25 gm	2790
Assay : Min. 99% $C_{11}H_{12}N_2O_2$ M.W. 204.23	02794 00100	PB	100 gm	9455
Tryptose (For Bacteriology) (Cas No. 84843-69-6)	02795 00500	PB	500 gm	1850
Tulsi Oil (Cas No. 8015-73-4), Liquid, d. 0.961	02795A 00500	GB	500 ml	3935
Tung Oil Extra Pure (Cas No. 8001-20-5) (China wood oil) Liquid, d. 0.937	02795B 00500	GB	500 ml	3250
Tangsten AAS Standard Solution	02795C 00125	GB	125 ml	795
1000mg/L in Nitric Acid	02795C 00500	GB	500 ml	2365
Tangsten ICP Standard Solution 1000mg/L in Nitric Acid	02795D 00125	PB	125 ml	4640
Tungsten (metal) Powder (325 mesh) (Cas No. 7440-33-7)	02796 00100	PB	100 gm	1640
Assay : Min. 98% W M.W. 183.85	02796 00500	PB	500 gm	7670
Tungsten (VI) Oxide (tungsten trioxide) (Cas No. 1314-35-8)	02797 00100	PB	100 gm	1440
Assay : Min. 98% WO_3 M.W. 183.85	02797 00250	PB	250 gm	3180
Tungstic Acid	02798 00100	PB	100 gm	745
(Cas No. 7783-03-1)	02798 00250	PB	250 gm	1995
Assay : Min. 99% H_2WO_4 M.W. 249.87	02798 00500	PB	500 gm	3235
Tungstic Acid AR (Cas No. 7783-03-1)	02799 00100	PB	100 gm	850
Assay : Min. 99% H_2WO_4 M.W. 249.87	02799 00250	PB	250 gm	2010
Tungsto Phosphoric Acid See Phosphotungstic Acid Page No. 124				
Tungsto Silicic Acid See Silicotungstic Acid Page No. 140				
Turkey Red Oil (35%) (Sodium Salt) (Cas No. 8002-33-3) Liquid, d. 1.039	02799A 00500	GB	500 ml	320
Turkey Red Oil (50%) (Sodium Salt) (Cas No. 8002-33-3) Liquid, d. 1.039	02799B 00500	GB	500 ml	420
Turkey Red Oil (75%) (Sodium Salt) (Cas No. 8002-33-3) Liquid, d. 1.039	02799C 00500	GB	500 ml	530
Turpentine Oil See Turpentine Oil				
Tween 20 (polysorbate 20) [polyethylene (20) sorbitan mono laurate]	02800 00500	PB	500 gm	745
(Cas No. 9005-64-5) $C_{56}H_{114}O_{26}$ M.W. 6418, Liquid, d. 1.095				
Tween® 20 (For molecular Biology)	02801 00100	PB	100 ml	1365
(Cas No. 9005-64-5) $C_{56}H_{114}O_{26}$ M.W. 6418, Liquid, d. 1.095				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Tween 40 (polysorbate 40), [polyethylene (60) sorbitan mono stearate] (Cas No. 9005-66-7)	02801A 00500	GB	500 gm	740
Tween 80 (Cas No. 9005-65-6) (polysorbate 80), Liquid, d. 1.064 [polyethylene (80) sorbitan mono oleate]	02802 00500	GB	500 ml	720
L-Tyrosine (Cas No. 60-18-4) (for biochemistry)	02803 00025	PB	25 gm	280
	02803 00100	PB	100 gm	955
Assay : Min. 99% C ₉ H ₁₁ NO ₃ M.W. 181.19	02803 00500	PB	500 gm	3945
***** U				
Universal Indicator papers 1-10 (with chart) (pkt contains 100 leaves)	02930 PKT01	CB	pkt	150
	02930 PKT24	CB	24 pkt	2940
Universal Nidicator Paper pH 1-10 (Including Colour Scale in Plastic Dispense)	02804 001RL	CB	Roll	170
	02804 010RL	CB	10xRoll	1350
Universal Indicator solution pH 4-11 (with colour chart) Liquid, d. 0.89	02805 00125	PB	125 ml	85
	02805 00500	PB	500 ml	215
Uracil (for biochemistry) (Cas NO. 66-22-8)	02806 00005	PB	5 gm	115
	02806 00025	PB	25 gm	285
Assay : Min. 99% C ₄ H ₄ N ₂ O ₂ M.W. 112.09	02806 01000	PB	1 kg	9275
Uranyl Actetae AR (dihydrate) (reagent for sodium) (Cas NO. 6159-44-0)	02807 00005	GB	5 gm	12000
Assay : Min. 98% UO ₂ (OCOCH ₃) ₂ ·2H ₂ O M.W. 424.15	02807 00025	GB	25 gm	45010
Urea Extra Pure (crystals) (purified) [minimum assay (Kjeldahl) 99%] Assay : Min. 99% CH ₄ N ₂ O M.W. 60.06 (Cas No. 57-13-6)	02808 00500	PB	500 gm	195
	02808 05000	PC	5 kg	1695
Urea AR (Cas No. 57-13-6) (special for biochemical purpose) Assay : Min. 99.5% CH ₄ N ₂ O M.W. 60.06	02809 00500	PB	500 gm	290
	02809 05000	PC	5 kg	2480
Urea (For Molecular Biology) (Cas No. 57-13-6) Assay : Min. 99.5% CH ₄ N ₂ O M.W. 60.06	02810 00500	PB	500 gm	845
	02810 01000	PB	1 kg	1570
Urea Solution O.I M	02810A 00500	PB	500 ml	135
Urea Phosphate Extra Pure (Cas No. 4861-19-2) Assay : Min. 98% CH ₄ N ₂ O·H ₃ PO ₄ M.W. 158.05	02811 00500	PB	500 gm	405
	02811 05000	PC	5 kg	3480
Urease Active Meal See Jack Bean Meal Page No. 89				
Uric Acid Extra Pure (Cas No. 69-93-2) Assay : Min. 98% C ₅ H ₄ N ₄ O ₃ M.W. 168.11	02812 00025	PB	25 gm	1770
	02812 00100	PB	100 gm	6595
Uric Acid AR (Cas No. 69-93-2) Assay : Min. 99% C ₅ H ₄ N ₄ O ₃ M.W. 168.11	02813 00025	PB	25 gm	1875
	02813 00100	PB	100 gm	6925
Uric Acid Reagent solution (folin/newton)	02814 00100	PB	100 ml	155
	02814 00500	PB	500 ml	480
Uric Acid Reagent Benedict's See Benedict's Uric acid Reagent Page No. 21				
Uridine (for biochemistry) (Cas No. 58-96-8) Assay : Min. 99% C ₉ H ₁₂ N ₂ O ₆ M.W. 244.20	02815 00005	GB	5 gm	760
	02815 00025	GB	25 gm	2970

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Vaccum Grease See Silicone Grease Page No. 140				
Valerion Oil	02815A 00250	GB	250 ml	14395
n-Valeric Acid (for synthesis) (Cas No. 109-52-4) (pentanoic acid)	02816 00500	GB	500 ml	1830
Assay : Min. 98% $C_5H_{10}O_2$ M.W. 102.13, Liquid, d. 0.939	02816 02500	GB	2.5 lt	7340
Valeronitrile (for synthesis) (Cas No. 110-59-8) (n-butyl cyanide)	02817 00100	GB	100 ml	9220
Assay : Min. 98% C_5H_9N M.W. 83.13, Liquid, d. 0.795	02817 00500	GB	500 ml	3415
L-Valine	02818 00005	GB	5 gm	95
(Cas No. 72-18-4)	02818 00025	PB	25 gm	265
(for biochemistry)	02818 00100	PB	100 gm	915
Assay : Min. 99% $C_5H_{10}NO_2$ M.W. 117.15	02818 00500	PB	500 gm	3320
DL-Valine	02819 00005	GB	5 gm	180
(Cas No. 516-06-3)	02819 00025	PB	25 gm	595
(for biochemistry)	02819 00100	PB	100 gm	2130
Assay : Min. 99% $C_5H_{11}NO_2$ M.W. 117.15	02819 00500	PB	500 gm	8525
Vanadium AAS Standard solution	02820 00125	GB	125 ml	630
1000mg/L in Nitric Acid Liquid . d 1.013	02820 00500	GB	500 ml	2685
Vanadium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.013	02820A 00125	GB	125 ml	3458
Vanadium Pentoxide Extra Pure	02821 00100	PB	100 gm	1140
(Cas No. 1314-62-1) [vanadium (v) oxide]	02821 00500	PB	500 gm	5490
Assay : Min. 98% V_2O_5 M.W. 181.88				
Vanadium Pentoxide AR (Cas No. 1314-62-1) [vanadium (v) oxide]	02822 00100	PB	100 gm	1510
Assay : Min. 99% V_2O_5 M.W. 181.88	02822 00500	PB	500 gm	6425
Vaniline (for synthesis) (Cas No. 121-33-5)	02823 00100	PB	100 gm	565
Assay : Min. 98% $C_8H_8O_3$ M.W. 152.15	02823 00500	PB	500 gm	2710
Vaniline AR (Cas No. 121-33-5)	02824 00025	PB	25 gm	245
Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15 Liquid, d. 1.06	02824 00100	PB	100 gm	965
Vaseline white (Cas No. 8009-03-8) (soft paraffin white)	02825 00500	PB	500 gm	290
(petroleum jelly white) (petrolatum white)	02825 15000	PC	15 kg	7565
Vaseline Yellow (Cas No. 8009-03-8)	02826 00500	PB	500 gm	285
(soft paraffin yellow) (petroleum jelly yellow)	02826 15000	PC	5 kg	1850
Veratrole (for synthesis) (Cas No. 91-16-7)	02827 00100	GB	100 ml	585
Assay : Min. 98% $C_8H_{10}O_2$ M.W. 138.2 Liquid . d . 1.086	02827 00500	GB	500 ml	2480
Vetiver Oil (Cas No. 8016-96-4)	02827A 00500	GB	500 ml	13530
Victoria Blue (M.S.) (C.I. No. 44045)	02828 00025	PB	25 gm	135
(Cas No. 2580-56-5)	02828 00100	PB	100 gm	410
Assay : Min. 65% $C_{33}H_{32}ClN_3$ M.W. 506.10	02828 00500	PB	500 gm	1825
Vinyl Acetate (Monomer) (Cas No. 108-05-4)	02829 00500	GB	500 ml	295
(acetoxethylene)	02829 02500	GB	2.5 lt	1185
(for synthesis) (stabilized with hydroquinone)				
Assay : Min. 99% $C_4H_6O_2$ M.W. 86.09 Liquid, d. 0.93				

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Vitamin A Acetate (for biochemistry) (Cas No. 127-47-9) (retinyl acetate) $C_{22}H_{32}O_2$ M.W. 328.49	02828 00025	PB	25 gm	415
	028028 0100	PB	100 gm	1515
Vitamin B₁ (for biochemistry) (Cas No. 67-03-8) (thiamine hydrochloride)	02831 00010	GB	10 gm	185
	02831 00025	PB	25 gm	360
Assay : Min. 99% $C_{12}H_{18}Cl_2N_4OS.H_2O$ M.W. 337.27	02831 00250	PB	250 gm	5680
Vitamin B₂ See Riboflavin Page No. 132				
Vitamin B₆ See Pyridoxine Hydrochloride Page No. 134				
Vitamin B₁₂ (for biochemistry) (Cas No. 68-19-9) (cyanocobalamine)	02832 0250M	GB	250 mg	455
	02832 00001	GB	1 gm	1385
Assay : Min. 98% $C_{63}H_{88}CON_{14}O_{14}P$ M.W. 1355.37	02832 00010	GB	10 gm	12605
Vitamin B₇ (Cas No. 541-15-1) (L-Carnitine)	02833 00005	GB	5 gm	2600
Assay : Min. 98% $C_7H_{15}NO_3$ M.W. 161.2				
Vitamin C See L-Ascorbic Acid Page No. 18				
Vitamin D₃ (Cholecalciferol)	02834 00010	GB	10 gm	9265
Vitamin E-Acetate (Cas No. 7695-91-2) (DI-alpha-tocopherol acetate)	02835 00050	PB	50 gm	685
Assay : Min. 99% $C_{31}H_{52}O_3$ M.W. 427.74, Solidified Liquid, d. 0.953	02835 01000	PB	1 kg	11695
Vitamin K3 Sodium Bisulphite See menadione sodium bisulphite Page No. 95				
Vitamin H See D-Biotin Page No. 25				
***** W				
Wagner's Reagent Indication Solution	02835A 00125	GB	125 ml	195
	02835A 00500	GB	500 ml	665
Wanklyn Solution	02836 00500	GB	500 ml	180
1 ml=CaCo3 Liquid . 1.935	02836 02500	GB	2.5 lt	565
Water for HPLC (Cas No. 7732-18-5)H ₂ O M.W. 18.02 Liquid . 1.000	02837 01000	PB	1 lt	395
W.B.C. Diluting Fluid (solution)	02838 00500	PB	500 ml	145
Wheat Germ Oil (Cas No. 68917-73-7), Liquid, d. 0.93	02838A 00500	GB	500 ml	2735
Wheat Oil	02838B 00500	GB	500 ml	2495
WIJ's solution	02839 00125	GB	125 ml	325
(wij's reagent) (Iodine monochloride solution) Liquid . 1.06	02839 00500	GB	500 ml	985
Winles's Solution (A)	02839A 00500	GB	500 ml	890
Winles's Solution (B)	02839B 00500	GB	500 ml	440
WOOD's metal AR (Cas No. 8049-22-7)	02840 00250	PB	250 gm	2095
Wright's stain	02841 00025	PB	25 gm	485
(Cas No. 68988-92-1)	02841 00100	PB	100 gm	1565
(M.S.) (wright's eosin methylene blue)	02841 00500	PB	500 gm	5485
Wright's stain solution	02842 00125	PB	125 ml	85
(staining solution for microscopy), Liquid, d. 0.80	02842 00500	PB	500 ml	250

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Xanthan Gum Extra Pure (food grade) (gum xanthan) (Cas no. 11138-66-2)	02843 00500	PB	500 gm	1060
Xanthine (for biochemistry) (Cas No. 69-89-6)	02844 00005	GB	5 gm	515
Assay : Min. 99% $C_5H_4N_4O_2$ M.W. 152.11	02844 00025	GB	25 gm	2080
X-Gal (For Molecular Biology) (Cas No. 7240-90-6) (5-Bromo-4-chloro-3-indolyl-B-Dgalactopyranoside)	02845 0100M	GB	100 mg	1665
Assay : Min. 98% $C_{14}H_{15}BrClNO_6$ M.W. 408.63 (store at 2 – 80C)	02845 0500M	GB	500 mg	4655
	02845 00001	GB	1 gm	8375
Xylene (Cas No. 1330-20-7) (rectified) (xylol)	02846 00500	GB	500 ml	280
Assay : Min. 98.5% C_8H_{10} M.W. 106.17, Liquid, d. 0.86	02846 02500	GB	2.5 lt	1175
	02846 05000	PC	5 lt	2180
Xylene (Cas No. 1330-20-7) (sulphur free) (xylol)	02847 00500	GB	500 ml	305
Assay : Min. 98.5% C_8H_{10} M.W. 106.17, Liquid, d. 0.86	02847 02500	GB	2.5 lt	1245
	02847 05000	PC	5 lt	2170
Xylene AR (Cas No. 1330-20-7) (xylol)	02848 00500	GB	500 ml	340
Assay : Min. 99.5% C_8H_{10} M.W. 106.17, Liquid, d. 0.86	02848 02500	GB	2.5 lt	1325
m-Xylene (for synthesis) (Cas No. 108-38-3)	02849 00500	GB	500 ml	565
Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.868				
o-Xylene (for synthesis) (Cas No. 95-47-6) (1,2-dimethylbenzene)	02850 00500	GB	500 ml	335
Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.881				
p-Xylene (for synthesis) (Cas No. 106-42-3) (1,4-dimethylbenzene)	02851 00500	GB	500 ml	545
Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.861				
Xylene Cyanol FF (C.I.No. 42135) (Cas No. 2650-17-1)	02852 00001	GB	1 gm	1140
Dye Content : Min.75% $C_{25}H_{27}N_2NaO_6S$ M.W. 538.61	02852 00025	GB	25 gm	4720
p-Xylenol Blue Indicator AR (Cas No. 125-31-5)	02853 00001	GB	1 gm	720
Dye Content : Min. 90% $C_{23}H_{22}O_5S$ M.W. 410.48	02853 00005	GB	5 gm	2795
Xylenol Orange AR (Cas No. 3618-43-7) (use in EDTA Zinc titration)	02854 00005	GB	5 gm	385
Dye Content : Min. 90% $C_{31}H_{28}N_2O_{13}SNa_4$ M.W. 760.58	02854 00025	GB	25 gm	1695
	02854 00100	PB	100 gm	5985
Xylenol Orange indicator solution	02855 00125	PB	125 ml	175
	02855 00500	PB	500 ml	530
2,4-Xylidine (purified) (Cas No. 95-68-1) (2,4-dimethylaniline)	02856 00250	GB	250 ml	670
Assay : Min. 98% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.98	02856 02500	GB	2.5 lt	4300
2,6-Xylidine (purified) (Cas No. 87-62-7) (2,6-dimethylaniline)	02857 00250	GB	250 ml	705
Assay : Min. 99% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.984	02857 02500	GB	2.5 lt	5435
Xylidine Ponceau (Cas No. 3761-53-3) (M.S.) (C.I. No. 16255)	02858 00025	PB	25 gm	145
Dye Content : Min. 60% $C_{18}H_{14}N_2Na_2O_7S_2$ M.W. 480.43	02858 00100	PB	100 gm	505
	02858 00500	PB	500 gm	2130

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
D-Xylose (purified) (Cas No. 58-86-6)	02859 00025	PB	25 gm	235
(reactant for biochemical identification & culture media additive)	02859 00100	PB	100 gm	685
Assay : Min. 99% $C_5H_{10}O_5$ M.W. 150.13	02859 00500	PB	500 gm	2905

***** **Y**

Yeast Extract paste (for bacteriology) (Cas No. 8013-01-2)	02860 00500	PB	500 gm	725
Yeast Extract powder (for bacteriology) (Cas No. 8013-01-2) Assay : Min. 60%	02861 00500	PB	500 gm	985
Yttrium Oxide 99.9% AR (Cas No. 1314-36-9)	02862 00025	PB	25 gm	1350
Assay : Min. 99.99% Y_2O_3 M.W. 225.81	02862 00100	PB	100 gm	4560

***** **Z**

Zinc AAS Standard Solution	02863 00125	GB	125 ml	625
100mg/L in Nitric Acid Liquid .d. 1.02	02863 00500	GB	500 ml	2375
Zinc ICP Standard Solution 1000 mg/L in Nitric Acid	02863A 00125	GB	125 ml	4640
Zinc ICP Standard Solution 10000 mg/L in Nitric Acid	02863B 00125	GB	125 ml	6430
Zinc (metal) Dust Extra Pure (fine powder) (250-300 mesh)	02864 00500	PB	500 gm	520
(Cas No. 7440-66-6) Assay : Min. 95% Zn M.W. 65.39	02864 05000	PC	5 Kg	4250
Zinc (metal) Dust AR (Cas No. 7440-66-6)	02865 00500	PB	500 gm	665
Assay : Min. 98% Zn M.W. 65.39				
Zinc (metal) Foil (Cas No. 7440-66-6)	02866 00250	PB	250 gm	2330
Assay : Min. 99.5% Zn M.W. 65.39				
Zinc (metal) Granulated Extra Pure (Cas No. 7440-66-6)	02867 00500	PB	500 gm	675
Assay : Min. 99.5% Zn M.W. 65.39	02867 05000	PC	5 kg	5445
Zinc (metal) Granulated AR (Cas No. 7440-66-6)	02868 00500	PB	500 gm	825
Assay : Min. 99.9% Zn M.W. 65.39				
Zinc Acetate Extra Pure (dihydrate) (Cas No. 5970-45-6)	02869 00500	PB	500 gm	370
Assay : Min. 98% $(CH_3COO)_2Zn.2H_2O$ M.W. 219.50	02869 05000	PC	5 kg	3140
Zinc Acetate AR (dihydrate) (Cas No. 5970-45-6)	02870 00500	PB	500 gm	450
Assay : Min. 99.5% $(CH_3COO)_2Zn.2H_2O$ M.W. 219.50	02870 05000	PC	5 kg	3840
Zinc Borate (Cas No. 10361-94-1)	02871 00500	PB	500 gm	1185
Assay (as ZnO) : Min. 45% $BH_3O_3.xZn$				
Zinc Bromide (anhydrous) (for synthesis) (Cas No. 7699-45-8)	02872 00500	PB	500 gm	2755
Assay : Min. 99% $ZnBr_2$ M.W. 225.19				
Zinc Carbonate (basic) (Cas No. 5263-02-5)	02873 00500	PB	500 gm	455
Assay (as Zn) : Min. 47% $[ZnCO_3]_2[Zn(OH)_2]_3$ M.W. 549.01	02873 05000	PC	5 kg	3805
Zinc Chloride (dry) (Cas No. 7646-85-7) (purified powder)	02874 00500	PB	500 gm	295
Assay : Min. 97% $ZnCl_2$ M.W. 136.3	02874 05000	PC	5 kg	2520

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Zinc Chloride (dry) AR (Cas No. 7646-85-7) Assay : Min. 98% ZnCl ₂ M.W. 136.3	02875 00500	GB	500 gm	695
Zinc Chloride (For Molecular Biology) (Cas No. 7646-85-7) Assay : Min. 98% ZnCl ₂ M.W. 136.3	02876 00100 02876 00500	GB GB	100 gm 500 gm	925 3595
Zinc Chloride 0.1M Standardized Solution, Liquid . d . 1.01	02877 00500	PB	500 ml	320
Zinc Chloride 0.5M Standardized Solution	02878 00500	PB	500 ml	320
Zinc Nitrate (hexahydrate) (Cas No. 10196-18-6) Assay : Min. 96-103% Zn(NO ₃) ₂ .6H ₂ O M.W. 297.49	02879 00500 02879 05000	PB PC	500 gm 5 kg	320 2720
Zinc Nitrate AR (hexahydrate) (Cas No. 10196-18-6) Assay : Min. 98% Zn(NO ₃) ₂ .6H ₂ O M.W. 297.49	02880 00500 02880 05000	PB PC	500 gm 5 kg	430 3675
Zinc Oxide Extra Pure (Cas No. 1314-13-2) Assay : Min. 98% ZnO M.W. 81.39	02881 00500 02881 05000	PB PC	500 gm 5 kg	405 3365
Zinc Oxide AR (Cas No. 1314-13-2) Assay : Min. 99% ZnO M.W. 81.39	02882 00500	PB	500 gm	485
Zinc Phosphate (Cas No. 7779-90-0) Assay : Min. 99.998% Zn ₃ (PO ₄) ₂ M.W. 386.11	02883 00500 02883 05000	PB PC	500 gm 5 kg	565 4760
Zinc Stearate Extra Pure (Cas No. 557-05-1) Assay (as Zn) : Min. 10-12% [CH ₃ (CH ₂) ₁₆ COO] ₂ Zn M.W. 632.33	02884 00500 02884 05000	PB PC	500 gm 5 kg	375 3090
Zinc Sulphate Extra Pure (purified) (heptahydrate) (iron free white crystals) Assay : Min. 99% ZnSO ₄ .7H ₂ O M.W. 287.56 (Cas No. 7446-20-0)	02885 00500 02885 05000	PB PC	500 gm 5 kg	205 1780
Zinc Sulphate AR (heptahydrate) (Cas No. 7446-20-0) Assay : Min. 99.5% ZnSO ₄ .7H ₂ O M.W. 287.56	02886 00500	PB	500 gm	285
Zinc Sulphate (dried) (monohydrate) (Cas No. 7446-19-7) Assay : Min. 99-100.5% ZnSO ₄ .H ₂ O M.W. 179.45	02887 00500	PB	500 gm	310
Zinc Sulphate 0.05M Standardized Solution Liquid .d.1.005	02888 00500	PB	500 ml	330
Zinc Sulphate 0.1M Standardized Solution Liquid .d.1.16	02889 00500	PB	500 ml	330
Zinc Sulphide AR (Cas No. 1314-98-3) Assay : Min. 99.9% ZnS M.W. 97.44	02890 00500	PB	500 gm	1745
Zincon AR (For Photometric Determination of Copper & Zinc) C ₂₀ H ₁₆ N ₄ O ₆ S M.W. 440.43 (Cas No. 56484-13-0)	02891 00001 02891 00005	GB GB	1 gm 5 gm	845 3995
Zincon Monosodium Salt AR (Cas No. 62625-22-3) Assay : Min. 98% C ₂₀ H ₁₅ N ₄ NaO ₆ S M.W. 462.41	02892 00001 02892 00005	GB GB	1 gm 5 gm	1395 5330
Zirconium ICP Standard Solution 1000mg/L in water	02892A 00125	GB	125 ml	4635
Zirconium (IV) Carbonate basic (hydrate) (zirconium oxycarbonate) (Cas No. 57219-64-4) Assay (as ZrO ₂) : Min. 40% Zr(OH) ₂ CO ₃ .ZrO ₂ M.W. 308.46	02893 00100 02893 00500	PB PB	100 gm 500 gm	2785 5605
Zirconium Dioxide (calcined) (Cas No. 1314-23-4) (zirconium (IV) oxide) Assay : Min. 97% ZrO ₂ M.W. 123.22	02894 00500	PB	500 gm	2145
Zirconium Dioxide AR (Cas No. 1314-23-4) (zirconium (IV) oxide) Assay : Min. 99.5% ZrO ₂ M.W. 123.22	02895 00500	PB	500 gm	2645

PRODUCT NAME	CODE	PKG	UNIT	PRICE ₹
Zirconium Nitrate (Cas No. 14985-18-3) (zirconyl nitrate)	02896 00100	GB	100 gm	1965
Assay : Min. 99% $ZrO(NO_3)_2 \cdot H_2O$ M.W. 231.23 (anhy basis)	02896 00500	GB	500 gm	8855
Zirconium Oxychloride (octahydrate) (zirconyl chloride) (Cas No. 13520-92-8)	02897 00100	GB	100 gm	405
Assay : Min. 99% $ZrOCl_2 \cdot 8H_2O$ M.W. 322.25	02897 00500	GB	500 gm	1210
Zirconium Oxychloride AR (octahydrate) (zirconyl chloride)	02898 00100	GB	100 gm	2715
(Cas No. 13520-92-8) Assay : Min. 99.5% $ZrOCl_2 \cdot 8H_2O$ M.W. 322.25	02898 00250	GB	250 gm	6045
Zirconium Silicate Extra Pure	02899 00250	PB	250 gm	1360
(Cas No. 10101-52-7) (zirconium orthosilicate)	02899 01000	PB	1 kg	3825
Assay : Min. 98.5% $ZrSiO_4$ M.W. 183.30				

PERIODIC TABLE OF THE ELEMENTS

GROUP		1A		2A		3A		4A		5A		6A		7A		8A		
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	1.0079 H HYDROGEN	6.941 Li LITHIUM	9.0122 Be BERYLLIUM	12.24305 Na SODIUM	22.98976928 Mg MAGNESIUM	26.9815386 Al ALUMINIUM	39.948 Si SILICON	50.9415 P PHOSPHORUS	69.723 S SULFUR	79.904 Cl CHLORINE	95.94 Ar ARGON	10.811 B BORON	12.011 C CARBON	14.007 N NITROGEN	15.999 O OXYGEN	18.998 F FLUORINE	20.180 Ne NEON	4.0026 He HELIUM
2																		
3																		
4																		
5																		
6																		
7																		

Legend:

- Alkali metal
- Alkaline earth metal
- Transition metals
- Lanthanide
- Actinide
- Semimetal
- Nonmetal
- Chalcogens element
- Halogens element
- Noble gas

STANDARD STATE (25 °C, 101 kPa)

- No - gas
- Li - liquid
- Fe - solid
- No - synthetic

Copyright © 1994-2003 ENO (enot@att.net)

LANTHANIDE		57 138.91 La LANTHANUM	58 140.12 Ce CEPRUM	59 140.91 Pr PRASEODYMIUM	60 144.24 Nd NEODYMIUM	61 144.91 Pm PROMETHIUM	62 150.36 Sm SAMARIUM	63 151.96 Eu EUROPIUM	64 157.25 Gd GADOLINIUM	65 158.93 Tb TERBIUM	66 162.50 Dy DYSPROSIUM	67 164.93 Ho HOLMIUM	68 167.26 Er ERBIUM	69 168.93 Tm THULIUM	70 173.04 Yb YTERBIUM	71 174.97 Lu LUTETIUM
ACTINIDE		89 (227) Ac ACTINIUM	90 232.04 Th THORIUM	91 231.04 Pa PROTACTINIUM	92 238.03 U URANIUM	93 (237) Np NEPTUNIUM	94 (244) Pu PLUTONIUM	95 (247) Am AMERICIUM	96 (251) Cm CURIUM	97 (257) Bk BERKELIUM	98 (261) Cf CALIFORNIUM	99 (265) Es EINSTEINIUM	100 (267) Fm FERMIUM	101 (269) Md MOSCOWIUM	102 (271) No NOBELIUM	103 (277) Lr LAWRENCIUM

(1) Pure Appl. Chem., 73, No. 4, 667-682 (2001).
Relative atomic mass is given with five significant figures. For elements having no stable nuclides, the value enclosed in brackets indicates the mass number of the longest-lived isotope of the element.
Whenever their such elements (Fr, Pa, and U) do have a characteristic terrestrial isotopic composition, and for those an atomic weight is tabulated.

Editor: Anshu Vaidya (anshu@pallav.com)



Corporate Office:

253, Shiv Shakti, Industrial Estate,
Opp. Mittal Estate,
Andheri Kurla Road,
Marol, Andheri (East),
Mumbai 400059. India

Tel : +91 22 4928 4000 (100 Lines)

Email : sales@pallavchemicals.com,
info@pallavchemicals.com

Website: www.pallavchemicals.com

Factory:

N-226, Near Kumbhavali Naka,
Tarapur MIDC, Boisar - 401506.

Pallav Chemicals & Solvents Pvt Ltd.

Manufacturers of Laboratory Fine Chemicals