

CYCLOHEXANEMATERIAL SAFETY DATA SHEETCAS No 110-82-7SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	[:] Cyclohexane
	CAS-No.	: 110-82-7
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Identified uses	: Laboratory chemicals, Industrial & for professional use only.
1.3	Details of the supplier of the safety data sheet	
	Company	 Pallav Chemicals & Solvents Pvt. Ltd 253, Shiv Shakti Industrial Estate, Opp Mittal Estate Andheri Kurla Road, Andheri (E), Mumbai - 400050 INDIA
	Telephone Email	: +91 22 4928 4000 : <u>sales@pallavchemicals.com</u>

1.4 Emergency telephone number

Emergency Phone # : +91 22 4928 4000 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal word	Danger
Hazard statement(s)	
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substances			
Formula	: C ₆ H ₁₂		
Molecular weight	: 84.16 g/mol		
CAS-No.	: 110-82-7		
EC-No.	: 203-806-2		
Index-No.	: 601-017-00-1		
Hazardous ingredient	ts according to Regulation	(EC) No 1272/2008	
Component		Classification	Concentration
Cyclohexane			
CAS-No.	110-82-7	Flam. Lig. 2; Skin Irrit. 2;	<= 100 %
EC-No.	203-806-2	STOT SE 3; Asp. Tox. 1;	
Index-No.	601-017-00-1	Aquatic Acute 1; Aquatic	
		Chronic 1; H225, H315, H336,	
		H304, H400, H410	
		M-Factor - Aquatic Acute: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 4 - 7 °C - lit.
f)	Initial boiling point and boiling range	80.7 °C - lit.
g)	Flash point	-18.0 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 9 %(V) Lower explosion limit: 1 %(V)
j) k)	flammability or	Lower explosion limit: 1 %(V) 168.8 mmHg at 37.7 °C
	flammability or explosive limits	Lower explosion limit: 1 %(V)
k)	flammability or explosive limits Vapour pressure	Lower explosion limit: 1 %(V) 168.8 mmHg at 37.7 °C 77.0 mmHg at 20.0 °C
k) I)	flammability or explosive limits Vapour pressure Vapour density	Lower explosion limit: 1 %(V) 168.8 mmHg at 37.7 °C 77.0 mmHg at 20.0 °C No data available
k) l) m)	flammability or explosive limits Vapour pressure Vapour density Relative density	Lower explosion limit: 1 %(V) 168.8 mmHg at 37.7 °C 77.0 mmHg at 20.0 °C No data available 0.779 g/cm3 at 25 °C

- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6** Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 12,705 mg/kg(Cyclohexane) LC50 Inhalation - Rat - 4 h - 34,000 mg/l(Cyclohexane) (OECD Test Guideline 403) LD50 Dermal - Rabbit - > 2,000 mg/kg(Cyclohexane)

Skin corrosion/irritation

Skin - Rabbit(Cyclohexane) Result: No skin irritation Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)(Cyclohexane)

Serious eye damage/eye irritation

Eyes - Rabbit(Cyclohexane) Result: Mild eye irritation

Respiratory or skin sensitisation No data available(Cyclohexane)

Germ cell mutagenicity

No data available(Cyclohexane)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Cyclohexane)

Specific target organ toxicity - single exposure No data available(Cyclohexane)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

May be fatal if swallowed and enters airways.(Cyclohexane)

Additional Information

RTECS: GU6300000

Central nervous system depression, Drowsiness, Irritability, Dizziness, Gastrointestinal disturbance, Lung irritation, chest pain, pulmonary edema(Cyclohexane)

SECTION 12: Ecological information

12.1 Toxicity

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Toxicity to daphnia and	Immobilization EC50 - Daphnia magna (Water flea) - 0.9 mg/l - 48
other aquatic	h(Cyclohexane)
invertebrates	(OECD Test Guideline 202)
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 3.4 mg/l - 72 h(Cyclohexane) (OECD Test Guideline 201)

12.2 Persistence and degradability Biodegradability Result

Result: - Readily biodegradable.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available(Cyclohexane)
- 12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
- **12.6 Other adverse effects** Very toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1145

IMDG: 1145

IATA: 1145

14.2	UN proper shipping name ADR/RID: CYCLOHEXANE IMDG: CYCLOHEXANE IATA: Cyclohexane		
14.3	Transport hazard class(es)		
	ADR/RID: 3	IMDG: 3	IATA: 3
14.4	Packaging group		
	ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards		
	ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user		
	No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Pallav Chemicals & Solvents Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.pallavchemicals.com for additional terms and conditions of sale.