

**Turpentine Oil**  
**CAS No 8006-64-2****MATERIAL SAFETY DATA SHEET**  
**SDS/MSDS****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**Product name : **Turpentine Oil**

CAS-No. : 8006-64-2

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Industrial &amp; for professional use only.

**1.3 Details of the supplier of the safety data sheet**

Company : Pallav Chemicals & Solvents Pvt.  
Ltd  
253, Shiv Shakti Industrial Estate,  
Opp Mittal Estate  
Andheri Kurla Road, Andheri (E),  
Mumbai - 400050  
INDIA

Telephone : +91 22 4928 4000  
Email : [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com)

**1.4 Emergency telephone number**

Emergency Phone # : +91 22 4928 4000 (9:00am - 6:00 pm) [Office hours]

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flammable liquids (Category 3), H226  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 4), H332  
Acute toxicity, Dermal (Category 4), H312  
Skin irritation (Category 2), H315  
Eye irritation (Category 2), H319  
Skin sensitisation (Category 1), H317  
Aspiration hazard (Category 1), H304  
Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 Label elements****Labelling according Regulation (EC) No 1272/2008**

Pictogram

Signal word	Danger
Hazard statement(s)	
H226	Flammable liquid and vapour.
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Fir oil  
Pine oil  
Turpentine  
Oil of turpentine

CAS-No. : 8006-64-2  
EC-No. : 232-350-7  
Index-No. : 650-002-00-6

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Turpentine oil</b>			
CAS-No.	8006-64-2	Flam. Liq. 3; Acute Tox. 4;	<= 100 %
EC-No.	232-350-7	Skin Irrit. 2; Eye Irrit. 2; Skin	
Index-No.	650-002-00-6	Sens. 1; Asp. Tox. 1; Aquatic	
		Chronic 2; H226, H302, H332, H312, H315, H319, H317, H304, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Nature of decomposition products not known.

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information**

Use water spray to cool unopened containers.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

**6.4 Reference to other sections**

For disposal see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

##### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Appearance                                   | Form: liquid<br>Colour: colourless                               |
| b) Odour  | pungent  |
| c) Odour Threshold                              | No data available  |
| d) pH   | No data available  |
| e) Melting point/freezing point                 | Melting point/range: -55 °C - lit.                               |
| f) Initial boiling point and boiling range      | 153 - 175 °C - lit.  |
| g) Flash point                                  | 36 °C - closed cup   |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | No data available  |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 6 %(V)<br>Lower explosion limit: 0.8 %(V) |
| k) Vapour pressure                              | 4 mmHg at 20 °C  |

l) Vapour density	No data available
m) Relative density	0.86 g/cm <sup>3</sup> at 25 °C
n) Water solubility	0.351 g/l at 20 °C
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	270 °C
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

Surface tension	54.8 mN/m at 21 °C
-----------------	--------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

Other decomposition products - No data available

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 5,760 mg/kg(Turpentine oil)

Inhalation: No data available(Turpentine oil)

Dermal: No data available(Turpentine oil)

#### Skin corrosion/irritation

Skin - Rabbit(Turpentine oil)

Result: Irritating to skin.

(Draize Test)

#### Serious eye damage/eye irritation

No data available(Turpentine oil)

#### Respiratory or skin sensitisation

No data available(Turpentine oil)

### **Germ cell mutagenicity**

in vitro assay(Turpentine oil)

S. typhimurium

Result: negative

### **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### **Reproductive toxicity**

No data available(Turpentine oil)

### **Specific target organ toxicity - single exposure**

No data available(Turpentine oil)

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

May be fatal if swallowed and enters airways.(Turpentine oil)

### **Additional Information**

RTECS: YO8400000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Exposure to high airborne concentrations can cause anesthetic effects., Nausea, Dizziness, Headache(Turpentine oil)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Turpentine oil)

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - 29 mg/l - 96 h(Turpentine oil) (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 6.4 mg/l - 48 h(Turpentine oil) (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - 17.1 mg/l - 72 h(Turpentine oil) (OECD Test Guideline 201)

### **12.2 Persistence and degradability**

Biodegradability	aerobic - Exposure time 28 d(Turpentine oil) Result: 71.7 % - Readily biodegradable (OECD Test Guideline 301F) Remarks: The 10 day time window criterion is not fulfilled.
------------------	---

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available(Turpentine oil)

### **12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1299

IMDG: 1299

IATA: 1299

### 14.2 UN proper shipping name

ADR/RID: TURPENTINE

IMDG: TURPENTINE

IATA: Turpentine

### 14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: yes

IATA: no

### 14.6 Special precautions for user

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Pallav Chemicals & Solvents Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.pallavchemicals.com](http://www.pallavchemicals.com) for additional terms and conditions of sale.