

**Manufacturers of Laboratory Fine Chemicals** 

Head Office: 253, Shiv Shakti Industrail Estate, Opp Mittal Estate, Andheri Kurla Road, Andheri East, Mumbai - 400 059. Tel No: +91 22 4928 4000 (100 Lines) Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar – 401506. • Email: sales@pallavchemicals.com

## **CERTIFICATE OF ANALYSIS**

Product Name	:	CHLOROBENZENE (MONO)	(6)
Code No.	:	00757	
Batch No.	:	PC/0371/19-2	
Mfg. Date	:	JULY – 2019	
<b>Date Of Analysis</b>	:	29/07/2019	
Retest Date	:	JUNE - 2024	

TEST	SPECIFICATION	RESULT
Appearance	A clear colorless liquid	A clear colorless liquid
Assay	Min 99%	99.35%
Density (d20°C/4°C)	1.105 - 1.107	1.106

Manufacturers Of Laborator REMARK: This product complies as per the specifications of Pallav Chemicals & Solvents Pvt. Ltd.

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on 022 4928 4000

Website: www.pallavchemicals.com