



## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	<b>:</b>	<b>SULPHURIC ACID AR</b>
<b>Code No.</b>	<b>:</b>	<b>02600</b>
<b>Batch No.</b>	<b>:</b>	<b>PC/0478/19-3</b>
<b>Mfg. Date</b>	<b>:</b>	<b>AUGUST - 2019</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>28/08/2019</b>
<b>Retest Date</b>	<b>:</b>	<b>JULY - 2024</b>

TEST	SPECIFICATION	RESULT
Appearance	A Clear oily liquid, not more than 10hazen unit color	A clear oily liquid
Assay (alkalimetric)	Min 98%	98.642%
Non volatile matter	Max 0.002%	0.0004%
Chloride (Cl)	Max 0.00002%	0.000008%
Nitrate (NO <sub>3</sub> )	Max 0.00002%	0.000007%
Ammonium (NH <sub>4</sub> )	Max 0.0002%	0.00006%
Arsenic (As)	Max 0.000005%	0.000007%
Copper (Cu)	Max 0.00001%	0.000008%
Iron (Fe)	Max 0.0001%	0.00004%
Lead (Pb)	Max 0.0001%	0.00003%
Selenium (Se)	Max 0.001%	0.0003%
Substance reducing KMnO <sub>4</sub> (as O)	Max 0.0001%	0.00007%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)