



**CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	<b>:</b>	<b>ACETIC ANHYDRIDE AR</b>
<b>Code No.</b>	<b>:</b>	<b>00019</b>
<b>Batch No.</b>	<b>:</b>	<b>PC/510/19-3</b>
<b>Mfg. Date</b>	<b>:</b>	<b>SEPTEMBER – 2019</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>04/09/2019</b>
<b>Retest Date</b>	<b>:</b>	<b>AUGUST – 2024</b>

<b>TEST</b>	<b>SPECIFICATION</b>	<b>RESULT</b>
Assay (GC)	Min 98%	<b>98.95%</b>
COLOUR (APHA)	Max 10	<b>8</b>
Boiling Point	136-142 C	<b>139°C</b>
Chloride (cl)	Max 0.001%	<b>0.0008%</b>
Sulphate (SO4)	Max 0.001%	<b>0.0003%</b>
Cadmium (Cd)	Max 0.00005%	<b>0.00004%</b>
Permanganate (o)	Passes Test	<b>Passes Test</b>

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)