

Manufacturers of Laboratory Fine Chemicals

Head Office: 253, Shiv Shakti Industrail Estate, Opp Mittal Estate, Andheri Kurla Road, Andheri East, Mumbai - 400 059. Tel No: +91 22 4928 4000 (100 Lines) Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar – 401506. • Email: sales@pallavchemicals.com

CERTIFICATE OF ANALYSIS

Product Name	:	N-METHYL-2-PYRROLIDONE	(6)
Code No.	:	01742	
Batch No.	:	PC/0564/19-2	
Mfg. Date	:	SEPTEMBER – 2019	
Date Of Analysis	:	16/09/2019	
Retest Date	:	AUGUST - 2024	

TEST	SPECIFICATION	RESULT
Appearance	Almost colourless to pale yellow colored liquid	Pale yellow coloured liquid
Assay	Min 99%	99.21%
Water (H2O)	Max 0.05%	0.037%
Specific gravirty	1.031 - 1.033	1.032
Refractive index (20°C; 589 nm)	Approx 1.470	1.471
Boiling range (at 760 mm Hg)	202 - 203 deg C	202 °C
Boiling range (at 10 mm Hg)	78 - 79 deg C	78 °C

Manufacturer REMARK: This product complies as per the specifications of Pallav Chemicals & Solvents Pvt. Ltd.

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on 022 4928 4000

Website: www.pallavchemicals.com