



## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	:	<b>CALCIUM CHLORIDE (FUSED) (ANHYDROUS)</b>
<b>Code No.</b>	:	<b>00639</b>
<b>Batch No.</b>	:	<b>PC/0918/19-2</b>
<b>Mfg. Date</b>	:	<b>DEC-2019</b>
<b>Date Of Analysis</b>	:	<b>14/12/2019</b>
<b>Retest Date</b>	:	<b>NOV-2024</b>

TEST	SPECIFICATION	RESULT
Appearance	White hygroscopic lumps	White hygroscopic lumps
Assay	Min 95%	80.08%
Iron (Fe)	Max 0.002%	0.0006%
Heavy metal (as Pb)	Max 0.002%	0.0010%
Sulphate (SO <sub>4</sub> )	Max 0.05%	0.035%
Loss on drying	Max 10%	8.42%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)