



## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	<b>:</b>	<b>METHYL ACETATE AR (FOR SYNTHESIS)</b>
<b>Code No.</b>	<b>:</b>	<b>01702</b>
<b>Batch No.</b>	<b>:</b>	<b>PC/0979/19-3</b>
<b>Mfg. Date</b>	<b>:</b>	<b>DEC-2019</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>29/12/2019</b>
<b>Retest Date</b>	<b>:</b>	<b>NOV-2024</b>

TEST	SPECIFICATION	RESULT
Appearance	A clear colorless liquid	A clear colorless liquid
Assay (GC area %)	Min 99.0%	99.80%
Identity (IR)	Passes test	Passes test
Density (d <sub>20</sub> <sup>o</sup> C/4 <sup>o</sup> C)	0.932 - 0.934	0.933
Non volatile matter	Max 0.01%	0.0065%
Acidity (as CH <sub>3</sub> COOH)	Max 0.005%	0.0025%
Methanol (CH <sub>3</sub> OH)	Max 0.2%	0.15%
Water (by KF)	Max 0.3%	0.18%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)