



CERTIFICATE OF ANALYSIS

| | | |
|-------------------------|----------|--------------------------|
| Product Name | : | ACETYL ACETONE AR |
| Code No. | : | 00040 |
| Batch No. | : | PC/1206/19-3 |
| Mfg. Date | : | FEB-2020 |
| Date Of Analysis | : | 08/02/2020 |
| Retest Date | : | JAN-2025 |

| TEST | SPECIFICATION | RESULT |
|--------------------------|---|--------------------------|
| Appearance | A clear colorless to slightly yellow liquid | A clear colorless liquid |
| Assay | Min 99.5% | 99.89% |
| Copper (Cu) | Max 0.000002% | 0.0000012% |
| Chromium (Cr) | Max 0.000002% | 0.0000011% |
| Water (H ₂ O) | Max 0.05% | 0.023% |
| Non volatile matter | Max 0.005% | 0.0028% |
| Aluminium (Al) | Max 0.00005% | 0.000032% |
| Barium (Ba) | Max 0.00001% | 0.000004% |
| Boron (B) | Max 0.000002% | 0.0000015% |
| Cadmium (Cd) | Max 0.000005% | 0.0000036% |
| Calcium (Ca) | Max 0.00005% | 0.0000038% |
| Cobalt (Co) | Max 0.000002% | 0.0000017% |
| Iron (Fe) | Max 0.00001% | 0.0000008% |
| Lead (Pb) | Max 0.00001% | 0.0000007% |
| Magnesium (Mg) | Max 0.00001% | 0.0000006% |
| Manganese (Mn) | Max 0.000002% | 0.0000010% |
| Nickel (Ni) | Max 0.000002% | 0.0000014% |
| Tin (Sn) | Max 0.00001% | 0.0000005% |
| Zinc (Zn) | Max 0.00001% | 0.0000003% |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com