



**CERTIFICATE OF ANALYSIS**

|                         |          |                         |     |
|-------------------------|----------|-------------------------|-----|
| <b>Product Name</b>     | <b>:</b> | <b>ACETIC ANHYDRIDE</b> | (R) |
| <b>Code No.</b>         | <b>:</b> | <b>00018</b>            |     |
| <b>Batch No.</b>        | <b>:</b> | <b>PC/0315/20-2</b>     |     |
| <b>Mfg. Date</b>        | <b>:</b> | <b>NOV-2020</b>         |     |
| <b>Date Of Analysis</b> | <b>:</b> | <b>08/11/2020</b>       |     |
| <b>Retest Date</b>      | <b>:</b> | <b>OCT-2025</b>         |     |

| <b>TEST</b>           | <b>SPECIFICATION</b> | <b>RESULT</b>  |
|-----------------------|----------------------|----------------|
| <b>Assay (GC)</b>     | Min 98%              | <b>98.46%</b>  |
| <b>Colour (APHA)</b>  | Max 10               | <b>8 APHA</b>  |
| <b>Boiling Point</b>  | 136-142 °C           | <b>137°C</b>   |
| <b>Chloride (cl)</b>  | Max 0.001%           | <b>0.0005%</b> |
| <b>Sulphate (SO4)</b> | Max 0.001%           | <b>0.0004%</b> |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)