



CERTIFICATE OF ANALYSIS

| | | |
|-------------------------|---|----------------------------------|
| Product Name | : | HYDRAZINE SULPHATE 99% AR |
| Code No. | : | 01374 |
| Batch No. | : | PC06220441 |
| Mfg. Date | : | JUNE-2022 |
| Date Of Analysis | : | 03/06/2022 |
| Retest Date | : | MAY-2027 |

| TEST | SPECIFICATION | RESULT |
|---------------------|----------------------|-------------------|
| Appearance | White powder | White powder |
| Assay | Min 99.0% | 99.40% |
| Insoluble matter | Max 0.003% | 0.001% |
| Residue on ignition | Max 0.02% | 0.008% |
| Chloride (Cl) | Max 0.001% | Less than 0.001% |
| Copper (Cu) | Max 0.0005% | Less than 0.0005% |
| Iron (Fe) | Max 0.001% | Less than 0.001% |
| Lead (Pb) | Max 0.0005% | Less than 0.0005% |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com