



## **CERTIFICATE OF ANALYSIS**

|                         |          |                    |
|-------------------------|----------|--------------------|
| <b>Product Name</b>     | <b>:</b> | <b>N-OCTANE AR</b> |
| <b>Code No.</b>         | <b>:</b> | <b>01881</b>       |
| <b>Batch No.</b>        | <b>:</b> | <b>PC08221158</b>  |
| <b>Mfg. Date</b>        | <b>:</b> | <b>AUG-2022</b>    |
| <b>Date Of Analysis</b> | <b>:</b> | <b>27/08/2022</b>  |
| <b>Retest Date</b>      | <b>:</b> | <b>JULY-2027</b>   |

| <b>TEST</b>                     | <b>SPECIFICATION</b> | <b>RESULT</b>     |
|---------------------------------|----------------------|-------------------|
| Appearance                      | Colourless liquid    | Colourless liquid |
| Assay                           | Min 99%              | 99.48%            |
| Colour scale                    | Max 10 APHA          | 7APHA             |
| Density (at 20°C)               | 0.702-0.703 g/ml     | 0.703 g/ml        |
| Refractive index (20°C; 589 nm) | 1.3960-1.400         | 1.3970            |
| Water (by KF)                   | Max 0.02%            | 0.006%            |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)