



CERTIFICATE OF ANALYSIS

Product Name	:	SODIUM PEROXIDE GRANULAR 95% AR
Code No.	:	02477
Batch No.	:	PC06220620
Mfg. Date	:	JUNE-2022
Date Of Analysis	:	02/07/2022
Retest Date	:	MAY-2027

TEST	SPECIFICATION	RESULT
Appearance	Pale yellow hygroscopic granules	Pale yellow hygroscopic granules
Assay	Min 95%	95.57%
Chloride (Cl)	Max 0.002%	Less than 0.002%
Phosphate (PO ₄)	Max 0.0005%	Less than 0.0005%
Sulphate (SO ₄)	Max 0.001%	Less than 0.001%
Total nitrogen (N)	Max 0.003%	Less than 0.003%
Heavy metal (as Pb)	Max 0.002%	Less than 0.002%
Aluminium (Al)	Max 0.001%	Less than 0.001%
Iron (Fe)	Max 0.002%	Less than 0.002%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on **sales@pallavchemicals.com** or call on **022 4928 4000**

Website: www.pallavchemicals.com