



## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	<b>:</b>	<b>SODIUM THIOGLYCOLLATE 80% FOR BACTERIOLOGY</b>
<b>Code No.</b>	<b>:</b>	<b>02526</b>
<b>Batch No.</b>	<b>:</b>	<b>PC10221509</b>
<b>Mfg. Date</b>	<b>:</b>	<b>OCT-2022</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>11/10/2022</b>
<b>Retest Date</b>	<b>:</b>	<b>SEP-2027</b>

<b>TEST</b>	<b>SPECIFICATION</b>	<b>RESULT</b>
Appearance	White to off white powder	White powder
Assay (iodometric)	Min 80%	81.37%
pH (1 M in water at 20°C)	6.5 - 8.0	6.66
Solubility (200 mg/mL)	Colorless to faint pink or faint purple clear to slightly hazy solution	Complies

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)