



## **CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	:	<b>METHYLAMINE SOLUTION (DI) 40%</b>
<b>Code No.</b>	:	<b>01705</b>
<b>Batch No.</b>	:	<b>PC09221381</b>
<b>Mfg. Date</b>	:	<b>SEP-2022</b>
<b>Date Of Analysis</b>	:	<b>06/10/2022</b>
<b>Retest Date</b>	:	<b>AUG-2027</b>

<b>TEST</b>	<b>SPECIFICATION</b>	<b>RESULT</b>
Appearance	A clear, colourless to pale yellow liquid	A clear, colourless liquid
Assay (acidimetric)	Min 40%	41.12%
Density (d <sub>20</sub> <sup>o</sup> C/4 <sup>o</sup> C)	0.885 - 0.895 g/ml	0.891 g/ml

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)