



CERTIFICATE OF ANALYSIS

Product Name	:	FERRIC CITRATE FOR BACTERIOLOGY
Code No.	:	01213
Batch No.	:	PC11221790
Mfg. Date	:	NOV-2022
Date Of Analysis	:	15/11/2022
Retest Date	:	OCT-2027

TEST	SPECIFICATION	RESULT
Appearance	Orange to brown and very dark red brown powder	Very dark red brown powder
Iron content	18 - 20%	19.95%
Chloride (Cl)	Max 0.05%	Less than 0.05%
Ammonium (NH ₄)	Max 0.5%	Less than 0.5%
Arsenic (As)	Max 0.0005%	Less than 0.0005%
Cadmium (Cd)	Max 0.005%	Less than 0.005%
Copper (Cu)	Max 0.005%	Less than 0.005%
Lead (Pb)	Max 0.005%	Less than 0.005%
Zinc (Zn)	Max 0.005%	Less than 0.005%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com