

Manufacturers of Laboratory Fine Chemicals

Head Office: 403 Cosmos Plaza, (Westside Building), Nr DN Nagar Metro Station, Andheri West- 400053 Mumbai • Contact: +91 91360 93115 Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar – 401506. Tel: +91 8451043975/ 76 • Email:sales@pallavchemicals.com

CERTIFICATE OF ANALYSIS

Product Name	:	PEPTONE POWDER BACTERIOLOGICAL
Code No.	:	01952
Batch No.	:	PC11221932
Mfg. Date	:	NOV-2022
Date Of Analysis	:	19/11/2022
Retest Date	:	OCT-2024

TEST	SPECIFICATION	RESULT
Appearance	Yellow to brown coloured powder	Brown coloured powder
pH (2% solution)	6.1- 7.1	6.86
Loss on drying	Max 6.0%	1.46%
Total nitrogen (N)	Min 13.5%	15.03%
Amino nitrogen	Min 3.5%	4.51%
Residue on ignition	Max 15.0%	6.67%
Growth Test:		
E.coli.	Satisfactory	Complies
Salmonella species	Satisfactory	Complies
Staphylococcus aureus	Satisfactory	Complies
Microbial Limits		
Total viable count	Max 10000 CFU/gram	Complies
Yeast and mould count	Max 100 CFU/gm	Complies
E.coli.	Absent/gm	Complies
Salmonella species	Absent/gm	Complies
Pseudomonas	Absent/gm	Complies

REMARK: This product complies as per the specifications of Pallav Chemicals & Solvents Pvt. Ltd.

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on 022 4928 4000

Website: www.pallavchemicals.com