



## **CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	<b>:</b>	<b>AMMONIA SOLUTION 25% AR</b>
<b>Code No.</b>	<b>:</b>	<b>00175</b>
<b>Batch No.</b>	<b>:</b>	<b>PC11222002</b>
<b>Mfg. Date</b>	<b>:</b>	<b>NOV-2022</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>22/11/2022</b>
<b>Retest Date</b>	<b>:</b>	<b>OCT-2025</b>

<b>TEST</b>	<b>SPECIFICATION</b>	<b>RESULT</b>
Appearance	A Clear liquid with a pungent odour	A Clear liquid with a pungent odour
Assay	Min 25%	26.11%
Carbonate (as CO <sub>2</sub> )	Max 0.002%	Less than 0.002%
Phosphate (PO <sub>4</sub> )	Max 0.0002%	Less than 0.0002%
Chloride (Cl)	Max 0.00005%	Less than 0.00005%
Sulphate (SO <sub>4</sub> )	Max 0.0003%	Less than 0.0003%
Non-volatile matter	Max 0.003%	0.0014%
Calcium (Ca)	Max 0.0005%	Less than 0.0005%
Potassium (K)	Max 0.0001%	Less than 0.0001%
Sodium (Na)	Max 0.0005%	Less than 0.0005%
Magnesium (Mg)	Max 0.00005%	Less than 0.00005%
Iron (Fe)	Max 0.00005%	Less than 0.00005%
Copper (Cu)	Max 0.00001%	Less than 0.00001%
Zinc (Zn)	Max 0.00001%	Less than 0.00001%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on **sales@pallavchemicals.com** or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)