



CERTIFICATE OF ANALYSIS

Product Name	:	ETHYLENE DICHLORIDE AR (1,2-DICHLOROETHANE)
Code No.	:	01171
Batch No.	:	PC11222036
Mfg. Date	:	NOV-2022
Date Of Analysis	:	01/12/2022
Retest Date	:	OCT-2027

TEST	SPECIFICATION	RESULT
Appearance	A clear colourless liquid	A clear colourless liquid
Assay	Min 99.0%	99.69%
Weight/ mL at 20°C	1.252 - 1.254 g/ml	1.253 g/ml
Refractive index (20°C; 589 nm)	1.443 - 1.445	1.444
Water (H ₂ O)	Max 0.03%	0.021%
Non-volatile matter	Max 0.002%	0.001%
Free chlorine (Cl)	Max 0.0001%	Less than 0.0001%
Copper (Cu)	Max 0.0001%	Less than 0.0001%
Iron (Fe)	Max 0.0001%	Less than 0.0001%
Lead (Pb)	Max 0.0001%	Less than 0.0001%
Substance reducing KMnO ₄ (as O)	Max 0.0001%	Less than 0.0001%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com