



CERTIFICATE OF ANALYSIS

Product Name	:	AMMONIA SOLUTION 25% AR
Code No.	:	00175
Batch No.	:	PC12222081
Mfg. Date	:	DEC-2022
Date Of Analysis	:	06/12/2022
Retest Date	:	NOV-2025

TEST	SPECIFICATION	RESULT
Appearance	A Clear liquid with a pungent odour	A Clear liquid with a pungent odour
Assay	Min 25.0%	25.79%
Carbonate (as CO ₂)	Max 0.002%	Less than 0.002%
Phosphate (PO ₄)	Max 0.0002%	Less than 0.0002%
Chloride (Cl)	Max 0.00005%	Less than 0.00005%
Sulphate (SO ₄)	Max 0.0003%	Less than 0.0003%
Non-volatile matter	Max 0.003%	0.0011%
Calcium (Ca)	Max 0.0005%	Less than 0.0005%
Potassium (K)	Max 0.0001%	Less than 0.0001%
Sodium (Na)	Max 0.0005%	Less than 0.0005%
Magnesium (Mg)	Max 0.00005%	Less than 0.00005%
Iron (Fe)	Max 0.00005%	Less than 0.00005%
Copper (Cu)	Max 0.00001%	Less than 0.00001%
Zinc (Zn)	Max 0.00001%	Less than 0.00001%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com