



CERTIFICATE OF ANALYSIS

Product Name	:	PERCHLORIC ACID 70% AR
Code No.	:	01956
Batch No.	:	PC12222310
Mfg. Date	:	DEC-2022
Date Of Analysis	:	03/01/2023
Retest Date	:	NOV-2027

TEST	SPECIFICATION	RESULT
Appearance	A clear colourless liquid	A clear colourless liquid
Colour scale	Max 10 APHA	8 APHA
Assay	69.0 – 72.0%	70.70%
Chloride (Cl)	Max 0.001%	Less than 0.001%
Heavy metal (as Pb)	Max 0.0001%	Less than 0.0001%
Iron (Fe)	Max 0.0001%	Less than 0.0001%
Nitrogen compounds (as N)	Max 0.001%	Less than 0.001%
Residue on ignition	Max 0.003%	0.002%
Silicate and phosphates (as SiO ₂)	Max 0.0005%	Less than 0.0005%
Sulphate (SO ₄)	Max 0.001%	Less than 0.001%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com