Manufacturers of Laboratory Fine Chemicals

Head Office: 403 Cosmos Plaza, (Westside Building), Nr DN Nagar Metro Station, Andheri West- 400053 Mumbai • Contact: +91 91360 93115 Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar - 401506. Tel: +91 8451043975/ 76 • Email:sales@pallavchemicals.com

CERTIFICATE OF ANALYSIS

Product Name	:	1-NAPHTHOLBENZEIN (PH INDICATOR)
Code No.	:	01781
Batch No.	:	PC03222056
Mfg. Date	:	MAR-2022
Date Of Analysis	:	29/03/2022
Retest Date	:	FEB-2027

TEST	SPECIFICATION	RESULT
Appearance	Dark reddish black powder	Dark reddish black powder
pH transition (8.5 - 9.8)	Yellow to green	Complies
Absorption maxima in acetic perchloric acid 0.1 mol/L	622 - 626 nm	624 nm

REMARK: This product complies as per the specifications of Pallav Chemicals & Solvents Pvt. Ltd.

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on 022 4928 4000

Website: www.pallavchemicals.com