



CERTIFICATE OF ANALYSIS

Product Name	:	N-HEPTANE 99% AR
Code No.	:	01335
Batch No.	:	PC03232828
Mfg. Date	:	MAR-2023
Date Of Analysis	:	10/03/2023
Retest Date	:	FEB-2028

TEST	SPECIFICATION	RESULT
Appearance	A clear colorless liquid	A clear colorless liquid
Purity (by GC)	Min 99.0%	99.25%
Density (d _{20°C/4°C})	0.683-0.686 g/ml	0.683 g/ml
Refractive index (20°C; 589 nm)	1.387 - 1.388	1.388
Bromine number	Max. 0.5	0.1
Miscibility with chloroform & diethyl ether	Passes test	Passes
Water (by KF)	Max 0.02%	0.0051%
Acidity (as CH ₃ COOH)	Max 0.0005%	0.00019%
Alkalinity (as NH ₃)	Max 0.0001%	Nil
Non-volatile matter	Max 0.001%	0.0002%
Sulphur compounds (CS ₂)	Max 0.0003%	0.0001%
Copper (Cu)	Max 0.00002%	0.000008%
Iron (Fe)	Max 0.00005%	0.000016%
Lead (Pb)	Max 0.00002%	0.000003%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com