



## **CERTIFICATE OF ANALYSIS**

|                         |   |  |
|-------------------------|---|--|
| <b>Product Name</b>     | : | <b>AMMONIUM METAVANADATE 98% EXTRAPURE</b> |
| <b>Code No.</b>         | : | <b>00217</b>                               |
| <b>Batch No.</b>        | : | <b>PC03233205</b>                          |
| <b>Mfg. Date</b>        | : | <b>MAR-2023</b>                            |
| <b>Date Of Analysis</b> | : | <b>10/04/2023</b>                          |
| <b>Retest Date</b>      | : | <b>FEB-2028</b>                            |

| <b>TEST</b>                 | <b>SPECIFICATION</b>                | <b>RESULT</b>      |
|-----------------------------|-------------------------------------|--------------------|
| Appearance                  | White to yellow to tan color powder | White color powder |
| Assay                       | Min 98.0%                           | 99.98%             |
| Chloride (Cl)               | Max 0.2%                            | 0.002%             |
| Sulphate (SO <sub>4</sub> ) | Max 0.05%                           | 0.001%             |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)