



## **CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	<b>:</b>	<b>CYTIDINE 99% FOR BIOCHEMISTRY</b>
<b>Cas No.</b>	<b>:</b>	<b>65-46-3</b>
<b>Code No.</b>	<b>:</b>	<b>00926</b>
<b>Batch No.</b>	<b>:</b>	<b>PC07230975</b>
<b>Mfg. Date</b>	<b>:</b>	<b>JULY-2023</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>18/07/2023</b>
<b>Retest Date</b>	<b>:</b>	<b>JUNE-2028</b>

<b>TEST</b>	<b>SPECIFICATION</b>	<b>RESULT</b>
Appearance	White powder	White powder
Assay	Min 99.0%	99.86%
Melting point	210 - 220°C	216°C
Ash content	Max 0.05%	0.03%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)