



CERTIFICATE OF ANALYSIS

Product Name	:	AMMONIUM CERIC NITRATE 99% AR
Cas No.	:	16774-21-3
Code No.	:	00194
Batch No.	:	PC07231126
Mfg. Date	:	JULY-2023
Date Of Analysis	:	31/07/2023
Retest Date	:	JUNE-2028

TEST	SPECIFICATION	RESULT
Appearance	A reddish –orange crystalline powder	A reddish –orange crystalline powder
Assay (oxidimetric; as(NH ₄) ₂ Ce(NO ₃) ₆)	Min 99.0%	100.25%
Substance insoluble in dilute H ₂ SO ₄	Max 0.05%	0.02%
Chloride (Cl)	Max 0.01%	0.003%
Phosphate (PO ₄)	Max 0.02%	0.007%
Heavy metal (as Pb)	Max 0.002%	0.0003%
Iron (Fe)	Max 0.005%	0.0012%
Sodium (Na)	Max 0.005%	0.0019%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com