

Manufacturers of Laboratory Fine Chemicals

Head Office: 403 Cosmos Plaza, (Westside Building), Nr DN Nagar Metro Station, Andheri West-400053 Mumbai • Contact: +91 91360 93115 Factory: N-226 Near Kumbhavali Naka, Tarapur MIDC, Boisar – 401506. Tel: +91 8451043975/ 76 • Email:sales@pallavchemicals.com

W

## **CERTIFICATE OF ANALYSIS**

Product Name	:	PATTON AND REEDER'S REAGENT AR	
Cas No.	:	3737-95-9	
Code No.	:	01936	
Batch No.	:	PC08231206	
Mfg. Date	:	AUG-2023	
<b>Date Of Analysis</b>	:	11/08/2023	
Retest Date	:	JULY-2028	

TEST	SPECIFICATION	RESULT
Appearance	Dark purple to black powder	Black powder
Absorption maxima	569 - 572 nm	569 nm
Absorptivity (A 1%/1cm; at lmax)	Min 250	755.3
Loss on drying (at 135°C)	Max 7%	3.72%
Suitability (as complexometric indicator)	Passes test	Passes

Manufacturers of Laboratory REMARK: This product complies as per the specifications of Pallav Chemicals & Solvents Pvt. Ltd.

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on 022 4928 4000

Website: www.pallavchemicals.com