



## **CERTIFICATE OF ANALYSIS**

|                         |   |                               |
|-------------------------|---|-------------------------------|
| <b>Product Name</b>     | : | <b>AURAMIN FOR MICROSCOPY</b> |
| <b>Cas No.</b>          | : | <b>2465-27-2</b>              |
| <b>Code No.</b>         | : | <b>00313</b>                  |
| <b>Batch No.</b>        | : | <b>PC09231510</b>             |
| <b>Mfg. Date</b>        | : | <b>SEP-2023</b>               |
| <b>Date Of Analysis</b> | : | <b>18/09/2023</b>             |
| <b>Retest Date</b>      | : | <b>AUG-2028</b>               |

| <b>TEST</b>   | <b>SPECIFICATION</b>  | <b>RESULT</b>         |
|---|-----------------------|-----------------------|
| Appearance  | Yellow colored powder | Yellow colored powder |
| Absorption maxima   | 429 - 433 nm          | 433.3 nm              |
| Absorptivity (A 1%/1cm; at lmax; pH 6.0; on dried substances) | Min 900               | 1037.88               |
| Loss on drying (at 105°C)                                     | Max 10%               | 1.29%                 |
| Suitability (for microscopy)                                  | Passes test           | Passes                |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)