



## **CERTIFICATE OF ANALYSIS**

<b>Product Name</b>	<b>:</b>	<b>ARSENIC TRIOXIDE 98% EXTRAPURE</b>
<b>Cas No.</b>	<b>:</b>	<b>1327-53-3</b>
<b>Code No.</b>	<b>:</b>	<b>00305</b>
<b>Batch No.</b>	<b>:</b>	<b>PC12232309</b>
<b>Mfg. Date</b>	<b>:</b>	<b>DEC-2023</b>
<b>Date Of Analysis</b>	<b>:</b>	<b>29/12/2023</b>
<b>Retest Date</b>	<b>:</b>	<b>NOV-2028</b>

<b>TEST</b>	<b>SPECIFICATION</b>	<b>RESULT</b>
Appearance	Off-White Powder	Off-White Powder
Assay (iodometric)	Min 98.0%	99.65%
Residue on ignition	Max 0.1%	0.071%
Iron (Fe)	Max 0.01%	0.003%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

**This is an electronically generated Certificate and is valid without a signature.**

For Issues relating to Quality you may send us a mail on [sales@pallavchemicals.com](mailto:sales@pallavchemicals.com) or call on **022 4928 4000**

Website: [www.pallavchemicals.com](http://www.pallavchemicals.com)