



CERTIFICATE OF ANALYSIS

| | | |
|-------------------------|---|--------------------------------|
| Product Name | : | ACETIC ANHYDRIDE 99% AR |
| CAS No. | : | 108-24-7 |
| Code No. | : | 00019 |
| Batch No. | : | PC11242094 |
| Mfg. Date | : | NOV-2024 |
| Date Of Analysis | : | 16/11/2024 |
| Retest Date | : | OCT-2029 |

| TEST | SPECIFICATION | RESULT |
|-----------------------------|----------------------|---------------|
| Assay (GC) | Min 98.0% | 99.51% |
| Colour (APHA) | Max 10 | 6 APHA |
| Boiling Point | 136.0 – 142.0°C | 137.29°C |
| Chloride (Cl) | Max 0.001% | 0.0006% |
| Sulphate (SO ₄) | Max 0.001% | 0.00047% |
| Cadmium (Cd) | Max 0.00005% | 0.000019% |
| Permanganate (O) | Passes test | Passes |

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com