



CERTIFICATE OF ANALYSIS

Product Name	:	ACETYL ACETONE 99.5% AR
Cas No.	:	123-54-6
Code No.	:	00040
Batch No.	:	PC12242336
Mfg. Date	:	DEC-2024
Date Of Analysis	:	14/12/2024
Retest Date	:	NOV-2029

TEST	SPECIFICATION	RESULT
Appearance	Clear colorless to slightly yellow liquid	Slightly yellow liquid
Assay	Min 99.5%	99.96%
Copper (Cu)	Max 0.000002%	0.0000007%
Chromium (Cr)	Max 0.000002%	0.0000008%
Water (H ₂ O)	Max 0.05%	0.019%
Non-volatile matter	Max 0.005%	0.0007%
Aluminium (Al)	Max 0.00005%	0.000021%
Barium (Ba)	Max 0.00001%	0.000005%
Boron (B)	Max 0.000002%	0.0000003%
Cadmium (Cd)	Max 0.000005%	0.00000062%
Calcium (Ca)	Max 0.00005%	0.00003%
Cobalt (Co)	Max 0.000002%	0.0000005%
Iron (Fe)	Max 0.00001%	0.000004%
Lead (Pb)	Max 0.00001%	0.000008%
Magnesium (Mg)	Max 0.00001%	0.000005%
Manganese (Mn)	Max 0.000002%	0.00000016%
Nickel (Ni)	Max 0.000002%	0.0000004%
Tin (Sn)	Max 0.00001%	0.000003%
Zinc (Zn)	Max 0.00001%	0.0000021%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com