



CERTIFICATE OF ANALYSIS

Product Name	:	PERCHLORIC ACID 70% AR
Cas No.	:	7601-90-3
Code No.	:	01956
Batch No.	:	PC02252889
Mfg. Date	:	FEB-2025
Date Of Analysis	:	13/02/2025
Retest Date	:	JAN-2030

TEST	SPECIFICATION	RESULT
Appearance	Clear colourless liquid	Clear colourless liquid
Colour scale	Max 10 APHA	5 APHA
Assay	69.0 – 72.0%	70.55%
Chloride (Cl)	Max 0.001%	0.0003%
Heavy metal (as Pb)	Max 0.0001%	0.000065%
Iron (Fe)	Max 0.0001%	0.000023%
Nitrogen compounds (as N)	Max 0.001%	0.00025%
Residue on ignition	Max 0.003%	0.0011%
Silicate and phosphates (as SiO ₂)	Max 0.0005%	0.00037%
Sulphate (SO ₄)	Max 0.001%	0.00048%

REMARK : This product complies as per the specifications of **Pallav Chemicals & Solvents Pvt. Ltd.**

This is an electronically generated Certificate and is valid without a signature.

For Issues relating to Quality you may send us a mail on sales@pallavchemicals.com or call on **022 4928 4000**

Website: www.pallavchemicals.com